Panasonic



ADORNYOUR LIFE WITH RIGHT LIGHT



PRICE LIST



Light inspires a wide range of emotions. Enriched by a century of experience and relevance, we have created lights that encompass the epic range of human feelings. Our technical expertise gives us an intuitive edge to understand your needs and make products accordingly. So here we are, with world - class LED products crafted with impeccable technical precision and unmatched style that inspire the best in you.

May this illumination inspire you, today and always.







Surge Protection

Panasonic LED's driver has a surge voltage resistance upto 2.5kV, which protects the lumimaire against voltage spikes in electric circuits.



Wide Voltage Range

Wide input voltage range, for LED Bulb: 80-400V, for LED fixtures: 100-300V.

Voltage fluctuations are common in most places in India, so Panasonic LEDs have a wide operating voltage range.



Fire Resistance

Panasonic LEDs use a Class V2 or greater grade material, which does not catch fire. This ensures that the fire does not spread to the other electrical equipment during short circuits.





Low Glare

Glare can lead to discomfort. That's why Panasonic LEDs have a high quality diffuser and smart design for glareless lighting, making them best suited for the home.



Uniform Lighting

Panasonic LEDs have a uniform arrangement of LEDs and use a wide diffuser to ensure uniform lighting.



Safety, Comfort and





Consistent Light Output

With the UV-Stabilised Polycarbonate Diffuser, light output remains the same for a long time, which also prevents the diffuser from yellowing.



Better Heat Dissipation


High quality housing and design leads to better heat management and maintains 70% of the initial brightness up to 50,000 burning hours.



Heat is drawn away from the light module towards the heat sink, where it dissipates from the fixture.



INDEX



INDEX



	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Diameter x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
LED BU	LB								
KIGLO OMNI LED BU	LB								
	3W	3000K	NA	5x9	270	PBUM01033	130	50	6500
		6500K	NA	5x9	276	PBUM01037	130	50	6500
	5W	3000K	NA	5.6x10	450	PBUM01053	140	50	7000
		6500K	NA	5.6x10	500	PBUM01057	140	50	7000
	7W	3000K	NA	5.6x10	630	PBUM01073	150	50	7500
		6500K	NA	5.6x10	700	PBUM01077	150	50	7500
	9W	3000K	NA	5.6x10	810	PBUM01093	170	50	8500
		6500K	NA	5.6x10	900	PBUM01097	170	50	8500
	10.5W	6500K	NA	5.6x10	1050	PBUM01117	180	50	9000
	12W	3000K	NA	6x10.8	1080	PBUM01123	260	50	13000
Parasonia		6500K	NA	6x10.8	1104	PBUM01127	260	50	13000
	12W (A57)	6500K	NA	5.6x10	1200	PBUM01127R2	220	50	11000
-	15W	3000K	NA	6.5x12.1	1350	PBUM01153	290	30	8700
		6500K	NA	6.5x12.1	1380	PBUM01157	290	30	8700
	18W	3000K	NA	7.5x13.6	1656	PBUM01183	360	30	10800
		6500K	NA	7.5x13.6	1800	PBUM01187	360	30	10800
	23W	3000K	NA	8x15.4	2070	PBUM01233	550	20	11000
		6500K	NA	8x15.4	2300	PBUM01237	550	20	11000
	26W	6500K	NA	9x18.4	2600	PBUM01267	575	20	11500
KIGLO OMNI BULB:	E27 HOLDER								
	3W	3000K	NA	5x9.4	270	PBUM18033	130	50	6500
		6500K	NA	5x9.4	276	PBUM18037	130	50	6500
	5W	3000K	NA	5.7x10.1	450	PBUM18053	140	50	7000
		6500K	NA	5.7x10.1	500	PBUM18057	140	50	7000
	7W	3000K	NA	5.7x10.1	630	PBUM18073	150	50	7500
		6500K	NA	5.7x10.1	700	PBUM18077	150	50	7500
Penesonie	9W	3000K	NA	5.7x10.1	810	PBUM18093	170	50	8500
III		6500K	NA	5.7x10.1	900	PBUM18097	170	50	8500
	12W	3000K	NA	6x11	1080	PBUM18123	260	50	13000
		6500K	NA	6x11	1200	PBUM18127	260	50	13000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Diameter x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
KIGLO HYPER: HW B	ULB - ROCKET	SHAPE							
	30W	3000K	NA	10x15.6	2700	PBUM04303R2	875	10	8750
		6500K	NA	10x15.6	3000	PBUM04307R2	875	10	8750
	40W	3000K	NA	11.8x17.7	3600	PBUM04403R2	1075	10	10750
		6500K	NA	11.8x17.7	4000	PBUM04407R2	1075	10	10750
Panasonio	50W	3000K	NA	13.8x20.5	4500	PBUM04503R2	1275	10	12750
		6500K	NA	13.8x20.5	5000	PBUM04507R2	1275	10	12750
	40W - E27	3000K	NA	10.5x23.3	4000	PBUM05403R2	1075	10	10750
		6500K	NA	10.5x25.3	4000	PBUM05407R2	1075	10	10750
#	50W - E27	3000K	NA	10.5x23.3	5000	PBUM05507R2	1275	10	12750
_		6500K	NA	10.5x25.3	5000	PBUM05503R2	1275	10	12750
LED EMERGENCY BUI	LB								
Ī	9W	6500K	NA	6.5x12.1	900 (Main)	PBUM13097R1	650	10	6500
LED RADAR BULB									
	9W	6500K	NA	6x11.6	900	PBUM28097	700	10	7000
LED RGB BULB									
	7W	RGB	NA	6x11.8	440	PBUM11070	750	30	2250
	7 * *	NOD	IVA	0.811.0	440	1 BOWITTO/U	7.00	30	2230

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Diameter x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
LED ALL ROUNDER BULI	B (3-IN-1 B	ULB - 1 LAMP	= 3 BRIGHTN	NESS)					
	14W	6500K	NA	7x13.5	1260(14W) 700(7W) / (0.5W	PBUM19147)	320	30	9600
LED 4-IN-1 BULB (1 LAN	IP = 3 COL	OURS + 1 0.5W	/ NIGHT LAN	IP)					
	12W	6500K/	NA	7x13.5	1200 (6500K)	PBUM21127	340	30	10200
	1200	4000K/	INA	/ X 1 3 . 3	1200 (0300K) 1140 (4000K)	PBUNIZ I 1Z/	340	30	10200
		3000K			1080 (3000k)				
1					(0000.)				
SMART WiFi BULB									
	9.5W	NA	NA	6x11.8	720	PBUM34100M	2199	10	21990
	9.5W	NA	NA	6x11.8	720	PBUM34100WM	1999	10	19990
Parameter 1	12.5W	NA	NA	6.5x12.6	720	PBUM34130M	2399	10	23990
CANDLE LIGHT LAMP									
	### (BOO)	00001/		0.0.40.7	262	DDI IN 4000 40	170	0.0	0.400
	4W (B22)	3000K	NA	3.8x10.7	360	PBUM39043	170	20	3400
	4\A/ (E07)	6500K	NA NA	3.8x10.7 3.8x10.7	400 360	PBUM39047 PBUM38043	170 170	20	3400 3400
Present Present	4W (E27)	3000K 6500K	NA NA	3.8x10.7 3.8x10.7	400	PBUM38043 PBUM38047	170	20	3400
THE WORLD	4W (E14)	3000K	NA NA	3.8x10.7	360	PBUM15043	170	20	3400
# III	TVV (L 144)	6500K	NA NA	3.8x10.7	400	PBUM15047	170	20	3400
TU.		00001	IVA	0.0x10.7	400	1 DOINT JUST /	170	20	0400


	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Diameter x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
CANDLE LIGHT LAMP	CLEAR								
A . A	2.7W (B22)	3000K	NA	3.65 X 10.1	243	PBUM39033	135	30	4050
		6500K	NA	3.65 X 10.1	270	PBUM39037	135	30	4050
	2.7W (E27)	3000K	NA	3.65 X 10.1	243	PBUM38033	135	30	4050
N		6500K	NA	3.65 X 10.1	270	PBUM38037	135	30	4050
-	2.7W (E14)	3000K	NA	3.65 X 10.1	243	PBUM15033	135	30	4050
A A		6500K	NA	3.65 X 10.1	270	PBUM15037	135	30	4050
NIGHT LAMP									
		Blue	NA	4.5x7	NA	92853BU	55	60	3300
		Green	NA	4.5x7	NA	92853GN	55	60	3300
		Red	NA	4.5x7	NA	92853RD	55	60	3300
	0.5W	White	NA	4.5x7	NA	92853WH	55	60	3300
Panasonic		Yellow	NA	4.5x7	NA	92853YW	55	60	3300
. ,		Orange	NA	4.5x7	NA	928530R	55	60	3300
		Pink	NA	4.5x7	NA	92853PN	55	60	3300
RGB AUTO COLOR LED	BULB								
Promoting	0.5W	RGB	NA	4.5x7	NA	PBUM16010	80	60	4800
ED COLOR BULB									
		Red	NA	5x9	NA	PBUM0105RD	150	50	7500
		Green	NA	5x9	NA	PBUM0105GN	150	50	7500
	5W	Blue	NA	5x9	NA	PBUM0105BU	150	50	7500
W 5 4 W 5 4 W 5		Yellow	NA	5x9	NA	PBUM0105YW	150	50	7500

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
LED DE	COR	ATIVE	LIG	łT					
DECO SURFACE CEILII	NG LIGHT								
	22W	3000K	NA	30x7.8	1683	PCLM02223	1250	6	7500
		6500K	NA	30x7.8	1870	PCLM02227	1250	6	7500
LED ROPE LIGHT - 45	METER								
		3000K	NA	4500x1.2x0.6	270lm/m	PSLM12TU3	7000	1	7000
		4000K	NA	4500x1.2x0.6	270lm/m	PSLM12TU4	7000	1	7000
		6500K	NA	4500x1.2x0.6	300lm/m	PSLM12TU7	7000	1	7000
	6W/m	Red	NA	4500x1.2x0.6	NA	PSLM12TUR	7000	1	7000
		Green	NA	4500x1.2x0.6	NA	PSLM12TUG	7000	1	7000
		Blue	NA	4500x1.2x0.6	NA	PSLM12TUB	7000	1	7000
		Amber	NA	4500x1.2x0.6	NA	PSLM12TUA	7000	1	7000
		Pink	NA	4500x1.2x0.6	NA	PSLM12TUP	7000	1	7000
ED STRIP LIGHT IP20) - 60 LED/N								
		3000K	NA	500x0.8x0.2	72 lm/W	PSLM06253	850	10	8500
		4000K	NA	500x0.8x0.2	76 lm/W	PSLM06254	850	10	8500
Anno O MA	25W	6500K	NA	500x0.8x0.2	80 lm/W	PSLM06257	850	10	8500
		Red	NA	500x0.8x0.2	NA	PSLM0625R	950	10	9500
		Green	NA	500x0.8x0.2	NA	PSLM0625G	950	10	9500
		Blue	NA	500x0.8x0.2	NA	PSLM0625B	950	10	9500
	50W*	RGB	NA	500x0.8x0.2	NA	PSLM06500	2000	10	20000
ED STRIP LIGHT IP20	O - NEW SER	IES - 180 LED/I	M						
		3000K	NA	500x0.8x0.2	72 lm/W	PSLM14903	1500	10	15000
		4000K	NA	500x0.8x0.2	76 lm/W	PSLM14904	1500	10	15000
Marin So Thin	90W	6500K	NA	500x0.8x0.2	80 lm/W	PSLM14907	1500	10	15000
		Red	NA	500x0.8x0.2	NA	PSLM1490R	1500	10	15000
		Green	NA	500x0.8x0.2	NA	PSLM1490G	1500	10	15000
ALL.		Blue	NA	500x0.8x0.2	NA	PSLM1490B	1500	10	15000

A000K NA 500x1x0.4 76 lm/W PSLM07254 1250 10 11		Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
4000K NA 500x1x0.4 76 lm/W PSLM07254 1250 10 1	ED STRIP LIGHT IP65 -	60 LED/M								
6500K NA 500x1x0.4 80 lm/W PSLM07257 1250 10 1 Red NA 500x1x0.4 NA PSLM0725R 1350 10 1 Green NA 500x1x0.4 NA PSLM0725G 1350 10 1 Blue NA 500x1x0.4 NA PSLM0725B 1350 10 1		25W	3000K	NA	500x1x0.4	72 lm/W	PSLM07253	1250	10	12500
Red NA 500x1x0.4 NA PSLM0725R 1350 10 1 Green NA 500x1x0.4 NA PSLM0725G 1350 10 1 Blue NA 500x1x0.4 NA PSLM0725B 1350 10 1			4000K	NA	500x1x0.4	76 lm/W	PSLM07254	1250	10	12500
Green NA 500x1x0.4 NA PSLM0725G 1350 10 1 Blue NA 500x1x0.4 NA PSLM0725B 1350 10 1	THE COUNTY		6500K	NA	500x1x0.4	80 lm/W	PSLM07257	1250	10	12500
Blue NA 500x1x0.4 NA PSLM0725B 1350 10 1			Red	NA	500x1x0.4	NA	PSLM0725R	1350	10	13500
	《发展基本》		Green	NA	500x1x0.4	NA	PSLM0725G	1350	10	13500
OTRIR LIQUE PRIVER			Blue	NA	500x1x0.4	NA	PSLM0725B	1350	10	13500
STRIPLIGHT DRIVER	STRIP LIGHT DRIVER									
12V 2A NA NA 10.4x3.55x3.15 NA PSL0S2401 400 10		12V 2A	NA	NA	10.4x3.55x3.15	NA	PSL0S2401	400	10	4000
24V 3A NA NA 15x4x3 NA PSL0S7201 850 10		24V 3A	NA	NA	15x4x3	NA	PSL0S7201	850	10	8500

LED PANEL LIGHT

IGNITOS MODAN: STEP PANEL LIGHT CIRCULAR



	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
IGNITOS MODAN : STE	PANEL LI	GHT SQAURE							
	3W	3000K	7.5x7.5	8.5x8.5x2.5	135	PPAM12033	600	10	6000
		4000K	7.5x7.5	8.5x8.5x2.5	150	PPAM12034	600	10	6000
		6500K	7.5x7.5	8.5x8.5x2.5	150	PPAM12037	600	10	6000
	5W	3000K	10.8x10.8	12x12x2.5	260	PPAM12053	700	10	7000
		4000K	10.8x10.8	12x12x2.5	270	PPAM12054	700	10	7000
		6500K	10.8x10.8	12x12x2.5	275	PPAM12057	700	10	7000
	10W	3000K	13.2x13.2	14.5x14.5x2.5	670	PPAM12103	900	10	9000
Personal		4000K	13.2x13.2	14.5x14.5x2.5	700	PPAM12104	900	10	9000
4		6500K	13.2x13.2	14.5x14.5x2.5	700	PPAM12107	900	10	9000
	15W	3000K	15.6x15.6	17x17x2.5	1000	PPAM12153	1000	10	10000
		4000K	15.6x15.6	17x17x2.5	1050	PPAM12154	1000	10	10000
		6500K	15.6x15.6	17x17x2.5	1050	PPAM12156	1000	10	10000
	20W	3000K	17.7x17.7	19x19x2.5	1340	PPAM12203	1200	10	12000
		4000K	17.7x17.7	19x19x2.5	1400	PPAM12204	1200	10	12000
		6500K	17.7x17.7	19x19x2.5	1400	PPAM12206	1200	10	12000
	24W	3000K	20.4x20.4	22x22x2.5	1584	PPAM12243R1	1600	10	16000
		4000K	20.4x20.4	22x22x2.5	1632	PPAM12244R1	1600	10	16000
		6500K	20.4x20.4	22x22x2.5	1680	PPAM12247R1	1600	10	16000
ADJUSTABLE PANEL LI	GHT - CIRC	ULAR							
	12W	3000K	Ø6.2-9.6	Ø14.8x3.2	840	PPAM20123R1	985	10	9850
		4000K	Ø6.2-9.6	Ø14.8x3.2	840	PPAM20124R1	985	10	9850
PI R		6500K	Ø6.2-9.6	Ø14.8x3.2	960	PPAM20127R1	985	10	9850
	18W	3000K	Ø6.2-14.7	Ø20x3.2	1260	PPAM20183R1	1285	10	12850
		4000K	Ø6.2-14.7	Ø20x3.2	1260	PPAM20184R1	1285	10	12850
		6500K	Ø6.2-14.7	Ø20x3.2	1440	PPAM20187R1	1285	10	12850
ADJUSTABLE PANEL LI	GHT SQAU	RE							
	12W	3000K	6.2-9.6	14.8x11.9x3.2	840	PPAM21123R1	985	10	9850
		4000K	6.2-9.6	14.8x11.9x3.2	840	PPAM21124R1	985	10	9850
		6000K	6.2-9.6	14.8x11.9x3.2	960	PPAM21127R1	985	10	9850
	18W	3000K	6.2-14.7	20x17x3.2	1260	PPAM21183R1	1285	10	12850
		4000K	6.2-14.7	20x17x3.2	1260	PPAM21184R1	1285	10	12850
		6500K	6.2-14.7	20x17x3.2	1440	PPAM21187R1	1285	10	12850

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
PC PANEL LIGHT WIT	H INTEGRAT	ED DRIVER - C	IRCULAR						
	3W	3000K	Ø6.8	Ø8.6x2	180	PPAM22033	300	20	6000
		4000K	Ø6.8	Ø8.6x2	186	PPAM22034	300	20	6000
		6500K	Ø6.8	Ø8.6x2	240	PPAM22037	300	20	6000
	6W	3000K	Ø9.7	Ø12x2	370	PPAM22063	400	20	8000
		4000K	Ø9.7	Ø12x2	390	PPAM22064	400	20	8000
		6500K	Ø9.7	Ø12x2	510	PPAM22067	400	20	8000
	10W	3000K	Ø12.9	Ø14.4x2	700	PPAM22103	600	20	12000
		4000K	Ø12.9	Ø14.4x2	720	PPAM22104	600	20	12000
		6500K	Ø12.9	Ø14.4x2	850	PPAM22107	600	20	12000
	15W	3000K	Ø14.5	Ø17x2	1050	PPAM22153	700	10	7000
		4000K	Ø14.5	Ø17x2	1080	PPAM22154	700	10	7000
		6500K	Ø14.5	Ø17x2	1350	PPAM22157	700	10	7000
	20W	3000K	Ø19.5	Ø22x2	1400	PPAM22203	900	10	9000
		4000K	Ø19.5	Ø22x2	1440	PPAM22204	900	10	9000
		6500K	Ø19.5	Ø22x2	1800	PPAM22207	900	10	9000
PC PANEL LIGHT WIT	H INTEGRAT								
	3W	3000K	6.8x6.8	8.6x8.6x2	180	PPAM23033	300	20	6000
		4000K	6.8x6.8	8.6x8.6x2	186	PPAM23034	300	20	6000
		6500K	6.8x6.8	8.6x8.6x2	240	PPAM23037	300	20	6000
	6W	3000K	9.7x9.7	12x12x2	370	PPAM23063	400	20	8000
		4000K	9.7x9.7	12x12x2	390	PPAM23064	400	20	8000
		6500K	9.7x9.7	12x12x2	510	PPAM23067	400	20	8000
	10W	3000K	12.9x12.9	14.4x14.4x2	700	PPAM23103	600	20	12000
		4000K	12.9x12.9	14.4x14.4x2	720	PPAM23104	600	20	12000
		6500K	12.9x12.9	14.4x14.4x2	850	PPAM23107	600	20	12000
	15W	3000K	14.5x14.5	17x17x2	1050	PPAM23153	700	10	7000
		4000K	14.5x14.5	17x17x2	1080	PPAM23154	700	10	7000
		6500K	14.5x14.5	17x17x2	1350	PPAM23157	700	10	7000
	20W	3000K	19.5x19.5	22x22x2	1400	PPAM23203	900	10	9000
	2011	4000K	19.5x19.5	22x22x2	1440	PPAM23204	900	10	9000
		6500K	19.5x19.5	22x22x2	1800	PPAM23207	900	10	9000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
PC PANEL LIGHT WITH	NON-INTE	GRATED DRIVE	R - CIRCUL	.AR					
	3W	3000K	Ø6.8	Ø8.6x2	180	PPAM24033	400	20	8000
		4000K	Ø6.8	Ø8.6x2	186	PPAM24034	400	20	8000
		6500K	Ø6.8	Ø8.6x2	240	PPAM24037	400	20	8000
	6W	3000K	Ø9.7	Ø12x2	370	PPAM24063	500	20	10000
		4000K	Ø9.7	Ø12x2	390	PPAM24064	500	20	10000
		6500K	Ø9.7	Ø12x2	510	PPAM24067	500	20	10000
	10W	3000K	Ø12.9	Ø14.4x2	700	PPAM24103	650	20	13000
		4000K	Ø12.9	Ø14.4x2	720	PPAM24104	650	20	13000
		6500K	Ø12.9	Ø14.4x2	850	PPAM24107	650	20	13000
	15W	3000K	Ø14.5	Ø17x2	1050	PPAM24153	800	10	8000
		4000K	Ø14.5	Ø17x2	1080	PPAM24154	800	10	8000
		6500K	Ø14.5	Ø17x2	1350	PPAM24157	800	10	8000
	20W	3000K	Ø19.5	Ø22x2	1400	PPAM24203	1050	10	10500
		4000K	Ø19.5	Ø22x2	1440	PPAM24204	1050	10	10500
		6500K	Ø19.5	Ø22x2	1800	PPAM24207	1050	10	10500
C PANEL LIGHT WITH	NON-INTE	GRATED DRIVE	R - SQAUR	E					
	3W	3000K	6.8x6.8	8.6x8.6x2	180	PPAM25033	400	20	8000
		4000K	6.8x6.8	8.6x8.6x2	186	PPAM25034	400	20	8000
		6500K	6.8x6.8	8.6x8.6x2	240	PPAM25037	400	20	8000
	6W	3000K	9.7x9.7	12x12x2	370	PPAM25063	500	20	10000
		4000K	9.7x9.7	12x12x2	390	PPAM25064	500	20	10000
		6500K	9.7x9.7	12x12x2	510	PPAM25067	500	20	10000
	10W	3000K	12.9x12.9	14.4x14.4x2	700	PPAM25103	650	20	13000
		4000K	12.9x12.9	14.4x14.4x2	720	PPAM25104	650	20	13000
		6500K	12.9x12.9	14.4x14.4x2	850	PPAM25107	650	20	13000
	15W	3000K	14.5x14.5	17x17x2	1050	PPAM25153	800	10	8000
		4000K	14.5x14.5	17x17x2	1080	PPAM25154	800	10	8000
		6500K	14.5x14.5	17x17x2	1350	PPAM25157	800	10	8000
	20W	3000K	19.5x19.5	22x22x2	1400	PPAM25203	1050	10	10500
		4000K	19.5x19.5	22x22x2	1440	PPAM25204	1050	10	10500

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
PC PANEL LIGHT SERIE	S (FLAT TY	PE) - CIRCULA	AR						
	3W	3000K	Ø6.8	Ø8.6x2	180	PPAM26033	400	20	8000
		4000K	Ø6.8	Ø8.6x2	186	PPAM26034	400	20	8000
		6500K	Ø6.8	Ø8.6x2	240	PPAM26037	400	20	8000
	6W	3000K	Ø9.7	Ø12x2	370	PPAM26063	500	20	10000
		4000K	Ø9.7	Ø12x2	390	PPAM26064	500	20	10000
		6500K	Ø9.7	Ø12x2	510	PPAM26067	500	20	10000
		RED	Ø9.7	Ø12x2	370	PPAM2606R	500	20	10000
		GREEN	Ø9.7	Ø12x2	390	PPAM2606G	500	20	10000
		BLUE	Ø9.7	Ø12x2	510	PPAM2606B	500	20	10000
		PINK	Ø9.7	Ø12x2	510	PPAM2606P	500	20	10000
	10W	3000K	Ø12.9	Ø14.4x2	700	PPAM26103	650	20	13000
	1	4000K	Ø12.9	Ø14.4x2	720	PPAM26104	650	20	13000
		6500K	Ø12.9	Ø14.4x2	850	PPAM26107	650	20	13000
	15W	3000K	Ø14.5	Ø17x2	1050	PPAM26153	800	10	8000
	1011	4000K	Ø14.5	Ø17x2	1080	PPAM26154	800	10	8000
		6500K	Ø14.5	Ø17x2	1350	PPAM26157	800	10	8000
	20W	3000K	Ø19.5	Ø22x2	1400	PPAM26203	1050	10	10500
	2011	4000K	Ø19.5	Ø22x2	1440	PPAM26204	1050	10	10500
		6500K	Ø19.5	Ø22x2	1800	PPAM26207	1050	10	10500
C PANEL LIGHT SERIE	S (FLAT TY		015.0	g E E A E	1000	117111120207	1000	10	10000
	3W	3000K	6.8x6.8	8.6x8.6x2	180	PPAM27033	400	20	8000
		4000K	6.8x6.8	8.6x8.6x2	186	PPAM27034	400	20	8000
		6500K	6.8x6.8	8.6x8.6x2	240	PPAM27037	400	20	8000
	6W	3000K	9.7x9.7	12x12x2	370	PPAM27063	500	20	10000
		4000K	9.7x9.7	12x12x2	390	PPAM27064	500	20	10000
		6500K	9.7x9.7	12x12x2	510	PPAM27067	500	20	10000
		RED	9.7x9.7	12x12x2	370	PPAM2706R	500	20	10000
		GREEN	9.7x9.7	12x12x2	390	PPAM2706G	500	20	10000
		BLUF	9.7x9.7	12x12x2	510	PPAM2706B	500	20	10000
		PINK	9.7x9.7	12x12x2	510	PPAM2706P	500	20	10000
	10W	3000K	12.9x12.9	14.4x14.4x2	700	PPAM27103	650	20	13000
		4000K	12.9x12.9	14.4x14.4x2	720	PPAM27104	650	20	13000
		6500K	12.9x12.9	14.4x14.4x2	850	PPAM27107	650	20	13000
	15W	3000K	14.5x14.5	17x17x2	1050	PPAM27153	800	10	8000
	10	4000K	14.5x14.5	17x17x2	1080	PPAM27154	800	10	8000
		6500K	14.5x14.5	17x17x2	1350	PPAM27157	800	10	8000
	20W	3000K	19.5x19.5	22x22x2	1400	PPAM27203	10500	10	10500
	2011	4000K	19.5x19.5	22x22x2	1440	PPAM27204	10500	10	10500
		10001	17.0/17.0	LLNLLNL	1770	1 1 / 11/12 / 204	10000	10	10000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
LED RIMLESS SURFACE	PANEL - C	IRCULAR							
	6W	3000K	NA	Ø10x3.1	540	PPAM16063R1	550	20	11000
		4000K	NA	Ø10x3.1	570	PPAM16064R1	550	20	11000
		6500K	NA	Ø10x3.1	600	PPAM16067R1	550	20	11000
	12W	3000K	NA	Ø12.5x3.1	1080	PPAM16123R1	850	20	17000
		4000K	NA	Ø12.5x3.1	1140	PPAM16124R1	850	20	17000
		6500K	NA	Ø12.5x3.1	1200	PPAM16127R1	850	20	17000
	18W	3000K	NA	Ø15x3.1	1620	PPAM16183R1	1150	20	23000
		4000K	NA	Ø15x3.1	1710	PPAM16184R1	1150	20	23000
		6500K	NA	Ø15x3.1	1800	PPAM16187R1	1150	20	23000
	24W	3000K	NA	Ø20x3.1	2160	PPAM16243R1	1550	20	31000
		4000K	NA	Ø20x3.1	2280	PPAM16244R1	1550	20	31000
		6500K	NA	Ø20x3.1	2400	PPAM16247R1	1550	20	31000
LED RIMLESS SURFACE	PANEL - S	QAURE							
	6W	3000K	NA	10x10x3.1	540	PPAM17063R1	550	20	11000
		4000K	NA	10x10x3.1	570	PPAM17064R1	550	20	11000
		6500K	NA	10x10x3.1	600	PPAM17067R1	550	20	11000
_	12W	3000K	NA	12.5x12.5x3.1	1080	PPAM17123R1	850	20	17000
_		4000K	NA	12.5x12.5x3.1	1140	PPAM17124R1	850	20	17000
		6500K	NA	12.5x12.5x3.1	1200	PPAM17127R1	850	20	17000
	18W	3000K	NA	15x15x3.1	1620	PPAM17183R1	1150	20	23000
_		4000K	NA	15x15x3.1	1710	PPAM17184R1	1150	20	23000
		6500K	NA	15x15x3.1	1800	PPAM17187R1	1150	20	23000
	24W	3000K	NA	20x20x3.1	2160	PPAM17243R1	1550	20	31000
		4000K	NA	20x20x3.1	2280	PPAM17244R1	1550	20	31000
		6500K	NA	20x20x3.1	2400	PPAM17247R1	1550	20	31000
LED BASE LIGHT									
		3000K	56.5x56.5	59.5x59.5x3	2916	PBLM13363	3300	1	3300
/	36W	4000K	56.5x56.5	59.5x59.5x3	3078	PBLM13364	3300	1	3300
		6500K	56.5x56.5	59.5x59.5x3	3240	PBLM13367	3300	1	3300

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
PC FRAME - CIRCULAR									
	5W/10W	NA	NA	Ø11.7x3.6	NA	PFMM06050	180	10	1800
	15W	NA	NA	Ø16.7x3.6	NA	PFMM06150	250	10	2500
PC FRAME - SQUARE									
PE-									
	5W/10	NA	NA	11.7x11.7x3.6	NA	PFMM07050	180	10	1800
	15W	NA	NA	16.7x16.7x3.6	NA	PFMM07150	250	10	2500
PC PANEL LIGHT FRAMI	E - CIRCUL	AR							
	6W	NA	NA	15.2x3.2	NA	PFMM08060	200	10	2000
	15W	NA	NA	20x3.2	NA	PFMM08150	250	10	2500
	20W	NA	NA	25.5x3.2	NA	PFMM08200	300	10	3000

Co	Correlated Cut Out Colour Dimension emperature (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
----	---	---	-----------------	-----------------	--	---	--

PC PANEL LIGHT FRAME - SQUARE



6W	NA	NA	15.2x15.2x3.2	NA	PFMM09060	200	10	2000
15W	NA	NA	20x20x3.2	NA	PFMM09150	250	10	2500
20W	NA	NA	25.4x25.4x3.2	NA	PFMM09200	300	10	300

LED SPOT LIGHT

SPOT LIGHT - REFRESH



	3000K	Ø3.5	Ø4.2x1.85	108	PSPM01023R1	180	50	9000
	6500K	Ø3.5	Ø4.2x1.85	120	PSPM01027R1	180	50	9000
2W	Red	Ø3.5	Ø4.2x1.85	NA	PSPM0102RR1	180	50	9000
	Green	Ø3.5	Ø4.2x1.85	NA	PSPM0102GR1	180	50	9000
	Blue	Ø3.5	Ø4.2x1.85	NA	PSPM0102BR1	180	50	9000
	Pink	Ø3.5	Ø4.2x1.85	NA	PSPM0102PR1	180	50	9000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Len x Width x Heig	gth)	Lumen Output		duct de	Pric	it Sale ce (Rs.) Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
LED DO	WNL	IGHT.										
LUMOR ANORA: DOWN	LIGHT CIR	RCULAR										
		3000K	Ø10	Ø11.6x3.6	380	PDLM	01053R1/	PDLM0105	3R2	400	10	4000
	5W	4000K	Ø10	Ø11.6x3.6	392	PDLM	01054R1/	PDLM010	54R2	400	10	4000
		6500K	Ø10	Ø11.6x3.6	400	PDLM	01057R1/	PDLM010	57R2	400	10	4000
		3000K	Ø10	Ø11.6x3.6	770	PDLM	01103R1/	PDLM011)3R2	500	10	5000
	10W	4000K	Ø10	Ø11.6x3.6	805	PDLM	01104R1/	PDLM011	04R2	500	10	5000
		6500K	Ø10	Ø11.6x3.6	850	PDLM	01107R1/	PDLM0110)7R2	500	10	5000
		3000K	Ø15	Ø16.6x3.6	1350	PDLN	101153R1 I	PDLM0115	3R2	650	10	6500
	15W	4000K	Ø15	Ø16.6x3.6	1425	PDLM	01154R1/	PDLM011	54R2	650	10	6500
		6500K	Ø15	Ø16.6x3.6	1500	PDLM	01157R1/	PDLM011	57R2	650	10	6500
		3000K	Ø20.5	Ø22x3.6	1800	PDLM	01203R1/	PDLM012	03R2	850	10	8500
	20W	4000K	Ø20.5	Ø22x3.6	1900	PDLM	01204R1/	PDLM012	04R2	850	10	8500
		6500K	Ø20.5	Ø22x3.6	2000	PDLM	01207R1/	PDLM012	07R2	850	10	8500
LUMOR ANORA : DOWN	LIGHT SQ	UARE										
		3000K	10x10	11.6x11.6x3.6	380	PDLM	02053R1 /	PDLM020	53R2	400	10	4000
	5W	4000K	10x10	11.6x11.6x3.6	392	PDLM	02054R1/	PDLM020	54R2	400	10	4000
		6500K	10x10	11.6x11.6x3.6	400	PDLM	02057R1 /	PDLM020	57R2	400	10	4000
		3000K	10x10	11.6x11.6x3.6	770	PDLM	02103R1/	PDLM021	03R2	500	10	5000
1	10W	4000K	10x10	11.6x11.6x3.6	805	PDLM	02104R1/	PDLM021	04R2	500	10	5000
1		6500K	10x10	11.6x11.6x3.6	850	PDLM	02107R1/	PDLM021	07R2	500	10	5000
		3000K	15x15	16.6x16.6x3.6	1350	PDLM	02153R1/	PDLM021	53R2	650	10	6500
	15W	4000K	15x15	16.6x16.6x3.6	1425	PDLM	02154R1/	PDLM021	54R2	650	10	6500
		6500K	15x15	16.6x16.6x3.6	1500	PDLM	02157R1/	PDLM021	57R2	650	10	6500
		3000K	20.5x20.5	22x22x3.6	1800	PDLM	02203R1/	PDLM022	03R2	850	10	8500
	20W	4000K	20.5x20.5	22x22x3.6	1900	PDLM	02204R1/	PDLM022	04R2	850	10	8500
		6500K	20.5x20.5	22x22x3.6	2000	PDLM	02207R1/	PDLM022	07R2	850	10	8500

'	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
TRI CCT PC DOWN LIGHT	CIRCULA	R							
	1.014/	OM/+NIM/	Ø10	11 6.0 6	014/- 000	DDI MOTTOONIM	600	00	10000
a .	10W 15W	CW+NW	Ø10	11.6x3.6	CW: 900	PDLM0110CNW	600	20	12000
	1500	CW+NW	Ø10	16.6x3.6	CW: 1500	PDLM0115CNW	850	20	17000
TRI CCT PC DOWN LIGHT	SOLIARE								
THE COLL O DOWN FIGHT	OQUARL								
6 A	10W	CW+NW	10x10	11.6x 11.6x3.6	CW: 900	PDLM0110CNW	600	20	12000
	15W	CW+NW	10x10	16.6x16.6x3.6	CW: 1500	PDLM0115CNW	850	20	17000
CONCEAL BOX DOWN LIG	HT								
		3000K	Ø7.5	Ø11x5.5	360	PDLM15053	400	20	8000
		4000K	Ø7.5	Ø11x5.5	380	PDLM15054	400	20	8000
	5W	6500K	Ø7.5	Ø11x5.5	400	PDLM15057	400	20	8000
		Red	Ø7.5	Ø11x5.5	NA	PDLM1505R	400	20	8000
		Green	Ø7.5	Ø11x5.5	NA	PDLM1505G	400	20	8000
		Blue	Ø7.5	Ø11x5.5	NA	PDLM1505B	400	20	8000
		3000K	Ø8.5	Ø10.5x6	505	PDLM15073	425	20	8500
		6500K	Ø8.5	Ø10.5x6	560	PDLM15077	425	20	8500
	7W	Red	Ø8.5	Ø10.5x6	NA	PDLM1507R	425	20	8500
-		Green	Ø8.5	Ø10.5x6	NA	PDLM1507G	425	20	8500
		Blue	Ø8.5	Ø10.5x6	NA	PDLM1507B	425	20	8500
		3000K	Ø8.5	Ø10.5x6	650	PDLM15093	450	20	9000
		6500K	Ø8.5	Ø10.5x6	720	PDLM15097	450	20	9000
	9W	Red	Ø8.5	Ø10.5x6	NA	PDLM1509R	450	20	9000
		Green	Ø8.5	Ø10.5x6	NA	PDLM1509G	450	20	9000
		Blue	Ø8.5	Ø10.5x6	NA	PDLM1509B	450	20	9000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Diameter x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
TRI COLOUR CONCEAL	BOX DOW	N LIGHT							
-	5W	Red+Blue	Ø7.5	Ø11x5.5	NA	PDLM1505RBU	450	20	9000
		Cool White+Rec	l Ø7.5	Ø11x5.5	NA	PDLM15057RD	450	20	9000
JUNCTION BOX									
		3000K	Ø4.6	Ø8x3.3	210	PDLM17033R1	265	50	13250
		6500K	Ø4.6	Ø8x3.3	225	PDLM17037R1	265	50	13250
	3W	Red	Ø4.6	Ø8x3.3	NA	PDLM1703RR1	265	50	13250
		Green	Ø4.6	Ø8x3.3	NA	PDLM1703GR1	265	50	13250
		Blue	Ø4.6	Ø8x3.3	NA	PDLM1703BR1	265	50	13250
		Pink	Ø4.6	Ø8x3.3	NA	PDLM1703PR1	265	50	13250
JUNCTION BOX- DUAL	COLOR								
	7W	CW+WW	Ø5	Ø8.4x4.6	NA	PDLM17077WW	450	20	9000
		CW+Blue	Ø5	Ø8.4x4.6	NA	PDLM17077BU	450	20	9000
DEEP JUNCTION BOX									
		3000K	Ø5	Ø8.4x6.6	720	PDLM16083	400	20	8000
		6500K	Ø5	Ø8.4x6.6	800	PDLM16087	400	20	8000
	8W	Red	Ø5	Ø8.4x6.6	NA	PDLM1608R	400	20	8000
		Green	Ø5	Ø8.4x6.6	NA	PDLM1608G	400	20	8000
		Blue	Ø5	Ø8.4x6.6	NA	PDLM1608B	400	20	8000
		Pink	Ø5	Ø8.4x6.6	NA	PDLM1608P	400	20	8000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Diameter x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
DEEP JUNCTION BOX									
		3000K	Ø5	Ø14x6.8	1080	PDLM16123	600	20	12000
		6500K	Ø5	Ø14x6.8	1200	PDLM16127	600	20	12000
	12W	Red	Ø5	Ø14x6.8	NA	PDLM1612R	600	20	12000
		Green	Ø5	Ø14x6.8	NA	PDLM1612G	600	20	12000
		Blue	Ø5	Ø14x6.8	NA	PDLM1612B	600	20	12000
		Pink	Ø5	Ø14x6.8	NA	PDLM1612P	600	20	12000
		3000K	Ø5	Ø14x6.8	1350	PDLM16153	650	20	13000
		6500K	Ø5	Ø14x6.8	1500	PDLM16157	650	20	13000
	15W	Red	Ø5	Ø14x6.8	NA	PDLM1615R	650	20	13000
		Green	Ø5	Ø14x6.8	NA	PDLM1615G	650	20	13000
		Blue	Ø5	Ø14x6.8	NA	PDLM1615B	650	20	13000
		Pink	Ø5	Ø14x6.8	NA	PDLM1615P	650	20	13000
ALUMINUM SWIVEL C	OB DOWN L	IGHT							
		3000K	Ø5.5	Ø6.3x4.3	240	PDLM33033	700	20	14000
	3W	4000K	Ø5.5	Ø6.3x4.3	255	PDLM33034	700	20	14000
A PRINTED		6500K	Ø5.5	Ø6.3x4.3	270	PDLM33037	700	20	14000
		3000K	Ø7	Ø8.7x5.6	560	PDLM33073	900	20	18000
	7W	4000K	Ø7	Ø8.7x5.6	595	PDLM33074	900	20	18000
		6500K	Ø7	Ø8.7x5.6	630	PDLM33077	900	20	18000
		3000K	Ø8.5	Ø10x7.1	960	PDLM33123	1200	10	12000
	12W	4000K	Ø8.5	Ø10x7.1	1020	PDLM33124	1200	10	12000
1100		6500K	Ø8.5	Ø10x7.1	1080	PDLM33127	1200	10	12000
NAME OF TAXABLE PARTY.		3000K	Ø8.5	Ø10x7.1	1200	PDLM33153	1400	10	14000
	15W	4000K	Ø8.5	Ø10x7.1	1275	PDLM33154	1400	10	14000
		6500K	Ø8.5	Ø10x7.1	1350	PDLM33157	1400	10	14000
		3000K	Ø9.5	Ø11.5x7.2	1440	PDLM33183	1600	10	16000
	18W	4000K	Ø9.5	Ø11.5x7.2	1530	PDLM33184	1600	10	16000
		6500K	Ø9.5	Ø11.5x7.2	1620	PDLM33187	1600	10	16000
		3000K	Ø12.5	Ø13.5x8.5	1920	PDLM33243	1900	10	19000
	24W	4000K	Ø12.5	Ø13.5x8.5	2040	PDLM33244	1900	10	19000
		6500K	Ø12.5	Ø13.5x8.5	2160	PDLM33247	1900	10	19000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) (Diameter/Length) x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
PC SWIVEL DOWNLIG	НТ								
	3W	3000K	Ø5.7	Ø7.4x4.5	195	PDI M40033	400	20	8000
	SVV	6500K	Ø5.7 Ø5.7	Ø7.4x4.5	210	PDLM40033 PDLM40037	400	20	8000
	6W	3000K	Ø3.7 Ø7	Ø9.5x4.2	390	PDI M40063	475	20	9500
1		6500K	Ø7	Ø9.5x4.2	420	PDLM40067	475	20	9500
	9W	3000K	Ø9	Ø11.6x5.1	648	PDLM40093	650	20	13000
		6500K	Ø9	Ø11.6x5.1	720	PDLM40097	650	20	13000
	12W	3000K	Ø11.5	Ø14.0x5.2	864	PDLM40123	850	20	17000
		6500K	Ø11.5	Ø14.0x5.2	960	PDLM40127	850	20	17000
MINI SURFACE DOWN	LIGHT (CAB	INET LIGHT)							
		3000K	NA	Ø6x1.65	150	PDI M28033R1	199	50	9950
		6500K	NA	Ø6x1.65	165	PDLM28037R1	199	50	9950
	3W	Red	NA	Ø6x1.65	NA	PDLM2803RR1	199	50	9950
		Green	NA	Ø6x1.65	NA	PDLM2803GR1	199	50	9950
		Blue	NA	Ø6x1.65	NA	PDLM2803BR1	199	50	9950
		Pink	NA	Ø6x1.65	NA	PDLM2803PR1	199	50	9950

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
MINI SURFACE DOWN L	.IGHT								
		3000K	NA	Ø6.1x1.6	405	PDLM28053	250	40	10000
		6500K	NA	Ø6.1x1.6	450	PDLM28057	250	40	10000
	5W	Red	NA	Ø6.1x1.6	NA	PDLM2805R	250	40	10000
		Green	NA	Ø6.1x1.6	NA	PDLM2805G	250	40	10000
		Blue	NA	Ø6.1x1.6	NA	PDLM2805B	250	40	10000
MADULAR SURFACE DO	OWN LIGHT	(NEW SHAPE)							
Panasonic		3000K	NA	Ø8.4x5.2	630	PDLM32073	500	20	10000
		6500K	NA	Ø8.4x5.2	700	PDLM32077	500	20	10000
	7W	Red	NA	Ø8.4x5.2	NA	PDLM3207R	500	20	10000
		Green	NA	Ø8.4x5.2	NA	PDLM3207G	500	20	10000
		Blue	NA	Ø8.4x5.2	NA	PDLM3207B	500	20	10000
MINI SURFACE DOWN L	IGHT								
		3000K	NA	Ø8.5x4.8	630	PDLM22073	650	10	6500
	7W	4000K	NA	Ø8.5x4.8	665	PDLM22074	650	10	6500
		6500K	NA	Ø8.5x4.8	700	PDLM22077	650	10	6500
		3000K	NA	Ø11x4.8	810	PDLM22093	750	10	7500
Panasonio		4000K	NA	Ø11x4.8	855	PDLM22094	750	10	7500
		6500K	NA	Ø11x4.8	900	PDLM22097	750	10	7500
	9W	Red	NA	Ø11x4.8	NA	PDLM2209R	750	10	7500
		Green	NA	Ø11x4.8	NA	PDLM2209G	750	10	7500
		Blue	NA	Ø11x4.8	NA	PDLM2209B	750	10	7500
		Pink	NA	Ø11x4.8	NA	PDLM2209P	750	10	7500
		3000K	NA	Ø13.5x4.8	1350	PDLM22153	950	10	9500
	15W	4000K	NA	Ø13.5x4.8	1425	PDLM22154	950	10	9500
		6500K	NA	Ø13.5x4.8	1500	PDLM22157	950	10	9500

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
LED BAT									
ALTABRIGHT: BATTEN	LIGHT								
		3000K	NA	29x2.2x3.4	450	PBTM01053	280	10	2800
	5W	4000K	NA	29x2.2x3.4	475	PBTM01054	280	10	2800
		6500K	NA	29x2.2x3.4	500	PBTM01057	280	10	2800
		3000K	NA	59x2.2x3.4	900	PBTM01103	375	10	3750
	10W	4000K	NA	59x2.2x3.4	950	PBTM01104	375	10	3750
Penneth		6500K	NA	59x2.2x3.4	1000	PBTM01107	375	10	3750
		3000K	NA	115x2.5x3.5	1350	PBTM01153	465	10	4650
	15W	4000K	NA	115x2.5x3.5	1425	PBTM01154	465	10	4650
		6500K	NA	115x2.5x3.5	1500	PBTM01157	465	10	4650
		3000K	NA	115x2.5x3.5	1800	PBTM01203	560	20	11200
	20W	4000K	NA	115x2.5x3.5	1900	PBTM01204	560	20	11200
		6500K	NA	115x2.5x3.5	2000	PBTM01207	560	20	11200
ALTABRIGHT: SQUARE	BATTEN L								
		3000K	NA	28x2.3x3.7	460	PBTM02053	280	10	2800
	5W	4000K	NA	28x2.3x3.7	475	PBTM02054	280	10	2800
		6500K	NA	28x2.3x3.7	500	PBTM02057	280	10	2800
		3000K	NA	58x2.3x3.7	920	PBTM02103	375	10	3750
	10W	4000K	NA	58x2.3x3.7	950	PBTM02104	375	10	3750
Panasonic		6500K	NA	58x2.3x3.7	1000	PBTM02107	375	10	3750
Panasonic		3000K	NA	114x2.3x3.7	1380	PBTM02153	465	10	4650
	15W	4000K	NA	114x2.3x3.7	1425	PBTM02154	465	10	4650
		6500K	NA	114x2.3x3.7	1500	PBTM02157	465	10	4650
		3000K	NA	114x2.3x3.7	1800	PBTM02203	560	20	11200
	20W	4000K	NA	114x2.3x3.7	1900	PBTM02204	560	20	11200
		6500K	NA	114x2.3x3.7	2000	PBTM02207	560	20	11200
	24W	3000K	NA	113.6x2.45x3.8	2160	PBTM02243	599	20	11980
		6500K	NA	113.6x2.45x3.8	2400	PBTM02247	599	20	11980

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
ALTABRIGHT : OVAL BA	TTEN LIGH	IT							
		3000K	NA	115x2.5x3.5	2160	PBTM06243	630	20	12600
	24W	4000K	NA	115x2.5x3.5	2400	PBTM06244	630	20	12600
Panasonic		6500K	NA	115x2.5x3.5	2640	PBTM06247	630	20	12600
ALTABRIGHT : CURVY B	ATTENLIG	HT							
ALIABITION : OOKYT B	ATTENTED	,,,,							
	22W	3000K	NA	113.9x3.2x3.65	1980	PBTM13223	550	10	5500
Parascole		6500K	NA	113.9x3.2x3.65	2200	PBTM13227	550	10	5500
panasone	26W	3000K	NA	113.9x3.2x3.65	2340	PBTM14263	750	10	7500
		6500K	NA	113.9x3.2x3.65	2600	PBTM14267	750	10	7500
ALTABRIGHT : ALUMINI	UM BATTE	N LIGHT							
1	20W	3000K	NA	56x2.18x3.8	1800	PBTM18203	450	20	9000
Panasonic		6500K	NA	56x2.18x3.8	2000	PBTM18207	450	20	9000
ALTABRIGHT : HW ALUN	MINIUM BA	TTEN LIGHT							
	36W	6500K	NA	117.5x3x3.6	3600	PBTM08367	1225	20	24500

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
ALTABRIGHT : NIGHT G	LOW BATT	EN LIGHT							
	22W+2W	6500K	NA	119.1x3.21x3.66	2200	PBTM14227	875	10	8750
RGB BATTEN									
Parasonio		Red	NA	114x2.3x3.7	NA	PBTM0220R	575	20	11500
Panasonic	20W	Green	NA	114x2.3x3.7	NA	PBTM0220G	575	20	11500
Parassorit		Blue	NA	114x2.3x3.7	NA	PBTM0220B	575	20	11500
LED RADAR BATTEN									
	20W	6500K	NA	114x2.4x3.8	2000	PBTM21207	900	20	18000
panasonic									
LED SLEEK PC BATTEN									
	20W	6500K	NA	120x2.2x2.2	2000	PBTM22207	499	25	12475

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
HIGH WATTAGE PC BAT	TEN								
	36W	3000K	NA	113.3x3.35x3.75	3240	PBTM23363	999	20	19980
Panasonio		6500K	NA	113.3x3.35x3.75	3600	PBTM23367	999	20	19980
THEA LED BATTEN									
		3000K	NA	110x2.45x3.35	1800	PBTM24203	499	25	12475
		4000K	NA	110x2.45x3.35	1900	PBTM24204	499	25	12475
		6500K	NA	110x2.45x3.35	2000	PBTM24207	499	25	12475
	20W	Red	NA	110x2.45x3.35	NA	PBTM2420R	499	25	12475
		Green	NA	110x2.45x3.35	NA	PBTM2420G	499	25	12475
		Blue	NA	110x2.45x3.35	NA	PBTM2420B	499	25	12475
		Pink	NA	110x2.45x3.35	NA	PBTM2420P	499	25	12475
PC BATTEN 2 FEET									
	20W	3000K	NA	59.5x2.45x3.85	1800	PBTM23203	499	20	9980
Paramoric	20W	6500K	NA	59.5x2.45x3.85	2000	PBTM23207	499	20	9980

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
LED ST	REET	LIGH	_						
ED STREET LIGHT									
ED OTREET EIGHT									
P.CO.	15W	6500K	NA	28.4x11.5x5.5	1500	PSTM23157	1900	10	19000
	25W	6500K	NA NA	28.4x11.5x5.5	2500	PSTM23137	2100	10	21000
	45W	6500K	NA	35.3x13.7x5.5	4500	PSTM23457	2750	10	27500
ED STREET LIGHT H	IW							_	
	60W	6500K	NA	47.8x17.8x6.4	6000	PSTM23607	5850	4	23400
	75W	6500K	NA	47.8x17.8x6.4	7500	PSTM23757	6350	4	25400
ED STREET LIGHT									
	15W	6500K	NA	27x8x6.6	1500	PSTM01157	2120	10	21200
	25W	6000K	NA	33x8x7	2500	PSTM01257	3045	10	30450
1 A	45W	6000K	NA	33x8x7	4500	PSTM01457	4710	10	47100
1	HIGH WAT	TAGE							
1	60W	6500K	NA	41x12.1x8	6000	PSTM01607	6800	4	27200

Wat	ttage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in	Maximum Retail Price (Rs.) of Standard
				Width x Height				Number	Packaging

LED FLOOD LIGHT

LED FLOOD LIGHT



10W	3000K	NA	12.5x11x3.6	900	PFLM17103	950	10	9500
	6500K	NA	12.5x11x3.6	1000	PFLM17107	950	10	9500
20W	3000K	NA	14.5x12.5x4	1800	PFLM17203	1400	10	14000
	6500K	NA	14.5x12.5x4	2000	PFLM17207	1400	10	14000
30W	3000K	NA	19.5x16.5x4.6	2700	PFLM17303	2000	10	20000
	6500K	NA	19.5x16.5x4.6	3000	PFLM17307	2000	10	20000
50W	3000K	NA	23x19.5 x5.8	4500	PFLM17503	2500	5	12500
	6500K	NA	23x19.5 x5.8	5000	PFLM17507	2500	5	12500
100W	3000K	NA	25x19.5x6	9000	PFLM17AB3	4400	2	8800
	6500K	NA	25x19.5x6	10000	PFLM17AB7	4400	2	8800

LED FLOOD LIGHT



20W	3000K	NA	14.5x11.5x4.2	1800	PFLM21203	1400	10	14000
	6500K	NA	14.5x11.5x4.2	2000	PFLM21207	1400	10	14000
30W	3000K	NA	22.5x15.9x4.1	2700	PFLM21303	2000	5	10000
	6500K	NA	22.5x15.9x4.1	3000	PFLM21307	2000	5	10000
50W	3000K	NA	22.5x15.9x4.1	4500	PFLM21503	2500	5	12500
	6500K	NA	22.5x15.9x4.1	5000	PFLM21507	2500	5	12500
100W	3000K	NA	33.2x28.9x5.3	9000	PFLM21AB3	4400	2	8800
	6500K	NA	33.2x28.9x5.3	10000	PFLM21AB7	4400	2	8800

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
BULK HEAD									
	12W	3000K 6500K	NA NA	23.3x10.7x5 23.3x10.7x5	972 1080	PBHM02123 PBHM02127	900 900	10 10	9000
LED POF	RTAB	LE LIC	ЭНТ						
1									
Rechargeable [battery]	5W	3000K/ 4000K/5000K	NA	7.2x5.7x26.5	150 (Dimmable)	PDEM03050WH	3000	5	15000
DESK LAMP									
Rechargeable [battery]									
	5W	4000K	NA	9x10.8x40	150 (Dimmable)	PDEM01054R1	2400	5	12000

	Wattage	Correlated Colour Temperature	Cut Out Dimension (cm)	Product Dimension (cm) Length x Width x Height	Lumen Output	Product Code	Unit Sale Price (Rs.) per Number	Standard Packaging Quantity in Number	Maximum Retail Price (Rs.) of Standard Packaging
TORCH LIGHT (PRECED	ENT MAX)								
	1W	_	NA	6.5x21.5	13500	PTLM03017RD	400	20	8000
		_	NA	6.5x21.5	13500	PTLM03017BK	400	20	8000
TORCH LIGHT (PRECED	ENT MINI)								
	1W	_	NA	5.5x20.5	8000	PTLM02017YL	250	20	5000
		_	NA	5.5x20.5	8000	PTLM02017BK	250	20	5000
0									
TORCH LIGHT (PRECED	ENT MICR	0)							
	0.5W	_	NA	3.5x13.8	1800	PTLM01017RD	170	30	5100
		_	NA	3.5x13.8	1800	PTLM01017BK	170	30	5100
0									

TERMS AND CONDITIONS:

- All prices are subject to general terms and conditions of our business
- MRP prices are inclusive of local taxes / VAT and excise duty at the prevailing rates. Prices are subject to change without prior notice
- This price list supersedes all our previous price lists. If any dispute should arise, it will be subject to Mumbai jurisdiction
- Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some respects from the details provided herein. Current details should therefore be checked with the company.

lotes:	

Panasonic Life Solutions India Pvt. Ltd.

3rd Floor, B Wing, I-Think Techno Campus, Pokharan Road No. 2, Thane (W), Thane - 400 607, Maharashtra. T: (9122) 42228888 | Whatsapp No.: 9136028606 F: (9122) 42228884

Customer Care No.: 022-41304130 Email: info@in.panasonic.com www.lsin.panasonic.com

Panasonic

All Rights Reserved © 2015 COPYRIGHT Panasonic Life Solutions India Pvt. Ltd.

Specifications are subject to change without notice

Printed in India

The duplication and transfer of images from this catalogue without permission is strictly prohibited.