

Pro Pack (36 in 1).

Storeprestamodules Installation Service

If you need help installing and configuring your module, we can offer you an installation service, which can be purchased on our modules online shop:

<http://storeprestamodules.com/professional-installation.html>

Installation:

Step 1. Enable Force compile.

Prestashop 1.6.x

Log into Prestashop Admin Panel and go to Back Office > Advanced Parameters > Performance and set Template compilation: Force compilation.

Prestashop 1.5.x

Log into Prestashop Admin Panel and go to Back Office > Advanced Parameters > Performance and set Template cache: Force Compile.

Prestashop 1.4.x

Log into Prestashop Admin Panel and go to Back Office > Preferences > Performance and enable the Force compile.

Step 2. Upload files


Upload all files and folders from folder “/modules/” using an FTP client.

Step 3. Install module.


Log into Prestashop Admin Panel and go to Back Office > Modules > Other Modules and install Pro Pack (36 in 1).

Step 4. Facebook settings:


- 1) Go to the <https://developers.facebook.com/apps/?action=create> and press **Create a New App**




- 2) Create a New App. Enter **Display Name** and choose your **Category**

A screenshot of the 'Create a New App' form on the Facebook Developers website. The form is white with a light gray border. It has a title 'Create a New App' and a subtitle 'Get started integrating Facebook into your app or website'. There are three input fields: 'Display Name' with the value 'My Website', 'Namespace' with the placeholder 'A unique identifier for your app (optional)', and 'Category' with a dropdown menu showing 'Business'. At the bottom, there is a checkbox for 'By proceeding, you agree to the Facebook Platform Policies' and two buttons: 'Cancel' and 'Create App'.

- 3) Enter Security Check


A screenshot of the 'Create a New App' form on the Facebook Developers website, overlaid with a 'Security Check' modal. The modal is white with a blue header and contains a distorted image of the text 'XFKUB3'. Below the image, it asks 'Can't read the text above? Try another text or an audio captcha' and 'Text in the box:'. There is an input field for the text and a 'What's this?' link. At the bottom of the modal are 'Submit' and 'Cancel' buttons. The background form is partially visible and dimmed.

4) Go to Settings




The screenshot shows the Facebook Developers interface for an app named 'My Website'. The left sidebar contains a menu with the following items: 'My Website', 'Dashboard', 'Settings' (highlighted with a red arrow), 'Status & Review', 'App Details', 'Roles', 'Open Graph', 'Alerts', 'Localize', and 'Payments'. The main content area is titled 'Dashboard' and displays the app's logo, name, and status ('This app is in development mode !?'). It also shows the 'App ID' (486659444777887) and 'App Secret' (masked with dots). Below this, there is a 'User Stats' section with a line graph showing 'Active Users' over time, with a legend for 'Monthly Active Users', 'Weekly Active Users', and 'Daily Active Users'.

5) Click **Add Platform**




The screenshot shows the Facebook Developers interface for the 'My Website' app, specifically the 'Settings' page. The left sidebar is the same as in the previous screenshot, but the 'Settings' link is now highlighted. The main content area is divided into three tabs: 'Basic', 'Advanced', and 'Migrations'. The 'Basic' tab is active and shows fields for 'App ID' (486659444777887), 'App Secret' (masked), 'Display Name' (My Website), 'Namespace', 'App Domains', and 'Contact Email' (dezzyung@gmail.com). At the bottom of the 'Basic' tab, there is a red button labeled 'Delete App' and a blue button labeled 'Save Changes'. A red arrow points to a '+ Add Platform' button located below the 'App Domains' field.


6) Select Platform: **Website**




7) Enter **Site URL**




8) Go to Tab **Status & Review**. Make App is **LIVE**



9) Click Confirm



10) **Now your APP is LIVE**. Use your **App ID** and **App Secret**



Step 5. Twitter settings:

- 1) Go to the <https://twitter.com/apps>
- 2) Press **Create new app** button

Create an application

Application Details

Name: *

Your application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max.

Description: *

Your application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max.

WebSite: *

Your application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified URL is used in the source attribution for tweets created by your application and will be shown in user-facing authorization screens.
(If you don't have a URL yet, just put a placeholder here but remember to change it later.)

Callback URL:

Where should we return after successfully authenticating? For [@Anywhere applications](#), only the domain specified in the callback will be used. [OAuth 1.0a](#) applications should explicitly specify their `oauth_callback` URL on the request token step, regardless of the value given here. To restrict your application from using callbacks, leave this field blank.

Developer Rules Of The Road

Last Update - 1st of June 2011

Rules of the Road

Twitter maintains an open platform that supports the millions of people around the world who are sharing and discovering what's happening now. We want to empower our ecosystem partners to build valuable businesses around the information flowing through Twitter. At the same time, we aim to strike a balance between encouraging interesting development and protecting both Twitter's and users' rights.

So, we've come up with a set of Developer Rules of the Road ("Rules") that describe the policies and philosophy around what type of innovation is permitted with the content and information shared on Twitter.

The Rules will evolve along with our ecosystem as developers continue to innovate and find new, creative ways to use the Twitter API, so please check back periodically to see the most current version. Don't do anything prohibited by the Rules, but talk to us if you think we should make a change or give you an exception.

If you will eventually need more than 5 million user tokens for your projects, you will need to talk to us directly about access to the Twitter API.

I. Twitter Content

☒ Yes, I agree

By clicking the "I Agree" button, you acknowledge that you have read and understand this agreement and agree to be bound by its terms and conditions.

CAPTCHA

This question is for testing whether you are a human visitor and to prevent automated spam submissions.





stop spam.
read books.


Create your Twitter application

Fill the form.

IMPORTANT!

You have to set the callback url like

siteName.com/modules/propack/twitter.php?action=callback



My test site name

Test OAuth

Details Settings API Keys **Permissions**

What type of access does your application need?

[Read more about our Application Permission Model.](#)

☐ Read only

☒ **Read and Write**

☐ Read, Write and Access direct messages

Note:

Changes to the application permission model will only reflect in access tokens obtained after the permission model change is saved. You will need to re-negotiate existing access tokens to alter the permission level associated with each of your application's users.

Update settings

Go to Permissions Tab and set Access: Read and Write

My test site name

Test OAuth

Details Settings **API Keys** Permissions

Application settings

Keep the "API secret" a secret. This key should never be human-readable in your application.

API key	kEh8IQI2CVfD8LmwRKGGuWXJw
API secret	YW23sgypekzjHYz2Mw24cPx8mIJ8I2SJPhttM5uiRtUuxiz4dt
Access level	Read and write (modify app permissions)
Owner	storepresta
Owner ID	330365955

Application actions

[Regenerate API keys](#) [Change App Permissions](#)

Your access token

You haven't authorized this application for your own account yet.

By creating your access token here, you will have everything you need to make API calls right away. The access token generated will be assigned your application's current permission level.

Token actions


[Create my access token](#)

Consumer key and consumer secret - put it all to the admin panel.

And it is working now. Start twitting. Seriously go make a testing tweet or something.


Step 6. Paypal settings:

1) Go to the <https://developer.paypal.com/webapps/developer/applications/myapps> Create application



2) Enter Application Name

Press **Create application** button




3) Go to section **APP DETAILS**

a) Fill return URL (Callback URL):

<http://yoursite.com/modules/propack/paypalconnect.php>


My REST apps > Prestashop

App successfully created. Use test credentials to test your application in Sandbox environment.

 Prestashop

APP DETAILS

App name : Prestashop

App display name : Prestashop 

App redirect URLs [Edit](#)
Redirect URLs are required for Log In with PayPal features.

App return URL (test)

App return URL (live) **← fill return URL (Callback URL)**

REST API CREDENTIALS

Test credentials

Your test credentials are enabled for all features in your app.


Test account : kykryzopay-facilitator@gmail.com

Endpoint :

Client ID :

Secret :

Live credentials [Hide](#)

 Please note that not all features are available for live. Features available for live transactions are listed in your [account eligibility](#)

Endpoint :

Client ID :

Secret :

Keep your secret credentials private to protect you and your customers.

4) Go to section **APP CAPABILITIES**

APP CAPABILITIES Choose how you want your app to integrate PayPal features

☒ **Accept payments** Accept Payments from PayPal members using PayPal and direct credit card processing.

☒ **Log In with PayPal** Identity service that enables your customers to log in with their PayPal login [Hide](#)

Information requested from customers
Select scope attributes for OpenID connect (OAuth) protocol. You are requesting your customers to share this data with you.
☒ **Basic authentication**
No information is requested from customers. Only a unique identifier (PPID) is provided to you.

☒ **Personal Information** [Hide](#)
☒ Full name
☒ Date of birth
☒ Age range
☒ Address Information [Hide](#)
☒ Email address
☒ Street address
☒ City
☒ State
☒ Country
☒ Zip code
☒ Phone
☒ Account Information [Hide](#)
☒ Account status (verified)
☒ Account type
☒ Account creation date
☒ Time zone
☒ Locale
☒ Language

select
all
checkboxboxes

Links shown on customer consent page
Privacy policy URL

User agreement URL

[Add customer support email ID](#)
[Preview the customer consent page](#)

Additional PayPal permissions
☐ Use Seamless Checkout
After your customers login with PayPal, they don't need to log in again at checkout (within an hour)
☐ Allow the customers who haven't yet confirmed their email address with PayPal, to log in to your app.

[Cancel](#)

fill
fields


a) Select all checkboxes

b) Fill **Privacy Policy URL** and **User agreement URL**

5) Once the application is created, you will get this:


My REST apps > Prestashop

App successfully created. Use test credentials to test your application in Sandbox environment.

 Prestashop

APP DETAILS

App name : Prestashop

App display name : Prestashop 

App redirect URLs [Edit](#)
Redirect URLs are required for Log In with PayPal features.

App return URL (test)

App return URL (live)

REST API CREDENTIALS

Test credentials

Your test credentials are enabled for all features in your app.


Test account : kykryzopay-facilitator@gmail.com

Endpoint :

Client ID :

Secret :

Live credentials [Hide](#)

 Please note that not all features are available for live. Features available for live transactions are listed in your [account eligibility](#)

Endpoint :

Client ID :

Secret :

Keep your secret credentials private to protect you and your customers.

You will need the **Client ID**, **Secret** and **Return URL (Callback URL)** to configure your module

Step 7. LinkedIn settings:

1) Visit <https://www.linkedin.com/secure/developer> and click **Add New Application**.

Add New Application

Fill out the form to register a new application:

Company Info

* Company:

Account Administrators: You will be assigned as an account administrator.

Additional Administrators:

Administrators appearing here will be account administrators for all applications from this company. Administrators can edit application details and add/remove other administrators and developers.

Application Info

* Application Name:

* Description:

* Website URL: **← Your Website URL**
Where your people should go to learn about your application.

* Application Use:
What best describes your application?

Application Developers:
Network updates you send will appear only for developers you list.

☒ Include yourself as a developer for this application

* Live Status:
While in development, your network updates will only go to the developers you choose. When live, they will go to your connections.

Contact Info

* Developer Contact Email:

* Phone:

Business Contact Email:

Phone:

OAuth User Agreement

Default Scope:

<input checked="" type="checkbox"/> r_basicprofile	<input type="checkbox"/> r_fullprofile	<input checked="" type="checkbox"/> r_emailaddress
<input type="checkbox"/> r_network	<input type="checkbox"/> r_contactinfo	<input type="checkbox"/> rw_nus
<input type="checkbox"/> rw_groups	<input type="checkbox"/> w_messages	<input type="checkbox"/> rw_company_admin

Selecting both r_basicprofile and r_fullprofile is redundant. r_basicprofile will be selected if neither r_basicprofile nor r_fullprofile is checked.

OAuth 1.0 Accept Redirect URL:
URL to return users to your app after they grant access. Only used if you do not pass in the oauth_callback parameter in the requestToken call.

OAuth 1.0 Cancel Redirect URL:
URL to return users to your app if they select Cancel from the OAuth dialog. If specified, this field will be used for the Cancel button redirect, otherwise the oauth_callback will be used and will include the parameter oauth_problem with the value user_refused.

App Logo Secure URL:
URL of an 80x80 logo for your app. SSL is required.

* Agreement Language:
Select the display language of the user agreement screen. Browser Locale Setting is recommended.

Other

JavaScript API Domains:
Comma separated list of fully-qualified domain name of all pages that will call the JavaScript API. Only needed if using Javascript API. Must include protocol, host, and port (it not 80 or 443).

OS X Application Bundle Id:
Enable your application in OS X Mavericks for single sign-on and REST API calls.

Terms of Service

* Agree: ☒ I have read and agree to the [LinkedIn API Terms of Use](#).

or

* Indicates required information

✓ Your application was successfully created.

Application Details

Company:

Application Name:

Company Name

API Key:

zbtbd0arsj48

Secret Key:

JZ7D5Wnak9U7xLKI

OAuth User Token:

1f6c058a-57a7-4666-814c-f1dc68c4dbc8

OAuth User Secret:

b88fa504-f6eb-4771-9a8f-061e9a055bf6

Done

← Get your API Key and Secret Key

You will get LinkedIn **API key** and **Secret Key**

Step 8. Microsoft Live settings:

1) **Create Microsoft Application:** go to Microsoft live development area and click create application link - <https://account.live.com/developers/applications/create?tou=1>

2) Fill Application Name

Live Connect Developer Center bot bot | Sign out

Home My apps Docs Downloads Support

My applications

Enable your application to use Microsoft accounts

This site will allow your web-based Android and iOS applications to authenticate users via Microsoft accounts.

If you want to register an application for Windows 8.1 or Windows Phone 8.1, go to the [Windows Store Dashboard](#) instead.

Provide the name of your application that users will see.

Application name*

My Site Name

Language*

English (United States)

Fill Application name

Use letters, digits, and underscores only. 129-character limit.

Select your application's primary language.

Clicking **I accept** means that you agree to the Live Connect [terms of use](#). Read [Privacy & Cookies](#).

I accept

Cancel

Microsoft

© 2014 Microsoft. All rights reserved.

[Terms of use](#) | [Trademarks](#) | [Privacy & Cookies](#) | [Site Feedback](#) | [United States \(English\)](#)

3) Go to section **API Settings** and fill **Redirect URL** and **Enhanced redirection security** must be **Disabled**

Live Connect Developer Center

bot bot | Sign out

HomeMy appsDocsDownloadsSupport

My applications > Demo site > API Settings

Demo site

Settings

Basic Information

API Settings

App Settings

Localization

Mobile or desktop client app:
☐ Yes ☒ No

Restrict JWT issuing:
☒ Yes ☐ No

We recommend enabling enhanced redirection security for your application.

Enhanced redirection security:
☐ Enabled ☒ Disabled (Deprecated)

Root domain:
www.demomysite.com

Redirect URLs:
http://www.demomysite.com/

Save

Cancel

For client secret and PSID information, select [App Settings](#).

Mobile client applications use a different OAuth 2.0 authentication flow. Selecting Yes will allow mobile clients to use this authentication flow. [Learn More](#)

Limits the issuing of JSON Web Tokens (JWT) for your domain to exclusively this application.

To improve security, your application should specify the exact redirect URLs to be used; all new applications are now required to do this. With enhanced redirection security enabled, you will need to specify both a root domain and specific redirection URLs under that domain.

All redirect URLs must fall within your root domain. This is also the domain that other apps will use when they request a JWT for your app on Windows (such as [http://www.contoso.com/redirect](#)).

Specify the exact URL you will be redirecting users to (such as [www.contoso.com](#)). You must provide at least one redirect URL.

Microsoft

© 2014 Microsoft. All rights reserved.

Terms of use

Trademarks

Privacy & Cookies

Site Feedback

United States (English)

4) Go to section **App Settings**.

Live Connect Developer Center

bot bot | Sign out

HomeMy appsDocsDownloadsSupport

My applications > My Site Name > App Settings

My Site Name

Settings

Basic Information

API Settings

App Settings

Localization

To protect your app's security, [Windows Push Notification Services \(WNS\)](#) and [Live Connect](#) services use client secrets to authenticate the communications from your server.

Client ID:
000000004C110D25

This is a unique identifier for your application.

Client secret (v1):
GS29tjt0v54NxSFDHR9eT7RUTyQ74Wn

For security purposes, don't share your client secret with anyone.

If your client secret has been compromised or your organization requires that you periodically change client secrets, create a new client secret [here](#). After you create a new client secret, both the old and the new client secrets will be accepted until you activate the new secret.

[Create a new client secret](#)

Note: Please wait 24 hours before you activate your new client secret, because the old client secret won't work after you activate the new one.

Activate

Microsoft


© 2014 Microsoft. All rights reserved.

[Terms of use](#) | [Trademarks](#) | [Privacy & Cookies](#) | [Site Feedback](#) | [United States \(English\)](#)

You will get your **Client ID** and **Client secret**


Step 9. Google Connect Settings

1. Go to <https://console.developers.google.com/project> and click **CREATE PROJECT** button



Wait a few seconds until your project will be created

2. Fill field **PROJECT NAME**



3. Go to **APIs & auth** -> **Credentials**. Click **CREATE NEW CLIENT ID**:

Google Developers Console

< My test project

Overview

APIs & auth

APIs

Credentials

Consent screen

Push

Permissions

Settings

Support

App Engine

Compute Engine

Cloud Storage

OAuth

OAuth 2.0 allows users to share specific data with you (for example, contact lists) while keeping their usernames, passwords, and other information private. [Learn more](#)

CREATE NEW CLIENT ID

Compute Engine and App Engine [Learn more](#)

Client ID	46157773103.apps.googleusercontent.com
Email address	46157773103@developer.gserviceaccount.com

[Download JSON](#)

Public API access

Use of this key does not require any user action or consent, does not grant access to any account information, and is not used for authorization. [Learn more](#)

CREATE NEW KEY

4. Choose **APPLICATION TYPE** – Web Application

Fill **AUTHORIZED JAVASCRIPT ORIGINS**: **<http://www.yoursite.com/>**

Fill **AUTHORIZED REDIRECT URI**:

<http://www.yoursite.com/modules/propack/login.php>

OAuth 2.0 allows users to share specific data with you (for example, contact lists) while keeping their usernames, passwords, and other information private. [Learn more](#)

[CREATE NEW CLIENT ID](#)

Compute Engine and App Engine [Learn more](#)

Create Client ID

APPLICATION TYPE

- ☒ **Web application**
Accessed by web browsers over a network.
- ☐ **Service account**
Calls Google APIs on behalf of your application instead of an end-user. [Learn more](#)
- ☐ **Installed application**
Runs on a desktop computer or handheld device (like Android or iPhone).

AUTHORIZED JAVASCRIPT ORIGINS
Cannot contain a wildcard (http://*.example.com) or a path (<http://example.com/subdir>).

<http://demostoreprestashop.com/>

AUTHORIZED REDIRECT URI
Needs to have a protocol, no URL fragment, and no relative paths

<http://demostoreprestashop.com/demo/fbloginblock/modules/fbloginblock/login.php>

[Create Client ID](#) [Cancel](#)

[Return to original console](#)

5. Get you **Google Client ID** and **Google Client Secret**

My test project

- Overview
- APIs & auth
- APIs
- Credentials**
- Consent screen
- Push
- Permissions
- Settings
- Support
- App Engine
- Compute Engine
- Cloud Storage

OAuth

OAuth 2.0 allows users to share specific data with you (for example, contact lists) while keeping their usernames, passwords, and other information private. [Learn more](#)

CREATE NEW CLIENT ID

Compute Engine and App Engine [Learn more](#)

Client ID	46157773103.apps.googleusercontent.com
Email address	46157773103@developer.gserviceaccount.com

[Download JSON](#)

Client ID for web application

Client ID	46157773103-otlv0bd44vkgrm3c2eqbkacp9hms0a33.apps.googleusercontent.com
Email address	46157773103-otlv0bd44vkgrm3c2eqbkacp9hms0a33@developer.gserviceaccount.com
Client secret	cBtGz7HAXyJDgqygEzmr9aBs
Redirect URIs	http://demostoreprestashop.com/demo/fbloginblock/modules/fbloginblock/login.php
Javascript Origins	http://demostoreprestashop.com/

[Edit settings](#) [Download JSON](#) [Delete](#)

6. (OPTIONAL) Go to **APIs & auth -> Consent screen**

Google Developers Console

My test project

- Overview
- APIs & auth
- APIs
- Credentials
- Consent screen**
- Push
- Permissions
- Settings
- Support
- App Engine
- Compute Engine
- Cloud Storage

EMAIL ADDRESS

kykryzopresto@gmail.com

Saved

PRODUCT NAME

Project Default Service Account

HOMEPAGE URL (Optional)

https:// or http://

LOGO (Optional)

p://demostoreprestashop.com/demo/fbloginblock/img/logo.jpg

This is how your logo will look to end users.

Max size: 120x120 px

PRIVACY POLICY URL (Optional)

https:// or http://

Product Name

Developer info

email:

This app would like to:

- Know your name, basic info, and list of people you're connected to on Google+
- Make your app activity and reviews available via Google, visible to you and:

[Your circles](#) + Add more people

Only you


Product Name and Google will use this information in accordance with their respective terms of service and privacy policies.

[Cancel](#) [Accept](#)


Please specify the path to your logo (max 120 x 60 pixels)

Step 10. Google+ Widget settings:

1) Visit <http://widgetsplus.com/> and click **Get your widget now!**



2) Customize your Google+ widget



3) Copy your code and paste in the admin panel **Google Widget Settings: -> Google+ Widget Code:**

The screenshot shows the Widgets+ website interface. At the top, there is a black navigation bar with the logo "Widgets+" on the left and links for "Home", "About us", and "Contact" on the right. The main content area has a yellow background with a geometric pattern. It is divided into two columns: "Your Widget Include Code" on the left and "Your Widget" on the right. The "Your Widget Include Code" column contains a text box with the following code:

```
<iframe src="http://widgetsplus.com:8080/13680.htm" width="225" height="319" style="padding:0; margin:0; overflow:hidden; frameborder="0"></iframe>
```

 Below the code box is a green button labeled "Copy your code". The "Your Widget" column displays a preview of the Google+ widget. It features a profile picture of a person, the name "Natalja Schonle", and an "Add to circles" button. Below this, it shows "In 0 circles" and a section titled "Latest updates" with two entries: "cool" dated "2013-09-30" and "good module!" dated "2012-10-04", each with a "+0" next to it. At the bottom of the page, there are four large, colorful circular buttons: "Welcome" (blue), "Design" (red), "Get code" (yellow), and "Share us" (green).

Deactivation:

Step 1. Uninstall module.

Log into Prestashop Admin Panel and go to Back Office > Modules > Other Modules and uninstall Pro Pack (36 in 1).

Step 2. Clear cache.

Prestashop 1.6.x

Log into Prestashop Admin Panel and go to Back Office > Advanced Parameters >Performance and set Template cache: Template compilation

Prestashop 1.5.x

Log into Prestashop Admin Panel and go to Back Office > Advanced Parameters >Performance and set Template cache: Force Compile.

Prestashop 1.4.x

Log into Prestashop Admin Panel and go to Back Office > Preferences >Performance and enable the Force compile.

Disclaimer!

It is highly recommended to backup your server files and database before installing this module.

No responsibility can be taken for any adverse effects installation or advice may cause.

Recommended you install on a test server initially to carry out your own testing.