PACKET 1 — TEACHER *Do not give to students*

Sheet A. Study setup (worked example EX-CP-01)

1. Study identity	
Protocol title	History-taking VP test — worked example
Programme / learner year	Clerkship / Year 4 (replace locally)
Named history guide	Local OSCE-style chest-pain history list (example; replace with school guide)
Number of checklist items	12
Case 1	EX-CP-01; acute chest pain; English
Case 2 (if any)	—
Case 3 (if any)	—
Teacher 1	
Teacher 2 (checks Sheet C)	
Agreement metric	AC1 / κ / ICC: _____
Automation uses same checklist?	Yes / No Rule: _____
2. Claims to score (example ticks; change if needed)	
B1 History content checklist (required)	Yes ☐ No ☐
B2 Interviewing process (optional)	Yes ☐ No ☐
B3 Diagnostic accuracy	Yes ☐ No ☐
C Simulator fidelity / cross-turn consistency	Yes ☐ No ☐
D Dialogue usability (CUQ)	Yes ☐ No ☐
3. If B2 = Yes, choose exactly one process tool	
P1 Setrakian four domains (Setrakian et al., 2020)	☐
P2 CRI-HT-S (Fürstenberg et al., 2020)	☐
P3 Chen 12 codes (Chen et al., 2026)	☐
4. Case facts (EX-CP-01) — script for the virtual patient	
Patient	52-year-old man
Chief complaint	Crushing central chest pain for 45 minutes
Key facts teachers score on Sheet B	Onset at rest; pressure/crushing; radiates to left arm; 7/10; worse with exertion; no relief yet; dyspnea; sweating; no syncope; first episode; smoker + hypertension; amlodipine only; father MI at age 54
Accepted key diagnosis (for B3)	Suspected acute coronary syndrome (ACS to be ruled out)

Item-by-item scoring map is printed on Sheet B (stem = fact that counts as Yes). Chest-pain dialogue coding precedent: (Chen et al., 2026).

PACKET 1 — TEACHER *One sheet per encounter — EX-CP-01*

Sheet B. Learner history score (worked example)

Learner ID	Case ID	Teacher ID	Date
	EX-CP-01		

B1. History content. Tick Yes only if the learner elicited that case fact (heard in the interview).

No.	Stem	Fact that counts as Yes	Yes	No
1	Onset / timing	Pain began about 45 min ago, at rest	☐	☐
2	Character	Crushing or pressure-like	☐	☐
3	Location / radiation	Central chest; radiates to left arm	☐	☐
4	Severity	About 7/10 (or equivalent)	☐	☐
5	Aggravating factors	Worse with exertion	☐	☐
6	Relieving factors	No relief so far / GTN not used	☐	☐
7	Associated dyspnea	Short of breath with the pain	☐	☐
8	Autonomic symptoms	Sweating (diaphoresis)	☐	☐
9	Syncope	No fainting / near-syncope	☐	☐
10	Prior cardiac history	First such episode; no known CAD	☐	☐
11	Risk factors	Current smoker and hypertension (both)	☐	☐
12	Family history	Father had MI at age 54	☐	☐
Total Yes / 12			_____	

B2. Process (skip in this example — Sheet A ticked No). If used later, circle one tool only.

P1 Setrakian	P2 CRI-HT-S	P3 Chen 12	Score / summary
☐	☐	☐	—

B3. Diagnosis (this example: Yes).

Accepted key diagnosis	Correct?	What learner wrote
Suspected ACS / ACS to be ruled out	Yes / No	

Agreement

Human agreement (overall)	
Automation–human agreement (if used)	

Replace all twelve stems with the school guide before a real study. CUQ does not belong on this sheet.

PACKET 1 — TEACHER *Scores the VP reply, not the learner — EX-CP-01*

Sheet C. Simulator log

Learner ID	Case ID	Teacher marking C	Second teacher check
	EX-CP-01		

Each row = one student question + VP reply. Tick errors on the *VP reply*. Use Sheet A case facts: the VP must not invent a new story or contradict an earlier answer.

Turn	Short note (student ask → VP said)	Wrong target	Extra talk	Broke role	Off case	Contradicts
1		☐	☐	☐	☐	☐
2		☐	☐	☐	☐	☐
3		☐	☐	☐	☐	☐
4		☐	☐	☐	☐	☐
5		☐	☐	☐	☐	☐
6		☐	☐	☐	☐	☐
7		☐	☐	☐	☐	☐
8		☐	☐	☐	☐	☐

Wrong target = answers something else; Extra talk = says more than asked; Broke role = speaks as doctor; Off case = invents / breaks script (Song et al., 2026; Holderried et al., 2024; Yi and Kim, 2025).

Summary

Turns with any error / total turns	
Turns that contradict an earlier fact / total	
Teacher–teacher disagreement on this sheet	

PACKET 2 — STUDENT *Fill after the encounter — not a history exam mark*

Sheet D. Chatbot Usability Questionnaire (CUQ)

Learner ID	Case ID	Date
	EX-CP-01 (or your case)	

Circle one number per row. 1 = strongly disagree, 2 = disagree, 3 = neutral, 4 = agree, 5 = strongly agree. Odd items are positive; even items are negative. This sheet measures dialogue usability only (Holmes et al., 2019).

No.	Statement	1	2	3	4	5
1	The chatbot's personality was realistic and engaging	o	o	o	o	o
2	The chatbot seemed too robotic	o	o	o	o	o
3	The chatbot was welcoming during initial setup	o	o	o	o	o
4	The chatbot seemed very unfriendly	o	o	o	o	o
5	The chatbot explained its scope and purpose well	o	o	o	o	o
6	The chatbot gave no indication as to its purpose	o	o	o	o	o
7	The chatbot was easy to navigate	o	o	o	o	o
8	It would be easy to get confused when using the chatbot	o	o	o	o	o
9	The chatbot understood me well	o	o	o	o	o
10	The chatbot failed to recognise a lot of my inputs	o	o	o	o	o
11	Chatbot responses were useful, appropriate and informative	o	o	o	o	o
12	Chatbot responses were irrelevant	o	o	o	o	o
13	The chatbot coped well with any errors or mistakes	o	o	o	o	o
14	The chatbot seemed unable to handle any errors	o	o	o	o	o
15	The chatbot was very easy to use	o	o	o	o	o
16	The chatbot was very complex	o	o	o	o	o

CUQ score (0–100)	
Optional SUS score (if your study adds SUS)	
I understand this is *not* my history exam mark	Yes / No

Score = [(sum of odd items − 8) + (40 − sum of even items)]/64 × 100 (same as Table 6). Hand this packet back after completing CUQ. Do not fill Sheets A–C.

References

Brooke, J., 1996. SUS: A quick and dirty usability scale, in: Usability Evaluation in Industry. Taylor & Francis, pp. 189–194.

Byun, J., Kim, H., Lim, J., Choi, J., Ahn, S., 2026. Enhancing history-taking education through GPT-4-based virtual patients and automated assessment: A study of medical student perceptions. Korean Journal of Medical Education 38, 64–73.

Chen, N., Tang, L., Liu, Y., Lin, C., Li, Z., Shi, C., Xia, M., Gašević, D., Gašević, D., Zheng, J., Fan, Y., Li, X., 2026. Developing and validating a coding scheme for clinical reasoning in history taking using generative AI–based virtual patients: Systematic text condensation approach. JMIR Medical Education 12, e84347. doi:10.2196/84347.

Cook, D.A., Overgaard, J., Pankratz, V.S., Del Fiol, G., Aakre, C.A., 2025. Virtual patients using large language models: Scalable, contextualized simulation of clinician–patient dialogue with feedback. Journal of Medical Internet Research 27, e68486. doi:10.2196/68486.

Emerson, A., Evanini, K., Somay, S., Frome, K., Ha, L.A., Harik, P., 2026. Conversational AI for virtual standardized patients using a speech-to-speech LLM, in: Proceedings of the 16th International Workshop on Spoken Dialogue Systems Technology, pp. 142–152.

Evans, B.J., Sweet, B., Coman, G.J., 1993. Behavioural assessment of the effectiveness of a communication programme for medical students. Medical Education 27, 344–350. doi:10.1111/j.1365-2923.1993.tb00279.x.

Fink, M.C., Reitmeier, V., Stadler, M., Siebeck, M., Fischer, F., Fischer, M.R., 2021. Assessment of diagnostic competences with standardized patients versus virtual patients: Experimental study in the context of history taking. Journal of Medical Internet Research 23, e21196. doi:10.2196/21196.

Fürstenberg, S., Helm, T., Prediger, S., Kadmon, M., Berberat, P.O., Harendza, S., 2020. Assessing clinical reasoning in undergraduate medical students during history taking with an empirically derived scale for clinical reasoning indicators. BMC Medical Education 20, 368. doi:10.1186/s12909-020-02260-9.

Holderried, F., Stegemann-Philipps, C., Herschbach, L., Moldt, J.A., Nevins, A., Griewatz, J., 2024. A generative pretrained transformer (GPT)–powered chatbot as a simulated patient to practice history taking: Prospective, mixed methods study. JMIR Medical Education 10, e53961. doi:10.2196/53961.

Holmes, S., Moorhead, A., Bond, R., Zheng, H., Coates, V., McTear, M., 2019. Usability testing of a healthcare chatbot, in: Proceedings of the 31st European Conference on Cognitive Ergonomics, pp. 207–214. doi:10.1145/3335082.3335094.

Huwendiek, S., De Leng, B.A., Kononowicz, A.A., Kunzmann, R., Muijtjens, A.M.M., Van Der Vleuten, C.P.M., Hoffmann, G.F., Tönshoff, B., Dolmans, D.H.J.M., 2015. Exploring the validity and reliability of a questionnaire for evaluating virtual patient design with a special emphasis on fostering clinical reasoning. Medical Teacher 37, 775–782. doi:10.3109/0142159X.2014.970622.