

SIMATS Engineering • CSE • CSA0212 — C PROGRAMMING • 31-07-2026 • Category:
EXPERIMENTS • Student Submissions Report

Student 22 **PILLETI HEMANTH REDDY** 192312173RB

7 / 10 submitted

Q1. Looping statements

CODE

```
#include<stdio.h>
int main(){
int num,reversednum,remainder=0;
scanf("%d",&num);
while(num!=0){
remainder=num%10;
reversednum=reversednum*10+remainder;
num/=10;
}
printf("reversed number:%d\n",reversednum);
return 0;
}
```

INPUT

582

OUTPUT

(no output)

Q2. Looping statements

— Not Submitted —

Q3. Looping statements

— Not Submitted —

Q4. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,i=1,sum=0;
    scanf("%d",&n);
    while(i≤n){
        sum=sum+i;
        i++;
    }
    printf("sum of first %d natural numbers=%d",n,sum);
    return 0;
}
```

INPUT

8

OUTPUT

(no output)

Q5. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,i,j;
    scanf("%d",&n);
    for(i=1;i≤n;i++){
        for(j=1;j≤n;j++){
            if(i==1||i==n||j==1||j==n)
                printf("* ");
            else
                printf("  ");
            printf("\n");
        }
        return 0;
    }
```

INPUT

5

OUTPUT

```
* * * * *
*       *
*       *
*       *
*       *
* * * * *
```

Q6. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,i,j;
    scanf("%d",&n);
    for(i=1;i≤n;i++){
        for(j=1;j≤i;j++)
            printf("%d",i);
        printf("\n");
    }
    return 0;
}
```

INPUT

5

OUTPUT

1
22
333
4444
55555

Q7. Looping statements

— Not Submitted —

Q8. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,i,j;
    scanf("%d",&n);

}
```

OUTPUT

Q9. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int rows,i,j,number=1;
    scanf("%d",&rows);
    for(i=0;i<=rows;i++){
        for(j=0;j<=i;j++){
            printf("%d",number);
            number++;
        }
        printf("\n");
    }
    return 0;
}
```

INPUT

5

OUTPUT

(no output)

Q10. Looping statements

CODE

```
#include<stdio.h>
int main(){
    int n,i,j,coeff=1;
    scanf("%d",&n);
    for(i=0;i≤n;i++){
        for(j=0;j≤n-i;j++)
            printf(" ");
        for(j=0;j≤1;j++){
            if(i==0||j==0)
                coeff=1;
            else
                coeff=coeff*(i-j+1)/j;
            printf("%4d",coeff);
        }
        printf("\n");
    }
    return 0;
}
```

INPUT

OUTPUT