

myCompiler

Enter a title...

English Recent Login Sign up

FILES +

main.m

1 clear;

2 clc;

3 close all;

4

5 %% PARAMETERS

6 N\_RB = 20;

7 N\_users = 5;

8

9 %% Equal Allocation

10 base = floor(N\_RB/N\_users);

11 rem = mod(N\_RB,N\_users);

12

13 alloc\_equal = zeros(1,N\_RB);

14

15 idx = 1;

16

17 for u = 1:N\_users

18 take = base + (u <= rem);

19 alloc\_equal(idx:idx+take-1) = u;

20 idx = idx + take;

21 end

22

23 %% Round Robin Allocation

24 alloc\_rr = zeros(1,N\_RB);

25

26 for rb = 1:N\_RB

27 alloc\_rr(rb) = mod(rb-1,N\_users) + 1;

28 end

29

30 %% Plot

31 figure

32

33 subplot(2,1,1)

34 imagesc(alloc\_equal)

35 colormap(jet)

36 colorbar

37 title('Equal RB Allocation')

Run Save Output Input

Equal Allocation:  
1 1 1 1 2 2 2 2 3 3 3  
3 4 4 4 4 5 5 5 5  
Round Robin Allocation:  
1 2 3 4 5 1 2 3 4 5 1  
2 3 4 5 1 2 3 4 5  
[Execution complete with exit code 0]

Blocks.ai

Reach your agent anywhere. No inbound ports, no DNS, no static IP, any device, behind NAT. Blocks.ai →

blocks.ai

Ads by EthicalAds

Equal RB Allocation

Time Slot

Resource Block Index

Round Robin RB Allocation

Time Slot

Resource Block Index