

```

import javaimport java.sql.*;

public class StudentJDBC {

    static final String URL =

        "jdbc:mysql://localhost:3306/college";

    static final String USER = "javauser";

    static final String PASSWORD = "Java@12345";

    public static void main(String args[]) {

        try {

            Class.forName("com.mysql.cj.jdbc.Driver");

            Connection con =

                DriverManager.getConnection(URL, USER, PASSWORD);

            Statement stmt = con.createStatement();

            stmt.executeUpdate(

                "INSERT INTO student VALUES(104,'Ramesh','Bangalore')");

            System.out.println("Record Inserted");

            stmt.executeUpdate(

                "UPDATE student SET address='Mumbai' WHERE rollno=104");

            System.out.println("Record Upddated ");

            stmt.executeUpdate(

                "DELETE FROM student WHERE rollno=103");

            System.out.println("Record Deleted");


            // Display

            ResultSet rs =

                stmt.executeQuery("SELECT * FROM student");

```

```
System.out.println();
```

```
System.out.println("Student Records");
```

```
while(rs.next())
```

```
{
```

```
    System.out.println(
```

```
        rs.getInt("rollno")+" "
```

```
        +rs.getString("name")+" "
```

```
        +rs.getString("address"));
```

```
}
```

```
rs.close();
```

```
stmt.close();
```

```
con.close();
```

```
}
```

```
catch(Exception e)
```

```
{
```

```
    e.printStackTrace();
```

```
}
```

```
}
```

```
}.sql.*;
```

```
public class StudentJDBC {
```

```
static final String URL =
```

```
    "jdbc:mysql://localhost:3306/college";
```

```
static final String USER = "root";
```

```
static final String PASSWORD = "password";
```

```
public static void main(String args[]) {
```

```
    try {
```

```
        Class.forName("com.mysql.cj.jdbc.Driver");
```

```
        Connection con =
```

```
            DriverManager.getConnection(URL, USER, PASSWORD);
```

```
        Statement stmt = con.createStatement();
```

```
        // Insert
```

```
        stmt.executeUpdate(
```

```
            "INSERT INTO student VALUES(104,'Ramesh','Bangalore')");
```

```
        System.out.println("Record Inserted");
```

```
        // Update
```

```
"javauser";      stmt.executeUpdate(

    "UPDATE student SET address='Mumbai' WHERE rollno=104");

System.out.println("Record Updated");

// Delete

stmt.executeUpdate(

"DELETE FROM student WHERE rollno=103");

System.out.println("Record Deleted");

// Display

ResultSet rs =

stmt.executeQuery("SELECT * FROM student");

System.out.println();

System.out.println("Student Records");

while(rs.next())

{

    System.out.println(

        rs.getInt("rollno")+" "

        +rs.getString("name")+" "
```

```
+rs.getString("address"));
```

```
}
```

```
rs.close();
```

```
stmt.close();
```

```
con.close();
```

```
}
```

```
catch(Exception e)
```

```
{
```

```
    e.printStackTrace();
```

```
}
```

```
}
```

```
}
```