

13_Drawing_Register

ALDRIDGE HARBOR PORT AUTHORITY

KESSLER POINT MARINE TERMINAL — PERIMETER SECURITY, ACCESS CONTROL AND SURVEILLANCE SYSTEMS

DOCUMENT 13 OF 13 — DRAWING REGISTER

Solicitation Number	AHPA-2026-IFB-0417
Document Revision	Rev 0
Date	14 September 2026

SENSITIVE SECURITY INFORMATION — 49 CFR PART 1520

1. GENERAL

- DR-1.1** The drawings listed in this register form part of the Contract Documents.
- DR-1.2** Drawings are issued for tender purposes and indicate design intent. Dimensions shall not be scaled from the drawings.
- DR-1.3** The Contractor shall verify all dimensions and existing conditions on Site.
- DR-1.4** Notes on the drawings carry the same force as the text of Document 4 and shall be read with it. **Where a drawing note imposes a requirement not stated elsewhere, that requirement forms part of the Works.**
- DR-1.5** All drawings are Sensitive Security Information and shall be handled in accordance with Annex C.

2. REGISTER

Series SEC-000 — General

Drawing	Title	Scale	Rev
SEC-001	Site location plan	1:5000	0
SEC-002	Overall site layout and security boundary	1:2000	0
SEC-003	Drawing index, symbols and abbreviations	NTS	0
SEC-004	Security zoning and restricted area designation	1:2000	0
SEC-005	Phasing plan — perimeter sectors 1 to 8	1:2000	0

Series SEC-100 — Perimeter

Drawing	Title	Scale	Rev
SEC-101	Perimeter layout, sectors 1–2, detection zones and device positions	1:500	0
SEC-102	Perimeter layout, sectors 3–4	1:500	0
SEC-103	Perimeter layout, sectors 5–6	1:500	0
SEC-104	Perimeter layout, sectors 7–8	1:500	0
SEC-105	Taut-wire fence — typical elevation and section	1:20	0
SEC-106	Detector post foundation — typical detail	1:10	0
SEC-107	Patrol road — typical cross section	1:20	0
SEC-108	Visually obstructed boundary — extent of fibre sensing	1:1000	0
SEC-109	Perimeter gate opening — detection continuation detail	1:20	0
SEC-110	Anti-climb collar and bollard protection — typical detail	1:10	0

Series SEC-200 — Video Surveillance

Drawing	Title	Scale	Rev
SEC-201	Camera layout, perimeter sectors 1–4, with detection zone extents	1:1000	0
SEC-202	Camera layout, perimeter sectors 5–8	1:1000	0
SEC-203	Camera layout, yard interior	1:1000	0
SEC-204	Camera layout, quay face and waterside	1:1000	0
SEC-205	Camera layout, buildings and doors	1:200	0
SEC-206	Camera pole — 8 m and 12 m typical elevations and foundations	1:25	0
SEC-207	Video system architecture — single line diagram	NTS	0
SEC-208	Storage and recording architecture	NTS	0

Series SEC-300 — Security Pre-Gate

Drawing	Title	Scale	Rev
SEC-301	Security pre-gate — general arrangement	1:200	0
SEC-302	Security pre-gate — lane layout and island details	1:50	0
SEC-303	OCR portal — elevation and camera positions	1:50	0
SEC-304	Lane pedestal — elevation and equipment schedule	1:20	0
SEC-305	Command and Control station — layout and console arrangement	1:50	0
SEC-306	Inspection lay-by — general arrangement	1:100	0
SEC-307	Inter-gate queue — indicative arrangement (<i>works by others</i>)	1:500	0
SEC-308	Pre-gate transaction sequence — flow diagram	NTS	0

Series SEC-400 — Access Control

Drawing	Title	Scale	Rev
SEC-401	Main personnel entry — turnstile bank general arrangement	1:50	0
SEC-402	Labour hall entry — turnstile arrangement	1:50	0
SEC-403	Accessible swing gate — typical detail	1:20	0
SEC-404	Building door schedule and reader positions	NTS	0
SEC-405	Access control system architecture — single line diagram	NTS	0
SEC-406	Egress and life-safety interface — typical schematic	NTS	0

Series SEC-500 — Gates and Barriers

Drawing	Title	Scale	Rev
SEC-501	Administrative gate — general arrangement	1:100	0
SEC-502	Marine services gate — general arrangement	1:100	0
SEC-503	Emergency gate — general arrangement	1:100	0
SEC-504	Crash-rated sliding gate — typical elevation, run-back and foundation	1:25	0
SEC-505	Vertical arm barrier — typical elevation and foundation	1:20	0

Series SEC-600 — Security Operations Centre

Drawing	Title	Scale	Rev
SEC-601	Security Operations Centre — floor plan	1:50	0
SEC-602	Operations floor — console and video wall layout	1:25	0
SEC-603	Equipment room — rack layout and elevations	1:25	0
SEC-604	Equipment room — cooling and power arrangement	1:25	0
SEC-605	Security Operations Centre — reflected ceiling and lighting	1:50	0

Series SEC-700 — Network, Power and Civil

Drawing	Title	Scale	Rev
SEC-701	Fibre backbone route and ring topology	1:2000	0
SEC-702	Field cabinet locations and sector allocation	1:2000	0
SEC-703	Field cabinet — typical general arrangement	1:20	0
SEC-704	Duct and draw pit layout	1:1000	0
SEC-705	Duct trench — typical cross sections	1:10	0
SEC-706	Network architecture — single line diagram	NTS	0
SEC-707	Security power distribution — single line diagram	NTS	0
SEC-708	Generator and UPS — general arrangement	1:50	0
SEC-709	Earthing and lightning protection — typical details	NTS	0
SEC-710	Existing services — known routes (<i>record information, incomplete</i>)	1:1000	0

3. DRAWING NOTES OF GENERAL APPLICATION

DR-3.1 The following notes appear on the drawings and apply generally. They are reproduced here for the Bidder's convenience and do not replace the notes as drawn.

Note	Text
GN-01	All device positions are indicative. Final positions shall be established by the Contractor at Critical Design Review and shall achieve the performance required by Document 4.
GN-02	All poles in the operational yard shall be protected by concrete bollards to the detail at SEC-110.
GN-03	All external equipment shall be provided with hurricane tie-down or removal provision to the detail at SEC-206.
GN-04	Restricted area signage to 33 CFR 105.275 shall be provided at intervals not exceeding 100 ft along the perimeter and at every access point.
GN-05	All buried cable routes shall be provided with route marker posts at intervals not exceeding 50 ft and at every change of direction.
GN-06	Camera positions shown on SEC-201 to SEC-205 assume a container stack height of three. Where the stack height is five, the Contractor shall adjust pole height to maintain the required field of view.
GN-07	Existing services shown are record information only and are known to be incomplete.
GN-08	All fibre splice enclosures shall be located in draw pits and shall not be direct buried.
GN-09	Detection zone extents shown on SEC-201 and SEC-202 are the design zones against which camera performance shall be demonstrated.
GN-10	Bird deterrent shall be fitted to every external camera housing.

END OF DOCUMENT 13

Note to file: the drawings themselves are not reproduced in this package. The register, the notes of general application, and the zone extents referenced at GN-09 are the drawing content relied upon by the specification.