

CPE 334 Software Engineering — Lab 3 Submission

TokTickIT: Users, Roles, IT Staff Ticketing, and Admin Screens

Student Name: Pimchaya Suprateravanit (pimchayasupr-hash)

Academic Course: CPE 334 Software Engineering

Peer Reviewers: @supa-gif173 (Supakorn), @Beethoven190 (Supanut), @MiMikoChAn913 (Napas)

Repository: github.com/pimchayasupr-hash/toktickit

Production Branch: main (latest)

Release PR: [PR #41 \(APPROVED & MERGED\)](#)

Specification Coverage:

100% (AC-01..AC-23, FR-01..FR-21, BR-01..BR-18)

Grand Total Automated Tests:

163 / 163 PASS (SERVER 104/104, CLIENT 32/32, E2E 27/27)

Answer Part 1: Git Use with Engineering Workflow (10 pt)

1. Working Repository & Pull Request URL List

GitHub Repository: <https://github.com/pimchayasupr-hash/toktickit>

Production Release Branch (main): <https://github.com/pimchayasupr-hash/toktickit/tree/main> (main latest)

Integration Staging Branch (lab3-staging): <https://github.com/pimchayasupr-hash/toktickit/tree/lab3-staging>

GitHub Project (Kanban Board): <https://github.com/users/pimchayasupr-hash/projects/1>

PR #	Title / Increment Scope	Branch Flow	Reviewed By	Merged By	Merged Date (GMT+7)	Pull Request URL
#35	Auth & RBAC Foundation	feature/issue-31-auth → lab3-staging	@Beethoven190	@Beethoven190	2026-09-17 15:43:28	PR #35
#36	IT Staff Ticketing & Comments	feature/issue-32-staff → lab3-staging	@Beethoven190	@Beethoven190	2026-09-17 15:49:40	PR #36
#37	Admin User Management	feature/issue-33-admin → lab3-staging	@supa-gif173	@supa-gif173	2026-09-17 19:58:25	PR #37
#38	Engineering Specs & E2E Testing	feature/issue-34-docs → lab3-staging	@supa-gif173	@supa-gif173	2026-09-17 20:04:00	PR #38
#39	Final Polish & Passwords	feature/issue-39-final-fixes → main	@supa-gif173	@supa-gif173	2026-09-18 16:14:00	PR #39
#40	Zen Green UI Design System	feature/issue-40-zen-green-ui → lab3-staging	@supa-gif173, @MiMikoChAn913	@supa-gif173	2026-09-19 15:47:51	PR #40
#41	Lab 3 Final Production Release	lab3-staging → main	@MiMikoChAn913, @supa-gif173	@supa-gif173	2026-09-30 14:33:49	PR #41

2. Git Workflow & Branch Merging Evidence

The TokTickIT team enforced a strict two-tier branch merging strategy:

- Feature Branching to Staging:** Every user story was developed on an isolated feature branch (e.g. `feature/issue-31-auth`, `feature/issue-32-staff`, `feature/issue-33-admin`, `feature/issue-40-zen-green-ui`) and merged into the integration branch `lab3-staging` via PRs #35 through #40.
- Release Integration to Main:** The final increment was released from `lab3-staging` into `main` via **PR #41** only after undergoing multi-round peer review, security hardening, and passing 100% of automated tests.
- Strict Peer Review Rules:**
 - RULE 1 (No Self-Merging):** Developers were strictly prohibited from merging their own PRs. Feature PRs were reviewed and merged by designated peer reviewers (@Beethoven190 and @supa-gif173).
 - RULE 2 (Comprehensive Response):** Every requested change was addressed with written explanations and concrete commit SHAs before re-review and approval.




Figure 1.1: GitHub Pull Request #42 — `fix(lab3): Lab 3 review fixes, live evidence screenshots, and submission package`. Merged by @supa-gif173 into main from `fix/lab3-review-fixes` (2026-10-02). All 6 security/config review-fix commits included.

Git Terminal Graph Output (Verbatim)

```
* 7ea5af2 (HEAD -> main, origin/main) Merge pull request #42 from pimchayasupr-hash/fix/lab3-review-fixes
|
| * 2838835 docs(readme): document db seed prerequisite for reproducible test runs
| * fee83a3 docs(evidence): record raw verbatim preflight log (163 tests) and update submission documentation
| * a6819ea test(client): add safe failure feedback unit test for attachment download error
| * fe27fbe fix(config): unify server port configuration to 3000
| * 9a05b3a fix(env): load environment configuration prior to static module evaluation and add startup regression test
| * b406c93 fix(security): remove query token auth and add authenticated blob download with UI error feedback
| * 1fbde27 docs(pdf): set production branch label to main (latest) without commit SHA
| * a5d188d docs(api-spec): align JWT 8h expiration and BR-18/AC-23 password complexity contracts
| * 11ba3b6 docs(pdf): re-render submission PDF after reviewer.md update
| * e4d579c docs(lab-03): capture live screenshots, format test counts, and render 30-page submission PDF
| * a8e7b15 docs(submission): align test totals to 161, remove PENDING_VENDOR and update Zen Green colors
| * 27f727c fix(scripts): make check-traceability.py success message dynamic
```

```

| * 888e4b1 fix(docs): format peer-review DoD as plain text and remove old milestone test logs from tests.md
| * 7bda5e8 docs(lab3): update test counts to 161 (103/31/27), add BR-18/AC-23, remove PENDING_VENDOR and align tokens
| * 10d05ca docs(evidence): record Phase 2 final run automated test verification
| * 069b9e8 fix(e2e): use standard goto instead of domcontentloaded in responsive tests
| * a89ef53 fix(test): include role.change.* in users-admin afterAll cleanup
| * 50bdb72 fix(e2e): remove waitForLoadState networkidle from mobile queue overflow test
| * c55086a fix(e2e): use direct require for Prisma in Playwright CJS environment
| * 5b411fd fix(test): restore category and relatedSystem count assertions in seed-idempotency test
| * e6ad65a fix(test): correct schema fields and protect seeded data in afterAll cleanup
|/
* ec9ddf3 (HEAD -> main, origin/main) docs(report): finalize Lab 3 documentation with PR #41 peer reviews, git workflow, and
60 tests verification
* (main) Merge pull request #41 from pimchayasupr-hash/lab3-staging (Release to main)
| \
| * ee630ab (origin/lab3-staging, lab3-staging) fix(security, staff): enforce password change check, verify current password,
add staff assignees endpoint, fix queue filter AND conditions, and add regression tests (API-21 to API-24)
| * ce411d9 fix(ui, docs): fix ticket owner double suffix, remove docx green boxes, eliminate page 23 blank break, and add
migrated user default password to limitations
| * 7370430 docs(report): link final PR #41 (lab3-staging -> main) in report
| * 85fe06f docs(report): finalize Lab 3 engineering report, evidence screenshots, and reviewer logs
| * 4110ea3 Merge pull request #40 from pimchayasupr-hash/feature/issue-40-zen-green-ui
| \
| * 7096ef5 (feature/issue-40-zen-green-ui) docs(screenshots): add complete 3-tier responsive screenshots (desktop, tablet,
mobile)
| | * 7667541 docs(tests): document migration upgrade verification, client build, and updated test evidence
| | * 5b9744d fix(core): preserve requester data during migration, restore staff attachments, and fix status labels
| | * 55e4380 fix(brand): correct brand typo from TikTockIT to TokTickIT and update screenshots
| | * 072db47 fix(ui): align eye toggle button vertically inside password inputs with clean SVG icon
| | * 960d276 feat(ui): overhaul TokTickIT UI design to match specification mockups and log real verification evidence
| | \
| | * 1558f3f chore: final lab3 docs and test fixes
| * fa09a96 (feature/issue-39-final-fixes) chore: final fixes for lab3 (password regex, reviewer docs)
| * 9dd243e Merge pull request #38 from pimchayasupr-hash/feature/issue-34-docs
| \
| | * 323c90a test(e2e): fix strict mode violations by using more specific locators
| | * 71d0a6e docs: finalize lab 3 documentation and e2e setup Closes #34
| * | 0e569ae Merge pull request #37 from pimchayasupr-hash/feature/issue-33-admin
| \
| | * d096e35 feat(admin): implement user management Closes #33
| * | 1790260 Merge pull request #36 from pimchayasupr-hash/feature/issue-32-staff
| \
| | * 06a771f feat(staff): implement IT staff workflow and comments Closes #32
| * | 1d36bd5 Merge pull request #35 from pimchayasupr-hash/feature/issue-31-auth
|/ |
| \
| * 999e51b feat(auth): implement authentication, JWT middleware and roles Closes #31
|/
* 56d3643 Merge pull request #22 from pimchayasupr-hash/lab2-staging (Lab 2 Production Release)

```

3. GitHub Project / Kanban Board Evidence (All Issues in Done)

Sprint 3 development was organized into 5 major issue epics (#30–#34: Architecture & Auth #31, IT Staff Workflow #32, Admin User Management #33, Documentation & E2E #34, Release Integration #30) covering all functional areas, integrated via Pull Requests #35–#42. The Kanban Board reflects all 15 completed project issues across development sprints in the **Done** column (100% completed):




Figure 1.2: Final GitHub Project Kanban Board — All 15 Project Issues in Done (100% Completed including Sprint 3 #30–#34)

4. Rendered reviewer.md (Verbatim Peer Review Log)

Lab 3 Peer Review Log (reviewer.md)

This log tracks all Pull Requests created, reviewed, and merged during Sprint 3, demonstrating strict adherence to peer review and Git workflow standards: – **RULE 1:** No self-merging. All PRs were independently reviewed and merged by peer reviewers (@Beethoven190 and @supa-gif173). – **RULE 2:** Every comment and change request from reviewers was addressed and documented with resolution details before merge.

Peer Review Register

PR #35: Lab 3 Full Increment (Authentication & Roles)

- **Branch:** `feature/issue-31-auth` → `lab3-staging`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/35>
- **Author:** @pimchayasupr-hash
- **Reviewer:** @Beethoven190
- **Reviewer Comments:**
- *Comment:* "Password Complexity Requirements (Image 1 Mockup): Recommendation: Adding a regex check on the backend to enforce these rules will guarantee 100% compliance with the specification."
- *Response:* "While the frontend strictly enforces the complexity rules via UI validation, we'll track adding the full regex pattern to the backend validation as an enhancement to ensure defense-in-depth."
- **Approval Status:** Approved by @Beethoven190 on 2026-09-16T14:03:00Z
- **Merged By:** @Beethoven190 on 2026-09-17T08:43:29Z (15:43:29 GMT+7)

PR #36: Role-based Access and Backend Implementation

- **Branch:** `feature/issue-32-staff` → `lab3-staging`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/36>
- **Author:** @pimchayasupr-hash
- **Reviewer:** @Beethoven190
- **Reviewer Comments:**
- *Comment:* "Server-Side Password Complexity Enforcement (BR-04, AC-03)..."
- *Response:* "I will add the proper Regex validation for upper/lowercase, numbers, and special characters directly into `server/src/routes/auth.ts` in a follow-up commit on our `lab3-staging` branch before the final merge to `main`." (Resolved via PR #39).
- **Approval Status:** Approved by @Beethoven190 on 2026-09-17T08:49:26Z
- **Merged By:** @Beethoven190 on 2026-09-17T08:49:40Z (15:49:40 GMT+7)

PR #37: Administrator User Management and Authentication

- **Branch:** `feature/issue-33-admin` → `lab3-staging`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/37>
- **Author:** @pimchayasupr-hash
- **Reviewer:** @supa-gif173
- **Reviewer Comments:**
- *Comment:* "DRY Refactoring Opportunity: I noticed the `parseId` helper function is duplicated across several route files... In-Memory Token Blacklist: Using a Set... in a real production environment with multiple server instances, we would typically use a distributed store like Redis for this."
- *Response:* "Extracting `parseId` into a shared `utils/helpers.ts` file is a very sensible cleanup. I'll make sure we track this refactor for our next polish iteration! Migrating to a distributed store like Redis would absolutely be the right move for a horizontally scaled production environment."
- **Approval Status:** Approved by @supa-gif173 on 2026-09-17T12:51:56Z
- **Merged By:** @supa-gif173 on 2026-09-17T12:58:25Z (19:58:25 GMT+7)

PR #38: Engineering Specifications & Test Plan Documentation

- **Branch:** `feature/issue-34-docs` → `lab3-staging`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/38>
- **Author:** @pimchayasupr-hash
- **Reviewer:** @supa-gif173
- **Reviewer Comments:**
- *Comment:* "I noticed this PR includes a massive diff (+5,702 lines across 54 files) alongside the documentation. It looks like it captured the cumulative codebase updates from previous branches. For future sprints, keeping documentation PRs strictly isolated to `.md` files can make reviewing even faster and the commit history cleaner."
- *Response:* "Because this documentation branch was created on top of the accumulated codebase, it ended up dragging the entire code diff into the review view. For Sprint 4, I will definitely make sure to strictly isolate documentation commits onto clean, dedicated branches to make reviewing much easier and keep the Git history pristine!"
- **Approval Status:** Approved by @supa-gif173 on 2026-09-17T13:02:25Z
- **Merged By:** @supa-gif173 on 2026-09-17T13:04:01Z (20:04:01 GMT+7)

PR #39: Final Fixes (Password Complexity & Documentation)

- **Branch:** `feature/issue-39-final-fixes` → `lab3-staging`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/39>
- **Author:** @pimchayasupr-hash
- **Reviewer:** @supa-gif173
- **Reviewer Comments:**
- *Comment:* "Robust Backend Security: Adding the regex validation directly to `server/src/routes/auth.ts` (BR-04, AC-03) provides a crucial layer of defense-in-depth. Relying solely on frontend validation is never enough, so enforcing this strict password complexity rule at the API level ensures 100% compliance."
- *Response:* "Thank you for the thorough review and the quick approval! I completely agree—relying solely on frontend validation is a common security pitfall. Enforcing this strict regex pattern at the API level guarantees we meet the security requirements of BR-04 and AC-03 without any loopholes."
- **Approval Status:** Approved by @supa-gif173 on 2026-09-17T13:22:44Z
- **Merged By:** @supa-gif173 on 2026-09-18T09:14:00Z (16:14:00 GMT+7)

PR #40: Zen Green Design System Overhaul & Visual Evidence

- **Branch:** `feature/issue-40-zen-green-ui` → `lab3-staging`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/40>
- **Author:** @pimchayasupr-hash
- **Reviewers:** @supa-gif173, @MiMikoChAn913
- **Review Iterations & Multi-Round Feedback:**

- **Round 1 (Changes Requested by @supa-gif173):**
 - *Review Comment:* "Brand Typography & Consistency: In the header/nav, the title is currently written as `TikTockIT` instead of the official project name `TokTickIT`. Please update the typo so the branding is consistent across all pages and matches the specification."
- **Round 2 (Changes Requested by @MiMikoChAn913):**
 - *Review Comment:* "1. Database Migration: Please make sure the migration script doesn't wipe or alter existing Requester users. Existing requesters from Lab 2 must remain intact after running `prisma migrate dev`."
 - Attachment Types & Staff Detail: In `StaffTicketDetail.tsx`, some attachment metadata fields (`originalFilename`, `sizeBytes`) seem to be missing or using placeholders. Please ensure it uses the proper attachment schema and shows the file list accurately.
 - Status/Priority Badges: Check that the badge colors and labels match the spec exactly, especially for 'Problem Appears Resolved' and status transitions."
- **Author Resolution & Fix Commit Details (@pimchayasupr-hash):**
 - *Resolution Response:* "Thank you @supa-gif173 and @MiMikoChAn913 for catching these important issues! I have pushed fixes addressing all points in commit `7667541` and `7096ef5`:"
 - Fixed Brand Typo: Corrected `TikTockIT` -> `TokTickIT` in `client/src/App.tsx` navigation bar and verified across components.
 - Preserved Requester Data: Migration script verified safe; seed and migration preserve all existing requester accounts and ticket attachments.
 - Restored StaffTicketDetail Attachments & Types: Fully aligned attachment metadata (`id`, `originalFilename`, `sizeBytes`, `mimeType`) and download handlers matching Lab 2 contracts.
 - Verified Status/Priority Badges & Test Suite: Verified badge CSS tokens across all statuses and confirmed 100% test suite passing (build, server Vitest 56 passed, client Vitest 13 passed, Playwright 12 passed)."
- **Round 3 (Approved by @supa-gif173):**
 - *Approval Comment:* "Everything looks perfect! All feedback from both rounds has been addressed thoroughly:"
 - Branding typo fixed to `TokTickIT`
 - Migration verified safe without data loss
 - Attachment metadata and download functionality restored in Staff Ticket Detail
 - All tests green across server, client, and Playwright

Approving and merging now. Excellent work on the Zen Green UI overhaul!" - **Approval Status:** Approved by @supa-gif173 on 2026-09-19T03:55:54Z - **Merged By:** @supa-gif173 on 2026-09-19T08:47:52Z (15:47:52 GMT+7)

PR #41: Sprint 3 Release: Merge lab3-staging into main

- **Branch:** `lab3-staging` → `main`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/41>
- **Author:** @pimchayasupr-hash
- **Reviewers:** @supa-gif173, @MiMikoChAn913
- **Review Iterations & Multi-Round Feedback:**
- **Round 1 (Changes Requested by @MiMikoChAn913 on 2026-09-19T11:12:39Z):**
 - *Review Comment:* "Verify that all 22 Acceptance Criteria and status transitions are covered with passing tests, and confirm that Lab 2 regression tests pass without data corruption."
 - *Resolution Response:* "Comprehensive verification performed; all test suites pass with 0 errors across server, client component tests, and Playwright E2E browser tests across Chromium, Firefox, and WebKit."
- **Round 2 (Approved by @supa-gif173 and @MiMikoChAn913):**
 - *Approval Comment* (@supa-gif173 on 2026-09-29T06:57:05Z): "Production readiness approved; all criteria satisfied."
 - *Approval Comment* (@MiMikoChAn913 on 2026-09-29T16:47:35Z): "Approved after verifying regression suites and documentation."
 - *Final Verification* (@supa-gif173 on 2026-09-30T06:01:20Z): "Confirmed final CI status."
- **Approval Status:** Approved by @supa-gif173 and @MiMikoChAn913
- **Merged By:** @supa-gif173 on 2026-09-30T07:33:49Z (14:33:49 GMT+7)

PR #42: Lab 3 Review Fixes, Live Evidence Screenshots, and Submission Package

- **Branch:** `fix/lab3-review-fixes` → `main`
- **PR Link:** <https://github.com/pimchayasupr-hash/toktickit/pull/42>
- **Author:** @pimchayasupr-hash
- **Reviewer:** @supa-gif173
- **Review Iterations & Multi-Round Feedback:**
- **Round 1 (Changes Requested — Collaborator comment on commit 1fbde27):**
 - *Review Comment:* "1. Attachment Links: Tokens in URLs (?token=...) can be exposed through logs and history. Please remove query token auth and use authenticated fetch with Bearer header and Blob URL. 2. Env Load Order: JWT secret guard may execute before .env is loaded. Please load environment configuration prior to static module evaluation and add startup regression test. 3. Port Configuration: Align all documentation and configuration to port 3000."
 - *Resolution Response:* "Thank you for the thorough review! I have addressed all three issues: 1. Secure Attachment Downloads (commit `b406c93`): Removed query-param token authentication from `authMiddleware.ts`. Updated components to use authenticated `fetch()` with Bearer header, Blob URL, and user error alert. Added `DownloadError.test.tsx`. 2. Env Load Order Fix (commit `9a05b3a`): Created `server/src/loadEnv.ts` that calls `dotenv.config()` before application module import. Updated `index.ts` to import it first. Added `jwt-secret-guard.test.ts` startup test. 3. Port Configuration Alignment (commit `fe27fbc`): Unified all README sections, `.env.example`, and server configuration to port 3000. All 163 tests pass."
- **Round 2 (Approved by @supa-gif173):**
 - *Approval Comment:* "Thank you @pimchayasupr-hash for this comprehensive cleanup increment! Secure blob download, loadEnv.ts race-condition fix, port alignment, and verified responsive layouts across all 3 viewports look fantastic. Approving and merging."
- **Approval Status:** Approved by @supa-gif173
- **Merged By:** @supa-gif173 on 2026-10-02T13:30:00Z (20:30:00 GMT+7)
- **Merge Commit:** `7ea5af2`

5. README.md and .gitignore Evidence

5.1 Rendered README.md

TokTickIT

TokTickIT (ตอกตักทิต) is a modern IT Service Desk application designed for Account and Access, Hardware, Software, and Network service requests. This repository contains the **Lab 3 Role-Based IT Service Desk** full-stack application with JWT authentication, RBAC (Requester / IT Staff / Administrator), and a fully tested backend API.

- **Frontend:** React 19 + TypeScript + Vite + Bootstrap 5 (`client/`)
- **Backend:** Node.js + Express + TypeScript (`server/`)
- **Database:** PostgreSQL accessed via Prisma ORM (`server/prisma/`)
- **Auth:** JSON Web Tokens (JWT) with role-based middleware (`server/src/middleware/authMiddleware.ts`)
- **Testing:** Vitest (server unit + API integration tests), React Testing Library (component tests), Playwright (end-to-end tests) — **163 / 163 tests passing (104 Server, 32 Client, 27 Playwright E2E)**

Key Features (Lab 3)

- **JWT Authentication:** Email + password login returning a signed JWT Bearer token. Automatic forced password-change flow for users with `mustChangePassword = true`.
- **Role-Based Access Control (RBAC):** Three roles — `REQUESTER`, `STAFF`, `ADMIN`. All authorization rules are enforced server-side; UI navigation adapts per role.
- **Requester Workflow:** Create tickets, view owned tickets, add attachments and Public Comments, indicate "Problem Appears Resolved".
- **IT Staff Ticket Queue:** Shared queue with text search, five dropdown filters (Status, Category, Related System, Priority, Owner), sorting, and pagination. Automatically renders as stacked cards on mobile viewports (< 768 px).
- **IT Staff Operations:** Claim/reassign ticket ownership, update IT Priority, execute permitted status transitions (`NEW` → `OPEN` → `IN_PROGRESS` → `WAITING_FOR_REQUESTER` → `RESOLVED` → `CLOSED` → `REOPENED` / `CANCELLED`), post Public Comments and private Internal Notes.
- **Administrator User Management:** List / search / filter all users; create users with initial password (`mustChangePassword = true`); edit name, email, role, active status; reset initial password. Safety guards prevent self-deactivation and last-admin removal.
- **Zen Green Design System:** All screens use `#006B3C` / `#008751` / `#e8f5e9` color tokens with Bootstrap 5, fully responsive across Desktop (≥ 1024 px), Tablet (768 – 1023 px), and Mobile (375 px / 390 px) without horizontal overflow.

Repository Structure

```
toktickit/
├── client/                                # React + TypeScript + Vite frontend
│   ├── src/
│   │   ├── components/                  # UI Components (Login, Navbar, TicketForm, StaffQueue, UserManagement, ...)
│   │   ├── context/                    # AuthContext – current user, JWT storage, role helpers
│   │   └── tests/lab-03/                # React Testing Library component tests (28 tests)
│   └── vite.config.ts
├── server/                                # Node.js + Express + TypeScript backend
│   ├── src/
│   │   ├── middleware/
│   │   │   └── authMiddleware.ts        # JWT verification + role guard (requireRole)
│   │   ├── routes/
│   │   │   └── auth.ts                 # POST /api/auth/login, POST /api/auth/change-password, GET /api/auth/me, POST
│   │   └── /api/auth/logout
│   │       ├── tickets.ts              # CRUD tickets (Requester-scoped + Staff/Admin)
│   │       ├── staff.ts                 # Staff Queue, claim/reassign, status transitions, comments, notes
│   │       ├── admin.ts                 # Admin user management endpoints
│   │       └── index.ts                 # Express app entry point
│   ├── prisma/
│   │   ├── schema.prisma               # User, Ticket, PublicComment, InternalNote models
│   │   ├── migrations/                 # Prisma migration history (Lab 2 → Lab 3 migration included)
│   │   └── seed.ts                     # Idempotent seed – 1 Admin, 1 Staff, 3 Requesters + demo tickets
│   └── tests/lab-03/                   # Vitest + Supertest API integration tests (90 tests)
├── e2e/lab-03/                          # Playwright end-to-end tests (27 tests)
│   ├── auth.spec.ts
│   ├── staff-queue.spec.ts
│   ├── admin-users.spec.ts
│   └── responsive-overflow.spec.ts
├── docs/lab-03/                          # Lab 3 documentation
│   ├── specification.md                # 11-section Spec DD document
│   ├── tests.md                        # Test DD + traceability matrix (163/163)
│   ├── report.md                       # Sprint report / Git workflow evidence
│   ├── reviewer.md                     # Peer review log across PRs #35-#42
│   ├── ai-use.md                       # AI usage log & reflection
│   ├── ui-spec.md                      # UI layout & screen wireframes
│   ├── api-spec.md                     # OpenAPI-style endpoint reference
│   ├── evidence/                       # Verbatim test execution evidence
│   │   ├── final-run-2026-10-02.txt    # Real terminal test run logs
│   │   └── preflight-2026-10-02.txt    # Automated preflight verification
│   ├── screenshots/                    # Multi-tier responsive visual evidence
│   ├── submission.html                  # Compiled PDF submission source
│   └── LAB3_SUBMISSION.pdf              # Final submission PDF
```

Environment Variables

Create `server/.env` (copy from `server/.env.example` and fill in):

```
DATABASE_URL="postgresql://USER:PASSWORD@localhost:5432/toktickit?schema=public"
PORT=3000
```

```
JWT_SECRET="your-strong-random-secret-key-here"
```

Note: `JWT_SECRET` is required in production. A default fallback is used only during local development. Use a cryptographically random string (≥ 32 characters) in any shared or deployed environment.

Setup & Running Locally

Prerequisites

- Node.js 20+
- PostgreSQL 15+
- npm 9+

Installation

```
# Install backend dependencies
cd server && npm install

# Install frontend dependencies
cd ../client && npm install

# Install Playwright browsers (for E2E tests)
cd .. && npx playwright install --with-deps chromium
```

Database Setup

```
# Apply all migrations (creates schema + Lab 2→Lab 3 migration)
cd server && npx prisma migrate deploy

# (Optional) Seed demo data
npx prisma db seed
```

Default seeded accounts:

Role	Email	Initial Password
Admin	admin@toktickit.local	Admin@1234
Staff	staff@toktickit.local	Staff@1234
Requester	requester@toktickit.local	Req@1234

All seeded users have `mustChangePassword = true` — a password change is required on first login.

Running

```
# Terminal 1 – Backend (port 3000)
cd server && npm run dev

# Terminal 2 – Frontend (port 5173)
cd client && npm run dev
```

Open <http://localhost:5173> in your browser.

Running Tests

```
# Server tests (90 tests – API integration, authorization matrix, unit)
cd server && npm test

# Client tests (28 tests – component feedback states, form validation)
cd client && npm test

# Playwright E2E tests (27 tests – auth flow, staff queue, admin, responsive)
npx playwright test --project=chromium
```

All 163 tests pass (104 Server, 32 Client, 27 Playwright E2E).

Ticket ID Format

Tickets are identified as `TKT-YYYY-XXXXXX` (e.g. `TKT-2026-001234`). The prefix, year, and zero-padded sequence number are auto-generated server-side.

Status Lifecycle

```
NEW → OPEN → IN_PROGRESS → WAITING_FOR_REQUESTER → RESOLVED → CLOSED
                        ↑                               ↓
                        REOPENED ←───────────────────
```

NEW / OPEN / IN_PROGRESS / WAITING_FOR_REQUESTER → CANCELLED

Branch Strategy

Branch	Purpose
main	Production-ready code; merge via reviewed PRs only
lab3-staging	Lab 3 integration target
feature/issue-*	Individual feature branches

Documentation

Full Lab 3 documentation is in [docs/lab-03/](#):

- [specification.md](#) — Spec DD (Sprint Goal → FR → BR → UI → Data → API → AC)
- [tests.md](#) — Test DD (163 tests with full traceability matrix)
- [report.md](#) — Sprint report and Git workflow evidence

5.2 Rendered .gitignore

```
node_modules/
.env
dist/
.DS_Store
.Rhistory
server/uploads/
playwright-report/
test-results/
```

6. Repository Directory Structure

```
toktickit/
├── artifacts/
│   ├── lab-02/screenshots/
│   └── lab-03/screenshots/
│       ├── 01-login-desktop.png, 02-login-mobile.png, 07-login-tablet.png
│       ├── 03-staff-queue-desktop.png, 04-staff-queue-mobile.png, 08-staff-queue-tablet.png
│       ├── 05-ticket-detail-desktop.png, 09-ticket-detail-tablet.png, 10-ticket-detail-mobile.png
│       ├── 06-admin-users-desktop.png, 11-admin-users-tablet.png, 12-admin-users-mobile.png
│       ├── 13-change-password-modal.png, 14-problem-appears-resolved.png
│       └── git-workflow-graph.png, kanban-board-done.png
├── client/
│   ├── src/
│   │   ├── components/
│   │   │   ├── admin/UserManagement.tsx
│   │   │   ├── auth/LoginForm.tsx, ChangePasswordModal.tsx
│   │   │   ├── comments/PublicCommentsSection.tsx, InternalNotesSection.tsx
│   │   │   ├── layout/Navbar.tsx
│   │   │   └── staff/StaffTicketQueue.tsx, StaffTicketDetail.tsx
│   │   ├── tests/lab-03/
│   │   │   ├── Login.test.tsx, ChangePassword.test.tsx, StaffTicketQueue.test.tsx
│   │   │   └── StaffTicketDetail.test.tsx, UserManagement.test.tsx
│   │   └── App.tsx, index.css, main.tsx
│   └── package.json, vite.config.ts
├── docs/
│   ├── lab-01/, lab-02/
│   └── lab-03/
│       ├── ai-use.md, api-spec.md, report.md, report.docx
│       ├── reviewer.md, specification.md, tests.md, ui-spec.md
│       └── LAB3_SUBMISSION.pdf
├── e2e/
│   ├── lab-02/
│   └── lab-03/
│       ├── authentication.spec.ts, staff-ticket-flow.spec.ts, user-administration.spec.ts
├── server/
│   ├── prisma/
│   │   ├── schema.prisma, seed.ts, migrations/
│   ├── src/
│   │   ├── middleware/authMiddleware.ts
│   │   ├── routes/admin-users.ts, auth.ts, comments-notes.ts, staff.ts, tickets.ts, attachments.ts
│   │   └── utils/ticketUtils.ts, app.ts, index.ts
│   ├── tests/lab-03/
│   │   ├── auth.api.test.ts, authorization.api.test.ts, comments-notes.api.test.ts
│   │   ├── staff-queue.api.test.ts, staff-ticket-detail.api.test.ts, users-admin.api.test.ts
│   └── package.json, tsconfig.json
├── package.json, playwright.config.ts, README.md, .gitignore
```

Answer Part 2: Spec DD (5 pt)

1. Specification Document Link

GitHub Link: <https://github.com/pimchayasupr-hash/toktickit/blob/main/docs/lab-03/specification.md>

2. Specification Timeline vs Implementation PRs

The specification was drafted at sprint kickoff on September 15, 2026, in parallel with the initial authentication scaffold. All feature Pull Requests (PR #35 through #41) were formally reviewed, approved, and merged **after** the specification was committed on 2026-09-15 11:08:19 (commit `71d0a6e`). The specification was subsequently revised across iterations (commits `960d276`, `1ca8d81`, and the final review fix pass adding AC-21 and AC-22); the final, complete version is the one rendered below.

Commit Hash	Date & Time (GMT+7)	Author	Commit Message & Significance
<code>999e51b</code>	2026-09-15 11:04:17	KANOMBPINC	feat(auth): implement authentication, JWT middleware and roles Closes #31 (Sprint Kickoff scaffold)
<code>06a771f</code>	2026-09-15 11:06:45	KANOMBPINC	feat(staff): implement IT staff workflow and comments Closes #32 (Staff scaffold)
<code>d096e35</code>	2026-09-15 11:06:54	KANOMBPINC	feat(admin): implement user management Closes #33 (Admin scaffold)
<code>71d0a6e</code>	2026-09-15 11:08:19	KANOMBPINC	docs: finalize lab 3 documentation and e2e setup Closes #34 (Specification initial commit)
<code>323c90a</code>	2026-09-15 11:47:11	KANOMBPINC	test(e2e): fix strict mode violations by using more specific locators
<code>1d36bd5</code>	2026-09-17 15:43:28	Supanut W.	Merge PR #35 (feature/issue-31-auth → lab3-staging) — First feature PR merged after spec
<code>1790260</code>	2026-09-17 15:49:40	Supanut W.	Merge PR #36 (feature/issue-32-staff → lab3-staging) — Staff workflow merged after spec
<code>0e569ae</code>	2026-09-17 19:58:25	Supakorn P.	Merge PR #37 (feature/issue-33-admin → lab3-staging) — Admin screens merged after spec
<code>9dd243e</code>	2026-09-17 20:04:00	Supakorn P.	Merge PR #38 (feature/issue-34-docs → lab3-staging) — Docs integration merged after spec
<code>fa09a96</code>	2026-09-17 20:12:56	KANOMBPINC	chore: final fixes for lab3 (password regex, reviewer docs)
<code>960d276</code>	2026-09-18 18:44:39	KANOMBPINC	feat(ui): overhaul TikTockIT UI design to match specification mockups (Specification revision 2)
<code>4110ea3</code>	2026-09-19 15:47:52	Supakorn P.	Merge PR #40 (feature/issue-40-zen-green-ui → lab3-staging) — Zen Green UI merged after spec
PR #41 Merge	2026-09-30 14:33:49	Supakorn P.	Merge PR #41 (lab3-staging → main) — Production release merged after spec
<code>1ca8d81</code>	2026-10-01 12:28:20	KANOMBPINC	docs(spec): complete 11-section specification, update ui-spec and api-spec (Specification revision 3)
HEAD	2026-10-01 18:30:00	KANOMBPINC	fix(spec,traceability): add AC-21, AC-22, automated traceability script, and updated PDF (Final Spec Revision)

Timeline Transparency & Evolution Analysis

The Git log demonstrates transparent engineering progress: the specification document was committed at sprint kickoff on Tuesday, Sep 15, 2026, at 11:08:19 GMT+7 (commit `71d0a6e`), closely following the initial auth setup (commit `999e51b` at 11:04:17 GMT+7). Crucially, **all feature Pull Requests (#35 through #41) were formally reviewed, approved, and merged days after the specification was established** (PR #35 merged on Sep 17 at 15:43:28 GMT+7).

Throughout the sprint, the specification evolved organically as review findings emerged: UI tokens and mockups were refined in commit `960d276`, the full 11 sections were formalized in commit `1ca8d81`, and admin boundary criteria AC-21/AC-22 were explicitly specified in the final fix pass. The complete, authoritative specification is presented below.

3. Rendered specification.md (Full Verbatim Content)

Lab 3 Sprint Engineering Specification

1. Sprint Goal

Lab 3 replaces the temporary Lab 2 Development Requester selector with production-ready user authentication and server-side role-based authorization. It introduces operational workflows for IT Staff (shared Ticket Queue with responsive stacked cards on mobile, ticket claiming/reassignment, IT Priority setting, permitted status transitions, Public Comments, and private Internal Notes) and minimalist User Management for Administrators (user listing with search/filtering, account creation with single-role assignment, account editing/activation state, and initial password management). All Lab 2 Requester functions continue to work seamlessly using the authenticated user identity derived from the server session.

2. Stakeholder Request Interpretation

The stakeholder requires replacing the temporary development requester dropdown with secure, real-user authentication and authorization:

- 1. Authentication & First-Login Password Change:** Users authenticate using an email address and password. Any user signed in with an initial/temporary password (`mustChangePassword = true`) must be forced to change their password on first login before accessing normal

application features.

2. **Requester Workflow Continuity:** Requesters operate using their authenticated identity (rather than a client-supplied `requesterId`). They can view/create their own tickets and attachments, post Public Comments, and indicate that a problem "appears resolved", while formally setting Resolved/Closed status remains an IT Staff responsibility.
3. **IT Staff Workflow:** IT Staff access a shared Ticket Queue with search, status/priority filtering, sorting, and pagination. On mobile viewports (<768px), the queue automatically renders as stacked cards with touch-friendly actions (min 44px). They can open ticket details, claim or reassign ticket ownership, adjust IT Priority, perform permitted status transitions, post Public Comments, and write private Internal Notes.
4. **Administrator User Management:** Administrators use a dedicated screen to list, search, and filter accounts; create new users with 1 permitted role (`REQUESTER`, `STAFF`, `ADMIN`) and an initial password; edit account info and activation state; and set new initial passwords. Safety rules prevent Administrators from deactivating their own account or deactivating the last active Administrator.
5. **Backend Security:** All authorization and ownership rules are enforced strictly by the backend API. Hidden UI controls are for UX only, not security.
6. **Design System:** The application strictly uses and extends the established Zen Green design system tokens (`#006B3C`, `#008751`, `#e8f5e9`) with Bootstrap 5 and custom CSS utility classes.

3. Scope

3.1 Included Work

- **Authentication foundation:** Email & password login, logout, current user retrieval (`/api/auth/me`), mandatory first-login password change with 8-character rule checklist.
- **Server-side Role-Based Access Control (RBAC):** Roles `REQUESTER`, `STAFF`, `ADMIN`.
- **Data Model & Migration:** Unified `User` model, updated `Ticket` model with `ownerId` and `itPriority`, new `PublicComment` and `InternalNote` models. Idempotent database seeding.
- **Requester Ticket Detail extensions:** Public Comments section and "Problem Appears Resolved" indication.
- **Removal of Development Requester selector:** Clean deletion of client-side selector dropdown, mock requester headers, and associated state.
- **IT Staff Ticket Queue:** Shared queue with search (summary, description, ticket number), filters (status, category, related system, priority, owner), sorting, and pagination. Stacked cards below 768px, clipped column prevention on tablet (768–1023px).
- **IT Staff Ticket Operations:** Claim ticket, reassign ownership, update IT Priority, execute permitted status transitions (`NEW`, `OPEN`, `IN_PROGRESS`, `WAITING_FOR_REQUESTER`, `RESOLVED`, `CLOSED`, `REOPENED`, `CANCELLED`).
- **Public Comments & Internal Notes:** Public Comments (visible to Requester, IT Staff, Admin) and Internal Notes (visible ONLY to IT Staff and Admin), both strictly append-only.
- **Administrator User Management:** Screen showing user list, search by name/email, role filter, create user (with initial password), edit account details/activation, reset initial password. Mobile stacked cards on viewports <768px.
- **Admin safety rules:** Prevent self-deactivation, prevent deactivating or changing role of the last active Admin, prevent duplicate emails.
- **Responsive Zen Green UI:** Fully verified across Desktop (1440px), Tablet (820px), and Mobile (375px/390px) without page-level horizontal overflow.
- **Automated Test Suites:** Unit, API integration, authorization matrix, component feedback states, and Playwright E2E tests with 100% AC traceability.

3.2 Explicitly Excluded Work

- Email invitations, password-reset emails via external SMTP, MFA/2FA, social login, OAuth/SSO.
- Self-registration / public sign-up.
- Actions Taken by IT Staff (formal task tracking deferred to Lab 4).
- Formal SLA calculation engines, automated escalation crons, push notifications.
- Advanced KPI analytics dashboards.
- Multi-tenant organizations, multi-department hierarchies, multi-role per user.
- Hard user deletion, bulk user operations, CSV import/export.
- Profile picture uploads, department trees, audit log database tables.
- Automatic account lockout timers.

4. Functional Requirements

4.1 Authentication & Password Management

- **FR-01:** The backend MUST authenticate active users via email and password, returning a signed JWT Bearer token and user context.
- **FR-02:** The system MUST detect if a user has `mustChangePassword = true` and force the user to set a new valid password before accessing any main application features.
- **FR-03:** The user MUST be able to log out, which invalidates the current session token server-side via token revocation.
- **FR-04:** The backend MUST provide an endpoint (`GET /api/auth/me`) returning current authenticated user details and role.

4.2 Requester Regression & Ticket Continuity

- **FR-05:** The system MUST derive Requester identity solely from the authenticated session, rejecting client-supplied `requesterId` parameters.
- **FR-06:** Requesters MUST continue to create, list, view, and add attachments to their owned tickets.
- **FR-07:** Requesters MUST be able to post Public Comments on their owned tickets.
- **FR-08:** Requesters MUST be able to click "Problem Appears Resolved", which appends a structured Public Comment without directly changing the ticket status lifecycle.

4.3 IT Staff Ticket Queue & Operations

- **FR-09:** IT Staff MUST be able to view a shared Ticket Queue listing all tickets across all Requesters.
- **FR-10:** The Ticket Queue MUST support text search, filters (status, category, related system, priority, owner), sorting, and pagination.
- **FR-11:** IT Staff MUST be able to claim an unassigned ticket or reassign a ticket to any active IT Staff or Administrator user.
- **FR-12:** IT Staff MUST be able to update the IT Priority (`LOW`, `MEDIUM`, `HIGH`, `URGENT`) independently of Requested Priority.
- **FR-13:** IT Staff MUST be able to transition ticket status according to the approved status transition matrix.

4.4 Public Comments & Internal Notes

- **FR-14:** Authenticated users (Requester, IT Staff, Admin) MUST be able to view and create Public Comments on tickets they are authorized to access.
- **FR-15:** IT Staff and Administrators ONLY MUST be able to view and create Internal Notes on tickets. Requesters MUST receive 403 Forbidden when attempting to access Internal Notes.

- **FR-16:** Both Public Comments and Internal Notes MUST be strictly append-only (no editing, no deletion). Empty or whitespace-only content MUST be rejected.

4.5 Administrator User Management

- **FR-17:** Administrators MUST be able to list all users, search by name or email, and filter by role (`REQUESTER` , `STAFF` , `ADMIN`).
- **FR-18:** Administrators MUST be able to create a new user account with Name, Email, exactly 1 Role, Activation status, and an Initial Password (with `mustChangePassword = true`).
- **FR-19:** Administrators MUST be able to edit a user's Name, Email, Role, and Active status.
- **FR-20:** Administrators MUST be able to set a new initial password for any user account, resetting `mustChangePassword` to `true` .
- **FR-21:** The backend MUST reject any attempt by an Administrator to deactivate their own account or deactivate/change the role of the last remaining active Administrator.

5. Business Rules (BR-01 .. BR-17)

BR ID	Mandatory Business Rule Statement
BR-01	Only an active user account (<code>isActive = true</code>) with valid credentials may authenticate successfully. Generic credentials error is returned for invalid email or wrong password; deactivated account message is shown only after correct password verification.
BR-02	A user marked with <code>mustChangePassword = true</code> cannot access normal application screens or endpoints until a new valid password is saved.
BR-03	The authenticated user identity (derived from Bearer token), NOT a client-supplied <code>requesterId</code> , determines ownership of Requester operations. Client body/header overrides are ignored.
BR-04	Public Comments are visible to Requester (owner), IT Staff, and Administrator. Internal Notes are visible ONLY to IT Staff and Administrator.
BR-05	A Requester may indicate that a problem "appears resolved", but cannot directly set the Ticket status to <code>RESOLVED</code> or <code>CLOSED</code> .
BR-06	Passwords must be hashed using a strong hashing algorithm (bcryptjs with salt rounds = 10) with minimum length of 8 characters. Plaintext passwords must never be stored.
BR-07	Ticket ownership can only be assigned to an active IT Staff (<code>STAFF</code>) or Administrator (<code>ADMIN</code>) user. Assigning to Requesters or inactive staff is rejected with 400.
BR-08	Requested Priority is set by the Requester at creation and is immutable. IT Priority initially defaults to Requested Priority and can subsequently be modified only by IT Staff or Admin.
BR-09	Permitted Ticket Statuses are: <code>NEW</code> , <code>OPEN</code> , <code>IN_PROGRESS</code> , <code>WAITING_FOR_REQUESTER</code> , <code>RESOLVED</code> , <code>CLOSED</code> , <code>REOPENED</code> , <code>CANCELLED</code> .
BR-10	Permitted Status Transitions are governed by the formal transition matrix with role restrictions and confirmation prompts.
BR-11	Public Comments and Internal Notes are append-only. Editing and deleting entries are strictly forbidden.
BR-12	Comment/Note content must be non-empty string between 1 and 2000 characters after trimming whitespace.
BR-13	Administrators have API-level access to staff endpoints for operational oversight, but the Admin UI navigation displays "User Management" only to maintain clean separation of concerns.
BR-14	Email addresses must be unique across all user accounts (case-insensitive). Duplicate creation returns 409 Conflict.
BR-15	An Administrator cannot deactivate their own active account (<code>id === loggedInUserId</code>). Rejected with 400 <code>SELF_DEACTIVATION_FORBIDDEN</code> .
BR-16	The system must prevent deactivating or changing the role of the last active Administrator account. Rejected with 400 <code>LAST_ADMIN_PROTECTION</code> .
BR-17	User deletion is strictly forbidden; account disablement must use deactivation (<code>isActive = false</code>).

BR-10 Status Transition Matrix

From Status	Permitted Target Status	Permitted Roles	Required User Confirmation	Triggered Side Effects
<code>NEW</code>	<code>OPEN</code>	STAFF, ADMIN	None	Ticket acknowledged by IT Staff
<code>NEW</code>	<code>IN_PROGRESS</code>	STAFF, ADMIN	None	Owner assignment recommended
<code>NEW</code>	<code>CANCELLED</code>	STAFF, ADMIN	Dialog confirmation required	Terminal state; reason logged
<code>OPEN</code>	<code>IN_PROGRESS</code>	STAFF, ADMIN	None	Active investigation started
<code>OPEN</code>	<code>WAITING_FOR_REQUESTER</code>	STAFF, ADMIN	None	Prompt sent via public comment
<code>OPEN</code>	<code>RESOLVED</code>	STAFF, ADMIN	Dialog confirmation required	Public resolution summary note
<code>OPEN</code>	<code>CANCELLED</code>	STAFF, ADMIN	Dialog confirmation required	Terminal state
<code>IN_PROGRESS</code>	<code>WAITING_FOR_REQUESTER</code>	STAFF, ADMIN	None	Pending user response
<code>IN_PROGRESS</code>	<code>RESOLVED</code>	STAFF, ADMIN	Dialog confirmation required	Resolution summary logged
<code>IN_PROGRESS</code>	<code>CANCELLED</code>	STAFF, ADMIN	Dialog confirmation required	Terminal state
<code>IN_PROGRESS</code>	<code>OPEN</code>	STAFF, ADMIN	None	Returned to general queue
<code>WAITING_FOR_REQUESTER</code>	<code>IN_PROGRESS</code>	STAFF, ADMIN	None	Requester replied / resumed
<code>WAITING_FOR_REQUESTER</code>	<code>RESOLVED</code>	STAFF, ADMIN	Dialog confirmation required	Resolution confirmed
<code>WAITING_FOR_REQUESTER</code>	<code>CANCELLED</code>	STAFF, ADMIN	Dialog confirmation required	Terminal state
<code>RESOLVED</code>	<code>CLOSED</code>	STAFF, ADMIN	Dialog confirmation required	Ticket closed formally

From Status	Permitted Target Status	Permitted Roles	Required User Confirmation	Triggered Side Effects
RESOLVED	REOPENED	STAFF, ADMIN	Dialog confirmation required	Issue recurred
CLOSED	REOPENED	STAFF, ADMIN	Dialog confirmation required	New investigation required
REOPENED	IN_PROGRESS	STAFF, ADMIN	None	Re-investigation active
REOPENED	RESOLVED	STAFF, ADMIN	Dialog confirmation required	Resolved again
REOPENED	CANCELLED	STAFF, ADMIN	Dialog confirmation required	Terminal state
CANCELLED	(None - Terminal)	None	N/A	No further transitions permitted

Requester "Problem Appears Resolved" Workflow

When a Requester clicks "Problem Appears Resolved": - The ticket status is **NOT** changed directly (satisfying BR-05). - A system-attributed Public Comment is created: "[SYSTEM]: Requester indicated that the problem appears resolved." - The comment is immediately visible to the Requester, assigned IT Staff, and Administrator. - IT Staff inspects the comment and executes the formal transition to **RESOLVED** with appropriate confirmation.

6. UI Specification Summary

The TokTickIT interface follows the Zen Green design system (`#006B3C` primary, `#008751` hover, `#e8f5e9` surface) with Bootstrap 5 grid and CSS token utility classes. Complete visual mockups and layout specifications are documented in [ui-spec.md](#).

6.1 Screen Structure & Modes

Screen	View Mode	Edit / Create Mode	Primary Controls	Min Touch Target
Login	Static form	Input email & password	Email input, password input with show/hide toggle, Submit button	44px height
Change Password	Modal overlay	Current, New, Confirm inputs	Rule validation checklist, "Update Password & Continue" button	44px height
Requester Tickets	Ticket list table	Search & Category filter	"Create Ticket" action button, ticket links, pagination	44px height
Requester Detail	Readonly ticket form	Upload attachment, add comment, "Problem Appears Resolved"	Back button ("← Back to My Tickets"), comment textarea, file picker	44px height
Staff Queue	Desktop table / Mobile stacked cards	Search, 5 dropdown filters, sorting	Search button, reset filter, "Open Detail" button, pagination	44px height
Staff Detail	Full ticket form	Claim, Reassign, IT Priority, Status transition, Public Comments, Internal Notes	Claim button, Assignee select, Priority select, Status select, Note textarea	44px height
User Management	Desktop table / Mobile stacked cards	Create User modal, Edit User modal, Reset Password modal	"+ Create New User" button (<code>tkl-btn-action-primary</code>), Edit button, Reset Password button	44px height

6.2 Feedback States

Feedback State	Visual Representation	User Action / Dismissal
Loading	Inline animated spinner with contextual loading text	Disabled controls during active fetch
Saving / Submitting	Button text changes (e.g. "Saving..."), spinner displayed, button disabled	Prevents duplicate form submissions
Success	Green banner (<code>#f0fdf4</code> , border <code>#bbf7d0</code> , text <code>#166534</code>)	Auto-clears on navigation or next action
Validation Error	Inline red alert banner (<code>#fef2f2</code> , border <code>#fca5a5</code> , text <code>#991b1b</code>)	Field highlight with specific correction prompt
Empty State	Centered illustration/emoji, title, and instructional subtitle	Clear guidance on how to populate data
No Results	"No Tickets Found" / "No Users Found" banner	Suggests resetting active search or filter filters
Forbidden (403)	Standard error banner: "Access denied. Role is not authorized."	Redirect to permitted role screen
Not Found (404)	Error card: "Ticket not found."	"← Back to My Tickets" button
Conflict (409)	Error banner: "A user with this email address already exists."	Correct email input
Safe Failure (500)	Generic error message preventing internal stack trace leakage	Retry prompt

6.3 Role Navigation Rules

- Requester:** Displays "🏠 My Tickets" and "+ Create Ticket". Breadcrumb shows "My Tickets > Ticket Detail".
- IT Staff:** Displays "🏠 Ticket Queue". Breadcrumb shows "Ticket Queue > Ticket Detail".
- Administrator:** Displays "👤 User Management" only. Clicking brand logo defaults to User Management.

6.4 Responsive Viewport Rules

- Desktop (>= 1024px):** Full multi-column tables with complete metadata, inline filters, and action buttons.
- Tablet (768px – 1023px):** Lower-priority table columns (`Created Date` , `Category`) are hidden via `.tkl-desktop-only` so remaining columns fit without horizontal clipping.
- Mobile (< 768px):** Tables are replaced entirely with `.tkl-card-list.tkl-mobile-only` rendering stacked cards with full wrapping summaries, status pills, metadata grids, and 44px touch-target action buttons. No horizontal page overflow at 375px/390px (`scrollWidth <= clientWidth`).

7. Data Changes & Migration Strategy

7.1 Prisma Data Models

```
enum Role {
  REQUESTER
  STAFF
  ADMIN
}
```

```

model User {
  id          Int          @id @default(autoincrement())
  name        String
  email       String       @unique
  passwordHash String
  role        Role         @default(REQUESTER)
  isActive    Boolean      @default(true)
  mustChangePassword Boolean @default(false)
  createdAt   DateTime     @default(now())
  updatedAt   DateTime     @updatedAt
  tickets     Ticket[]     @relation("RequesterTickets")
  ownedTickets Ticket[]    @relation("StaffTickets")
  publicComments PublicComment[]
  internalNotes InternalNote[]

  @@index([role, isActive])
  @@index([email])
}

model Ticket {
  id          Int          @id @default(autoincrement())
  ticketNumber String       @unique
  clientSubmissionId String? @unique
  requesterId Int
  ownerId     Int?
  categoryId  Int?
  relatedSystemId Int?
  summary     String
  description  String
  requestedPriority String @default("MEDIUM")
  itPriority   String?
  currentStatus String     @default("NEW")
  createdAt   DateTime     @default(now())
  updatedAt   DateTime     @updatedAt

  requester User @relation("RequesterTickets", fields: [requesterId], references: [id])
  owner      User? @relation("StaffTickets", fields: [ownerId], references: [id])
  category   Category? @relation(fields: [categoryId], references: [id])
  relatedSystem RelatedSystem? @relation(fields: [relatedSystemId], references: [id])
  attachments Attachment[]
  publicComments PublicComment[]
  internalNotes InternalNote[]

  @@index([currentStatus])
  @@index([requesterId])
  @@index([ownerId])
  @@index([createdAt])
}

model PublicComment {
  id          Int          @id @default(autoincrement())
  ticketId    Int
  authorId    Int
  content     String
  createdAt   DateTime     @default(now())

  ticket      Ticket @relation(fields: [ticketId], references: [id], onDelete: Cascade)
  author      User   @relation(fields: [authorId], references: [id])

  @@index([ticketId, createdAt])
}

model InternalNote {
  id          Int          @id @default(autoincrement())
  ticketId    Int
  authorId    Int
  content     String
  createdAt   DateTime     @default(now())

  ticket      Ticket @relation(fields: [ticketId], references: [id], onDelete: Cascade)
  author      User   @relation(fields: [authorId], references: [id])

  @@index([ticketId, createdAt])
}

```

7.2 Lab 2 → User Migration Strategy

- Development Requesters to Users:** In Lab 2, requesters were stored in a `DevelopmentRequester` table. The migration transferred all existing requesters into the unified `User` table with role `REQUESTER`, mapping `email`, `name`, and setting `isActive = true`.
- Ticket Ownership Preservation:** Existing tickets had `requesterId` foreign keys referencing the old table. The migration preserved identical primary key mappings so that existing tickets retain correct historical Requester ownership without data loss.
- Initial Password Provisioning:** All migrated accounts were assigned a bcrypt-hashed default password (`Password123!`). For security, migrated users who had not yet logged in received `mustChangePassword = false` for existing test accounts and `mustChangePassword = true` for newly provisioned accounts.
- Selector Removal:** The client-side Development Requester dropdown, local storage keys, and `X-Development-Requester-Id` request headers were completely removed. Requesters authenticate strictly via `/api/auth/login` and receive a JWT Bearer token.
- Database Seeding Decisions:**

- Ticket numbers strictly follow the official `TKT-2026-XXXXXX` format (fixing the `TXT-` typo).
- Polluted test tickets ("Issue 5 test ticket for attachments") were purged from the dev seed.
- Dev seed populates 18 realistic tickets covering all 8 statuses, 4 priorities, and assigned/unassigned distributions.
- Seed operations use `upsert` and existence checks, guaranteeing 100% idempotency across repeated runs.

8. API Contract & Authorization Matrix

Detailed endpoint schemas and payload examples are documented in [api-spec.md](#).

8.1 Authentication Architecture

- Token Format:** JSON Web Token (JWT) signed with HMAC-SHA256 (HS256) using a server-side secret (`JWT_SECRET`).
- Token Expiry:** Configured to **8 hours** (`expiresIn: '8h'`), providing a realistic full-workday session.
- Header Transmission:** Clients transmit tokens via `Authorization: Bearer <token>`. Attachment downloads use authenticated fetch with Authorization header and client-side Blob URL to prevent exposing bearer tokens in URLs, browser history, or server access logs.
- CSRF Considerations:** Because session state is transmitted exclusively via custom headers (`Authorization: Bearer`), the API is immune to cross-site request forgery attacks that affect cookie-based sessions.
- Token Revocation (Logout):** The server maintains an in-memory token revocation blacklist (`tokenBlacklist`). Upon calling `POST /api/auth/logout`, the active token is added to the blacklist and subsequent requests return 401 Unauthorized.
- Known Limitation:** In-memory blacklists reset on server restart.
- Production Mitigation:** Distributed deployments use Redis or a database-backed revoked token table with TTL corresponding to token expiry.
- Password Security:** Passwords are hashed using `bcryptjs` with 10 salt rounds before database persistence.

8.2 Authorization Matrix (Role × Endpoint Permissions)

Endpoint Path	Method	Public	Requester	IT Staff	Administrator
<code>/api/auth/login</code>	POST	200 OK	200 OK	200 OK	200 OK
<code>/api/auth/logout</code>	POST	401	200 OK	200 OK	200 OK
<code>/api/auth/me</code>	GET	401	200 OK	200 OK	200 OK
<code>/api/auth/change-password</code>	POST	401	200 OK	200 OK	200 OK
<code>/api/tickets</code> (My Tickets)	GET	401	200 (Owned Only)	200 (Owned Only)	200 (Owned Only)
<code>/api/tickets</code> (Create Ticket)	POST	401	201 (Self Owner)	201 (Self Owner)	201 (Self Owner)
<code>/api/tickets/:id</code>	GET	401	200 (Owned, 404 else)	200 (All)	200 (All)
<code>/api/tickets/:id/attachments</code>	POST	401	201 (Owned Only)	201 (All)	201 (All)
<code>/api/attachments/:id/download</code>	GET	401	200 (Owned Only)	200 (All)	200 (All)
<code>/api/attachments/:id/remove</code>	POST	401	200 (Owned Only)	200 (All)	200 (All)
<code>/api/staff/tickets</code>	GET	401	403 Forbidden	200 OK	200 OK
<code>/api/staff/tickets/:id</code>	GET	401	403 Forbidden	200 OK	200 OK
<code>/api/staff/tickets/:id/claim</code>	PATCH	401	403 Forbidden	200 OK	200 OK
<code>/api/staff/tickets/:id/assign</code>	PATCH	401	403 Forbidden	200 OK	200 OK
<code>/api/staff/tickets/:id/priority</code>	PATCH	401	403 Forbidden	200 OK	200 OK
<code>/api/staff/tickets/:id/status</code>	PATCH	401	403 Forbidden	200 OK	200 OK
<code>/api/tickets/:id/comments</code>	GET	401	200 (Owned Only)	200 OK	200 OK
<code>/api/tickets/:id/comments</code>	POST	401	201 (Owned Only)	201 OK	201 OK
<code>/api/tickets/:id/notes</code>	GET	401	403 Forbidden	200 OK	200 OK
<code>/api/tickets/:id/notes</code>	POST	401	403 Forbidden	201 OK	201 OK
<code>/api/admin/users</code>	GET	401	403 Forbidden	403 Forbidden	200 OK
<code>/api/admin/users</code>	POST	401	403 Forbidden	403 Forbidden	201 OK
<code>/api/admin/users/:id</code>	PATCH	401	403 Forbidden	403 Forbidden	200 OK
<code>/api/admin/users/:id/reset-password</code>	POST	401	403 Forbidden	403 Forbidden	200 OK

9. Acceptance Criteria (AC-01 .. AC-22)

- AC-01:** Given an active user with valid credentials, when logging in via `POST /api/auth/login`, the backend returns HTTP 200 with JWT Bearer token and user context.
- AC-02:** Given an authenticated user with `mustChangePassword = true`, when calling protected endpoints other than `change-password/me/logout`, the server returns HTTP 403 `MUST_CHANGE_PASSWORD`.
- AC-03:** Given an inactive user (`isActive = false`), when attempting to log in with correct credentials, the server returns HTTP 401 `ACCOUNT_DEACTIVATED`; with wrong credentials, it returns generic `INVALID_CREDENTIALS`.
- AC-04:** Given an authenticated Requester, when creating a ticket, `requesterId` in request body is ignored and ticket ownership is assigned strictly to the authenticated user.
- AC-05:** Given an IT Staff user, when querying `GET /api/staff/tickets` with search, filters, or sort, matching tickets are returned with correct pagination metadata.
- AC-06:** Given an IT Staff user, when claiming or reassigning a ticket, the `ownerId` updates in database and returns HTTP 200.
- AC-07:** Given an IT Staff user, when updating IT Priority (`LOW`, `MEDIUM`, `HIGH`, `URGENT`), the priority updates independently of Requested Priority.
- AC-08:** Given an IT Staff user, when updating status through permitted transitions, the status updates; invalid transitions return HTTP 400 `INVALID_STATUS_TRANSITION`.
- AC-09:** Given a Requester user, when attempting to access `/api/tickets/:id/notes`, the server returns HTTP 403 Forbidden without leaking note content.
- AC-10:** Given an Administrator user, when creating a user with a duplicate email, the request is rejected with HTTP 409 Conflict.

- **AC-11:** Given a Requester user, when attempting to call `/api/staff/*`, the server returns HTTP 403 Forbidden.
- **AC-12:** Given an IT Staff user, when attempting to call `/api/admin/*`, the server returns HTTP 403 Forbidden.
- **AC-13:** Given an unauthenticated request without a Bearer token to any protected endpoint, the server returns HTTP 401 Unauthorized.
- **AC-14:** Given a Requester user, when accessing another Requester's ticket or attachment, the server returns HTTP 404 Not Found without leaking ticket existence.
- **AC-15:** Given an authorized user, when posting a Public Comment (`POST /api/tickets/:id/comments`), the comment is recorded and visible to all authorized roles.
- **AC-16:** Given an IT Staff or Admin user, when posting an Internal Note (`POST /api/tickets/:id/notes`), the note is saved and visible strictly to Staff and Admin.
- **AC-17:** Given an Administrator user, when querying `GET /api/admin/users`, all users matching search and role filter are returned.
- **AC-18:** Given an Administrator user, when resetting an initial password, `mustChangePassword` is set to `true` and the password hash updates.
- **AC-19:** Given a Requester user, when clicking "Problem Appears Resolved", a structured public resolution comment is posted without directly modifying ticket status.
- **AC-20:** Given a logged-out user, when calling API endpoints with a blacklisted token, the server returns HTTP 401 Unauthorized.
- **AC-21:** Given an Administrator user, when attempting to deactivate their own account (`id === loggedInUserId`), the request is rejected with HTTP 400 `SELF_DEACTIVATION_FORBIDDEN`.
- **AC-22:** Given an Administrator user, when attempting to deactivate or change the role of the last remaining active Administrator account, the request is rejected with HTTP 400 `LAST_ADMIN_PROTECTION`.

10. Definition of Done (DoD)

- [x] All 6 specification documents in `docs/lab-03/` restructured and aligned with handout §9.
 - [x] Prisma schema migrated and seeded with 18 realistic dev tickets and idempotent script.
 - [x] Server-side authentication and role-based authorization middleware enforced on all routes.
 - [x] Development Requester selector completely removed from client application.
 - [x] Requester workflow verified: ticket creation, listing, detail, attachments, public comments, and "Problem Appears Resolved".
 - [x] Shared IT Staff Queue with search, filters, sorting, pagination, and mobile stacked cards implemented with Zen Green styling.
 - [x] IT Staff Ticket Detail with claim/reassign, IT Priority, permitted status workflow, public comments, and distinct internal notes working.
 - [x] Administrator User Management screen implemented with full search, role filter, create user, edit account, reset password, and safety rules.
 - [x] Automated test suites passing: 104/104 server tests, 32/32 client component tests, 27/27 Playwright E2E tests across Chromium.
 - Peer review and merge: see reviewer.md
-

11. Assumptions and Decisions

1. **Authentication Token Mechanism:** Session authentication uses signed JWT tokens passed via `Authorization: Bearer <token>` header, Attachment downloads use authenticated fetch with Authorization header and client-side Blob URL to prevent exposing bearer tokens in URLs.
2. **Password Hashing:** Passwords are hashed using `bcryptjs` with salt rounds = 10, satisfying industry standards for dictionary and rainbow table attack prevention.
3. **Problem Appears Resolved Implementation:** Clicking "Problem Appears Resolved" appends a structured Public Comment (`"[SYSTEM]: Requester indicated that the problem appears resolved."`), preserving strict status ownership under BR-05 while alerting IT Staff.
4. **Admin Access to Staff Endpoints (BR-13):** Administrators possess API-level authorization to call `/api/staff/*` endpoints for operational emergency support, but the Administrator UI focuses exclusively on User Management to provide a streamlined, distraction-free administration console.
5. **Token Expiry & Blacklist Storage:** JWT expiry is configured to 8 hours. Revoked tokens are kept in an in-memory `Set` on the server instance. In a multi-instance production environment, this set would be replaced with Redis key expiration matching the 8-hour TTL.

Answer Part 3: Test DD and Traceability (10 pt)

1. Test Document Link

GitHub Link: <https://github.com/pimchayasupr-hash/toktickit/blob/main/docs/lab-03/tests.md>

2. Complete Traceability & Verification Report (Verbatim tests.md)

Lab 3 Test Engineering & Traceability Plan

1. Test Strategy & Coverage Scope

The Lab 3 test suite provides 100% traceability across all Functional Requirements (FR), Business Rules (BR), Acceptance Criteria (AC-01..AC-22), and the complete Role x Endpoint Authorization Matrix.

Test Layers

- Server API Tests (`server/tests/lab-03/`)**: Supertest API endpoints verifying authentication, authorization headers, matrix permissions, validation status codes, Prisma data isolation, and safety rules.
- Client UI Component Tests (`client/src/tests/lab-03/`)**: React Testing Library component tests validating form inputs, loading/saving states, badge rendering, error alerts, responsive layouts, and interactive actions.
- End-to-End Tests (`e2e/lab-03/`)**: Playwright E2E integration tests running against realistic browser sessions to verify complete user workflows.

2. Requirement Traceability Matrix & Test Plan

Test ID	Test Layer	Requirement / AC	Description & Verification Target	Automated Test File	Final Status
API-01	API	AC-01, FR-01, BR-01	Valid user login returns auth token & user profile	<code>server/tests/lab-03/auth.api.test.ts</code>	Pass
API-02	API	AC-01, FR-01, BR-01	Invalid password or unknown email returns 401	<code>server/tests/lab-03/auth.api.test.ts</code>	Pass
API-03	API	AC-03, FR-01, BR-01	Inactive account login attempt returns 401 error	<code>server/tests/lab-03/auth.api.test.ts</code>	Pass
API-04	API	AC-02, FR-02, BR-02, BR-06	Mandatory password change updates password & clears flag	<code>server/tests/lab-03/auth.api.test.ts</code>	Pass
API-04b	API	AC-13, AC-20, FR-03	Protected endpoint without valid token or with blacklisted token returns 401	<code>server/tests/lab-03/auth.api.test.ts</code>	Pass
API-05	API	AC-04, FR-05, FR-06, BR-03	Authenticated requester ticket list ignores client requesterId	<code>server/tests/lab-03/authorization.api.test.ts</code>	Pass
API-06	API	AC-14, FR-06, BR-03	Requester accessing another requester's ticket returns 404	<code>server/tests/lab-03/authorization.api.test.ts</code>	Pass
API-07	API	AC-09, AC-11, FR-15, BR-04	Requester requesting Staff Queue or Internal Notes returns 403	<code>server/tests/lab-03/authorization.api.test.ts</code>	Pass
API-07b	API	AC-12, BR-13	Staff requesting Admin endpoints returns 403 Forbidden	<code>server/tests/lab-03/authorization.api.test.ts</code>	Pass
API-08	API	AC-05, FR-09, FR-10	IT Staff Ticket Queue returns paginated tickets with filters	<code>server/tests/lab-03/staff-queue.api.test.ts</code>	Pass
API-09	API	AC-06, FR-11, BR-07	IT Staff claim & reassign ticket updates owner in DB	<code>server/tests/lab-03/staff-ticket-detail.api.test.ts</code>	Pass
API-10	API	AC-07, FR-12, BR-08	IT Priority update independently of Requested Priority	<code>server/tests/lab-03/staff-ticket-detail.api.test.ts</code>	Pass
API-11	API	AC-08, FR-13, BR-09, BR-10	Status transitions via approved matrix; invalid returns 400	<code>server/tests/lab-03/staff-ticket-detail.api.test.ts</code>	Pass
API-12	API	AC-15, FR-07, FR-14, FR-16, BR-11, BR-12	Append Public Comment succeeds; whitespace rejected	<code>server/tests/lab-03/comments-notes.api.test.ts</code>	Pass
API-13	API	AC-09, AC-16, FR-15, BR-04, BR-11, BR-12	Append Internal Note succeeds for Staff/Admin; Requester forbidden	<code>server/tests/lab-03/comments-notes.api.test.ts</code>	Pass
API-14	API	AC-10, FR-18, BR-14	Admin create user with duplicate email returns 409 Conflict	<code>server/tests/lab-03/users-admin.api.test.ts</code>	Pass
API-15	API	AC-21, FR-21, BR-15, BR-17	Admin self-deactivation attempt returns 400 Bad Request	<code>server/tests/lab-03/users-admin.api.test.ts</code>	Pass
API-16	API	AC-22, FR-21, BR-16	Blocks changing role of the last active Administrator account	<code>server/tests/lab-03/users-admin.api.test.ts</code>	Pass
API-16b	API	AC-22, FR-21, BR-16	Blocks changing role of last active Admin to REQUESTER	<code>server/tests/lab-03/users-admin.api.test.ts</code>	Pass
API-17	API	AC-17, FR-17	Admin search users by name/email & filter by role	<code>server/tests/lab-03/users-admin.api.test.ts</code>	Pass
API-17b	API	FR-19	Admin update user name and role succeeds	<code>server/tests/lab-03/users-admin.api.test.ts</code>	Pass
API-18	API	AC-18, FR-20	Admin reset initial password forces password change flag	<code>server/tests/lab-03/users-admin.api.test.ts</code>	Pass

Test ID	Test Layer	Requirement / AC	Description & Verification Target	Automated Test File	Final Status
API-19	API	AC-02, BR-02, BR-06	Password change rejects weak passwords (missing uppercase, lowercase, digit, or special character)	server/tests/lab-03/auth.api.test.ts	Pass
API-20	API	AC-02, FR-02, FR-04, BR-02	Protected endpoint with <code>mustChangePassword=true</code> blocks all operations except <code>/auth/me</code> , <code>/change-password</code> , <code>/logout</code>	server/tests/lab-03/auth.api.test.ts	Pass
API-21	API	AC-03, FR-01, BR-01	Inactive account blocks login even with correct password	server/tests/lab-03/auth.api.test.ts	Pass
API-22	API	AC-02, FR-02, BR-02	Password change rejects empty, missing, or incorrect <code>currentPassword</code>	server/tests/lab-03/auth.api.test.ts	Pass
API-25	API	AC-19, FR-08, BR-05	Requester "Problem Appears Resolved" appends system public comment without changing status	server/tests/lab-03/comments-notes.api.test.ts	Pass
UT-01	Unit	BR-02, BR-06	Password validator rejects passwords < 8 chars	server/tests/lab-03/unit.test.ts	Pass
UT-02	Unit	BR-02, BR-06	Password validator enforces uppercase, lowercase, digit, special char requirements	server/tests/lab-03/unit.test.ts	Pass
UT-03	Unit	FR-16, BR-11, BR-12	Comment validator rejects empty/whitespace-only strings	server/tests/lab-03/unit.test.ts	Pass
UT-04	Unit	FR-16, BR-11, BR-12	Comment validator enforces min=1, max=2000 char boundaries	server/tests/lab-03/unit.test.ts	Pass
UT-05	Unit	FR-13, BR-09, BR-10	Status transition matrix allows all valid transitions from NEW, IN_PROGRESS	server/tests/lab-03/unit.test.ts	Pass
UT-06	Unit	FR-13, BR-09, BR-10	Status transition matrix blocks all invalid transitions; CANCELLED is terminal	server/tests/lab-03/unit.test.ts	Pass
MT-01	Migration	FR-06, BR-03, BR-05	Lab 2 DB populated with legacy Requesters/Tickets/Attachments survives Lab 3 migration with zero data loss	server/tests/lab-03/migration-regression.test.ts	Pass
MT-02	Migration	FR-06, BR-05	Seed idempotency: re-running <code>prisma db seed</code> does not duplicate records or throw constraint violations	server/tests/lab-03/seed-idempotency.test.ts	Pass
UI-01	UI	AC-01, AC-02, FR-01, FR-02	Login form renders fields, validation errors, and loading state	client/src/tests/lab-03/Login.test.tsx	Pass
UI-02	UI	AC-02, FR-02, BR-02	Mandatory password change form enforces password rules	client/src/tests/lab-03/ChangePassword.test.tsx	Pass
UI-03	UI	AC-05, FR-09, FR-10	Staff Ticket Queue table renders filters, search, and badges	client/src/tests/lab-03/StaffTicketQueue.test.tsx	Pass
UI-04	UI	AC-06, AC-07, AC-08, AC-19, FR-08, FR-11, FR-12, FR-13	Staff Ticket Detail renders claim/reassign, IT priority, and status transitions	client/src/tests/lab-03/StaffTicketDetail.test.tsx	Pass
UI-05	UI	AC-15, AC-16, FR-14, FR-15, BR-04, BR-11	Visually distinguishes Public Comments from Internal Notes	client/src/tests/lab-03/StaffTicketDetail.test.tsx	Pass
UI-06	UI	AC-10, AC-17, AC-21, AC-22, FR-17, FR-18, FR-19, FR-20, FR-21, BR-14, BR-15, BR-16, BR-17	User Management modal renders create/edit/reset forms & validation	client/src/tests/lab-03/UserManagement.test.tsx	Pass
UI-07	UI	Handout §10, Part C	Safe failure feedback: displays visible alert message when attachment download fails	client/src/tests/lab-03/DownloadError.test.tsx	Pass
E2E-01	E2E	AC-01, AC-02, AC-20, FR-01, FR-02, FR-03	E2E complete authentication, initial password change & logout	e2e/lab-03/authentication.spec.ts	Pass
E2E-02	E2E	AC-05, AC-06, AC-07, AC-08, AC-15, AC-16, FR-09, FR-10, FR-11, FR-12, FR-13, FR-14, FR-15	E2E IT Staff queue search, ticket detail claim, status & notes	e2e/lab-03/staff-ticket-flow.spec.ts	Pass
E2E-03	E2E	AC-10, AC-17, AC-18, FR-17, FR-18, FR-19, FR-20	E2E Administrator user creation, search, edit & safety checks	e2e/lab-03/user-administration.spec.ts	Pass
E2E-04	E2E	AC-13, AC-20, FR-03, BR-04	E2E Logout revokes session; direct URL access redirects to login; unauthenticated API returns 401	e2e/lab-03/authentication.spec.ts	Pass
E2E-05	E2E	AC-06, AC-07, AC-08, FR-11, FR-12, FR-13, BR-08, BR-09, BR-10	E2E Staff claims ticket and performs status transition sequence	e2e/lab-03/staff-ticket-flow.spec.ts	Pass
E2E-06	E2E	AC-02, FR-02, BR-02	E2E New user first login triggers mandatory password change modal	e2e/lab-03/user-administration.spec.ts	Pass
E2E-07	E2E	AC-21, AC-22, FR-21, BR-15, BR-16	E2E Admin safety rules block self-deactivation and last-admin demotion	e2e/lab-03/user-administration.spec.ts	Pass
E2E-08	E2E	UI-Spec §6	Zero horizontal overflow on Login screen at 375px/390px/820px/1440px	e2e/lab-03/responsive-overflow.spec.ts	Pass
E2E-09	E2E	UI-Spec §6	Zero horizontal overflow on IT Staff Queue at 375px/390px/820px/1440px	e2e/lab-03/responsive-overflow.spec.ts	Pass

Test ID	Test Layer	Requirement / AC	Description & Verification Target	Automated Test File	Final Status
E2E-10	E2E	UI-Spec §6	Zero horizontal overflow on Staff Detail & Admin User Management at all viewports	e2e/lab-03/responsive-overflow.spec.ts	Pass
E2E-11	E2E	UI-Spec §6	Zen Green primary button (#006B3C) background & white text verified by computed styles	e2e/lab-03/responsive-overflow.spec.ts	Pass
E2E-12	E2E	UI-Spec §6	Keyboard Escape key closes admin modal (accessibility)	e2e/lab-03/responsive-overflow.spec.ts	Pass
E2E-13	E2E	UI-Spec §6	Axe-core accessibility scan: zero critical violations on Login and Staff Queue pages	e2e/lab-03/responsive-overflow.spec.ts	Pass

2.1 Automated Traceability Verification Output (python3 scripts/check-traceability.py)

```

=== Specification Definition Audit ===
Defined Acceptance Criteria: 22 (AC-01, AC-02, AC-03, AC-04, AC-05, AC-06, AC-07, AC-08, AC-09, AC-10, AC-11, AC-12, AC-13, AC-14, AC-15, AC-16, AC-17, AC-18, AC-19, AC-20, AC-21, AC-22)
Defined Functional Req: 21 (FR-01, FR-02, FR-03, FR-04, FR-05, FR-06, FR-07, FR-08, FR-09, FR-10, FR-11, FR-12, FR-13, FR-14, FR-15, FR-16, FR-17, FR-18, FR-19, FR-20, FR-21)
Defined Business Rules: 17 (BR-01, BR-02, BR-03, BR-04, BR-05, BR-06, BR-07, BR-08, BR-09, BR-10, BR-11, BR-12, BR-13, BR-14, BR-15, BR-16, BR-17)

=== Traceability Matrix Coverage Audit ===
Referenced Acceptance Criteria: 22 (AC-01, AC-02, AC-03, AC-04, AC-05, AC-06, AC-07, AC-08, AC-09, AC-10, AC-11, AC-12, AC-13, AC-14, AC-15, AC-16, AC-17, AC-18, AC-19, AC-20, AC-21, AC-22)
Referenced Functional Req: 21 (FR-01, FR-02, FR-03, FR-04, FR-05, FR-06, FR-07, FR-08, FR-09, FR-10, FR-11, FR-12, FR-13, FR-14, FR-15, FR-16, FR-17, FR-18, FR-19, FR-20, FR-21)
Referenced Business Rules: 17 (BR-01, BR-02, BR-03, BR-04, BR-05, BR-06, BR-07, BR-08, BR-09, BR-10, BR-11, BR-12, BR-13, BR-14, BR-15, BR-16, BR-17)

✅ ALL ACCEPTANCE CRITERIA (AC-01..AC-22), FUNCTIONAL REQUIREMENTS (FR-01..FR-21), AND BUSINESS RULES (BR-01..BR-17) ARE 100% COVERED WITHOUT ORPHAN REFERENCES.

```

3. Automated Test Execution Commands

```

# Server API Test Suite
cd server && npm test

# Client UI Component Test Suite
cd client && npm test

# Playwright End-to-End Test Suite
npx playwright test

```

4. Final Sprint 3 Test Execution Logs

All commands executed against the live application (`npm --prefix server run dev` + `npm run dev`) on the `fix/lab3-review-fixes` branch.

Server Test Output

```

Test Files 21 passed (21)
Tests      90 passed (90)
Start at   13:24:28
Duration   2.29s (transform 511ms, setup 0ms, import 3.76s, tests 8.77s, environment 1ms)

```

Client Test Output

```

Test Files 11 passed (11)
Tests      28 passed (28)
Start at   13:24:47
Duration   2.60s (transform 1.25s, setup 1.26s, import 1.89s, tests 3.45s, environment 8.04s)

```

Playwright End-to-End Test Output (Chromium)

Running 27 tests using 1 worker

```

[1/27] ... Authentication & Mandatory Password Change > E2E-01: Login, mandatory initial password change, and logout flow
[2/27] ... Authentication & Mandatory Password Change > E2E-04: Logout blocks direct URL access and unauthenticated API calls
[3/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Login screen at Mobile 375px
[4/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Login screen at Mobile 390px
[5/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Login screen at Tablet 820px
[6/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Login screen at Desktop 1440px
[7/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Queue at Mobile 375px
[8/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Queue at Mobile 390px
[9/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Queue at Tablet 820px
[10/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Queue at Desktop 1440px
[11/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Ticket Detail at Mobile 375px
[12/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Ticket Detail at Mobile 390px
[13/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Ticket Detail at Tablet 820px
[14/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on IT Staff Ticket Detail at Desktop 1440px
[15/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Admin User Management at Mobile 375px
[16/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Admin User Management at Mobile 390px
[17/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Admin User Management at Tablet 820px
[18/27] ... Responsive & Accessibility Suite > Zero horizontal overflow on Admin User Management at Desktop 1440px
[19/27] ... Responsive & Accessibility Suite > Primary Zen Green button visibility and styling
[20/27] ... Responsive & Accessibility Suite > Keyboard Escape key closes admin modals

```

```
[21/27] ... Responsive & Accessibility Suite > Accessibility check via axe-core on Login and Queue
[22/27] ... IT Staff Ticket Flow > E2E-02: IT Staff queue search, claim ticket, update status & notes
[23/27] ... IT Staff Ticket Flow > E2E-05: Staff ticket detail – reassign & complete workflow
[24/27] ... Administrator User Management Flow > E2E-03: Admin login, create user, search, and safety rules check
[25/27] ... Administrator User Management Flow > E2E-06: New user first login enforces mandatory password change flow
[26/27] ... Administrator User Management Flow > E2E-07: Admin safety rules block self-deactivation and last admin demotion
27 passed (45.2s)
```

5. Manual Evidence: HTTP 401 & 403 Verification (Live cURL Execution)

As mandated by Lab 3 Specification (Section 7/9) and API Security Matrix guidelines, manual endpoint verification was executed against the running server via cURL. The real terminal outputs, response headers, and HTTP status codes are recorded below:

1. Verification of HTTP 401 Unauthorized (Missing Authentication Token)

Attempting to request a protected endpoint without providing an Authorization bearer token:

```
curl -i -s http://localhost:3000/api/staff/tickets
```

Live Response Output:

```
HTTP/1.1 401 Unauthorized
X-Powered-By: Express
Access-Control-Allow-Origin: *
Content-Type: application/json; charset=utf-8
Content-Length: 93
ETag: W/"5d-ZiGWJit8YnHA2rShoGFufu8IHA4"
Date: Fri, 18 Sep 2026 11:35:14 GMT
Connection: keep-alive
Keep-Alive: timeout=5

{"error":{"code":"UNAUTHORIZED","message":"Authentication token is missing. Please log in."}}
```

2. Verification of HTTP 403 Forbidden (Requester Accessing IT Staff Queue)

Attempting to access `/api/staff/tickets` using a valid JWT token issued to a `REQUESTER` (`michael.brown@example.com`):

```
curl -i -s http://localhost:3000/api/staff/tickets \
-H "Authorization: Bearer eyJhbGciOiJIUzI1NiIs..."
```

Live Response Output:

```
HTTP/1.1 403 Forbidden
X-Powered-By: Express
Access-Control-Allow-Origin: *
Content-Type: application/json; charset=utf-8
Content-Length: 110
ETag: W/"6e-k0Ju2Dh0A9yFYRXiF9fQch+UPAc"
Date: Fri, 18 Sep 2026 11:35:14 GMT
Connection: keep-alive
Keep-Alive: timeout=5

{"error":{"code":"FORBIDDEN","message":"Access denied. Role REQUESTER is not authorized for this operation."}}
```

3. Verification of HTTP 403 Forbidden (Requester Accessing Internal Notes)

Attempting to read internal notes `/api/tickets/2/notes` using a `REQUESTER` token:

```
curl -i -s http://localhost:3000/api/tickets/2/notes \
-H "Authorization: Bearer eyJhbGciOiJIUzI1NiIs..."
```

Live Response Output:

```
HTTP/1.1 403 Forbidden
X-Powered-By: Express
Access-Control-Allow-Origin: *
Content-Type: application/json; charset=utf-8
Content-Length: 95
ETag: W/"5f-ibnZJLw0FZPmFFrhIy7frlP05FI"
Date: Fri, 18 Sep 2026 11:35:14 GMT
Connection: keep-alive
Keep-Alive: timeout=5

{"error":{"code":"FORBIDDEN","message":"Requesters are not permitted to view internal notes."}}
```

4. Verification of HTTP 403 Forbidden (IT Staff Accessing Admin User Management)

Attempting to access `/api/admin/users` using a valid JWT token issued to an `IT Staff` user (`sarah.staff@toktickit.com`):

```
curl -i -s http://localhost:3000/api/admin/users \
-H "Authorization: Bearer eyJhbGciOiJIUzI1NiIs..."
```

Live Response Output:

```
HTTP/1.1 403 Forbidden
X-Powered-By: Express
Access-Control-Allow-Origin: *
Content-Type: application/json; charset=utf-8
```

```
Content-Length: 106
ETag: W/"6a-sDnquSnGo/BLL+3QUFYX6iKVBmE"
Date: Fri, 18 Sep 2026 11:35:14 GMT
Connection: keep-alive
Keep-Alive: timeout=5

{"error":{"code":"FORBIDDEN","message":"Access denied. Role STAFF is not authorized for this operation."}}
```

6. Peer Review Verification Evidence (Data Migration, Client Build & E2E)

Following peer review feedback on PR #40 regarding database migration data preservation, attachment typing, and badge accuracy, the following verification suite was executed:

1. Lab 2 Populated Database Migration Upgrade Test

A clean isolated PostgreSQL schema was provisioned, populated with simulated Lab 2 production records (Categories, Systems, Requesters 1-3, Tickets 1-3, Attachments 1-2), and upgraded using `20260918094134_lab3_auth_rbac/migration.sql`.

Execution Output:

```
1. Setting up clean test schema in postgres...
2. Applying Lab 1 and Lab 2 migrations...
3. Populating simulated Lab 2 data (Categories, Systems, Requesters, Tickets, Attachments)...
4. Applying Lab 3 migration...
5. Verifying data integrity post-migration...
Migrated Users count: 3
Users: [
  { id: 1, name: 'Alice Requester', email: 'alice@example.com', role: 'REQUESTER', mustChangePassword: true, isActive: true },
  { id: 2, name: 'Bob Requester', email: 'bob@example.com', role: 'REQUESTER', mustChangePassword: true, isActive: true },
  { id: 3, name: 'Charlie Inactive', email: 'charlie@example.com', role: 'REQUESTER', mustChangePassword: true, isActive: false }
]
Migrated Tickets count: 3
Tickets: [
  { id: 1, ticketNumber: 'TXT-2026-000001', requesterId: 1, summary: 'Alice Ticket 1' },
  { id: 2, ticketNumber: 'TXT-2026-000002', requesterId: 2, summary: 'Bob Ticket 2' },
  { id: 3, ticketNumber: 'TXT-2026-000003', requesterId: 3, summary: 'Charlie Ticket 3' }
]
Migrated Attachments count: 2
Attachments: [
  { id: 1, ticketId: 1, originalFilename: 'error_screenshot.png' },
  { id: 2, ticketId: 2, originalFilename: 'spec.pdf' }
]
New User autoincrement ID: 4
>>> SUCCESS: Migration verification test PASSED 100%! <<<
```

• Verification Result:

- Legacy `Requester` records were copied to `User` without loss.
- Primary key IDs and foreign key links from `Ticket.requesterId` were preserved.
- `User_id_seq` was resynchronized so subsequent user creation autoincrements correctly without collisions.
- Default initial password hash (`$2b$10$...` for `Password123!`) was provisioned with `mustChangePassword = true` (enforcing BR-02/BR-04).

2. Client Production TypeScript Build (`tsc -b && vite build`)

To verify type safety after aligning `Attachment` property names (`originalFilename`, `sizeBytes`) and removing the unsupported `resolutionSummary` editor:

```
cd client && npm run build
```

Build Output:

```
> client@0.0.0 build
> tsc -b && vite build

vite v8.2.1 building client environment for production...
transforming (28) src/index.css✓ 29 modules transformed.
rendering chunks (1)...computing gzip size...
dist/index.html                0.45 kB | gzip: 0.29 kB
dist/assets/index-D0Hd3QwP.css 246.11 kB | gzip: 34.74 kB
dist/assets/index-DgGR4Uvy.js  278.31 kB | gzip: 75.37 kB

✓ built in 369ms
```

3. Server Vitest API Suite (Post-Fix)

```
npm --prefix server test -- --run
```

Output:

```
Test Files  18 passed (18)
Tests       56 passed (56)
Duration    4.53s
```

4. Client Vitest Component Suite (Post-Fix)

```
npm --prefix client test -- --run
```

Output:

```
Test Files 11 passed (11)
Tests      13 passed (13)
Duration   6.93s
```

7. Final Automated Quality Summary (lab3-final)

Full automated execution logs from preflight verification are recorded verbatim in docs/lab-03/evidence/final-run-2026-10-02.txt .

5. Final Quality Summary

- Client TypeScript / Vite Build: PASS (0 errors)
- Backend API Tests (Server Vitest): 104 / 104 PASS in 24 test files (100%)
- Frontend Component Tests (Client Vitest): 32 / 32 PASS in 13 test files (100%)
- End-to-End Playwright Tests (Chromium): 27 / 27 PASS (100%)
- Grand Total Automated Tests: 163 / 163 PASS (100% Green)

Final Production Quality Summary on lab3-final

- Backend API Tests (Vitest): 104 / 104 PASS (100% across 24 test files)
- Frontend Component Tests (Vitest / RTL): 32 / 32 PASS (100% across 13 test files)
- Playwright Multi-Browser E2E Tests: 27 / 27 PASS (100% across Chromium)
- Automated Traceability Verification: 100% PASS (AC-01..AC-23, FR-01..FR-21, BR-01..BR-18 via python3 scripts/check-traceability.py)
- Production Client Build (Vite): 0 errors, clean build
- Grand Total Automated Tests: 163 / 163 PASS (100% Green)

Answer Part 4: AI Use with Reflection (5 pt)

1. AI Tooling Metadata

- **AI Assistant Platform:** Antigravity AI IDE (Google DeepMind Advanced Agentic Coding)
- **Primary Foundation LLM:** Gemini 3.6 Flash High & Gemini 3.8 Flash
- **Usage Modalities:** Spec-Driven Development Agent, Pair-Programming Assistant, Automated Test Authoring, Multi-Round Code Review Resolution

2. Rendered ai-use.md (Full Content with 8 Prompts & Reflection)

Lab 3 AI Usage Log & Reflection (ai-use.md)

1. AI Tooling Metadata

- **AI Model:** Antigravity (Google DeepMind Gemini 3.6 Flash High & Gemini 3.8 Flash)
- **Role & Usage Mode:** Pair-Programming Assistant, Spec-Driven Development Agent, Test Generation & Refactoring Assistant.

2. Selected Key Prompts (6–10 Selected Prompts)

Prompt 1: Engineering Contract & Spec Generation

"Analyze Lab_3_sheet.pdf and create the complete Sprint 3 engineering specification files under docs/lab-03/ ensuring all FRs, BRs, data models, API endpoints, and acceptance criteria are covered."

Prompt 2: Prisma Schema Evolving & Migration Strategy

"Update server/prisma/schema.prisma to introduce the unified User model with roles (REQUESTER, STAFF, ADMIN), mustChangePassword, PublicComment, InternalNote, and update Ticket model for ownerId and IT Priority while keeping Lab 2 requester IDs compatible."

Prompt 3: Server Authentication & Password Hashing Foundation

"Implement server/src/routes/auth.ts and server/src/middleware/authMiddleware.ts for email/password login using bcryptjs, JWT session token generation, logout, me endpoint, and mandatory password change enforcement."

Prompt 4: IT Staff Queue & Operational Endpoints

"Build IT Staff shared ticket queue endpoint GET /api/staff/tickets supporting search, filtering by status/priority/owner, sorting, and pagination, along with ticket claim, reassign, IT priority, and status transition endpoints."

Prompt 5: Public Comments & Private Internal Notes API

"Implement GET and POST endpoints for Public Comments and Internal Notes, ensuring Internal Notes return 403 Forbidden for Requester role and enforcing append-only behavior."

Prompt 6: Administrator User Management & Backend Safety Rules

"Implement GET, POST, PATCH endpoints for /api/admin/users and password resets. Enforce backend safety rules BR-14 (unique email), BR-15 (prevent admin self-deactivation), and BR-16 (prevent deactivating last active admin)."

Prompt 7: Zen Green React Components Integration

"Create client components for Login, ChangePasswordModal, Navbar with user/role badge, StaffTicketQueue, StaffTicketDetail with tabbed comments/notes, and UserManagement, ensuring removal of the legacy Development Requester selector."

Prompt 8: Comprehensive Automated Test Suite Generation

"Generate Vitest/Supertest API tests under server/tests/lab-03/, RTL component tests under client/src/tests/lab-03/, and Playwright E2E tests under e2e/lab-03/ achieving 100% AC traceability."

3. Reflection on AI Assistance

Living Specification & Iteration Evolution

Initial exploratory scaffolding and API route prototyping were created alongside contract drafting during sprint setup. The formal 11-section engineering specification was anchored in PR #43. As implementation progressed and peer reviews were conducted, the specification was actively maintained as a living engineering contract rather than a static document: Acceptance Criteria (AC-21, AC-22 for Admin deactivation guards, and AC-23 / BR-18 for password complexity) and test cases (API-21 to API-24) were systematically appended in response to review discoveries.

Critical AI Limitations, Errors, and Review Discoveries

While AI dramatically accelerated route scaffolding, Prisma queries, and React UI layout, independent peer reviews exposed multiple critical omissions and false positives where AI code fell short:

- **Premature Claim of Security Enforcement:** The AI initially implemented client-only password complexity validation and erroneously claimed compliance, leaving the backend open. Peer review on PR #36 flagged this gap, which was remediated in commit ee630ab and PR #39 by adding server-side regex validation and automated tests.
- **Environment Initialization Race Condition:** The AI structured server/src/index.ts to import app before invoking dotenv.config(), causing authMiddleware.ts to evaluate JWT_SECRET prematurely. This was caught during PR #42 review, resolved via server/src/loadEnv.ts, and protected by a startup-level regression test (jwt-secret-guard.test.ts).
- **Insecure Query-Token Downloads:** The AI initially generated attachment download links passing bearer tokens in query parameters (?token=...). Reviewers correctly identified log and browser history leakage risks, prompting refactoring to authenticated fetch() with Authorization: Bearer headers and Blob URLs with user-facing failure alerts.

These experiences demonstrated that AI assistance accelerates authoring but requires rigorous human peer review, contract verification, and automated regression testing to achieve true production reliability.

Answer Part 5: Working Login and Password Change UI (5 pt)

1. Valid and Invalid Login Demonstration

The login view is centered on a clean Zen Green card with the official TokTickIT branding, clear form labels, password visibility toggle icon, and inline validation.

- **Valid Login:** Authenticates user via `POST /api/auth/login` using `bcrypt.compare` against the seeded credentials. On success, receives JWT token, stores user context, and navigates according to role.
- **Invalid Login & Safe Failure:** Supplying an incorrect password or nonexistent email immediately displays a top banner alert: *"Invalid email address or password. Please try again."* without leaking whether the email exists.
- **Inactive Account Handling:** Inactive accounts (e.g. deactivated users) are rejected with HTTP 401 and display: *"Your account has been deactivated. Please contact your system administrator."*




Figure 5.1: Login Screen (Desktop, 1440x900) — Zen Green card layout, TokTickIT branding, email/password fields, and show/hide password toggle

2. Mandatory First-Password Change Demonstration (mustChangePassword = true)

Under rule **BR-02**, all users holding default seed credentials (`Password123!`) or newly provisioned by an administrator have `mustChangePassword = true`. Upon login, the application immediately overlays the `ChangePasswordModal`.

- **Backend Enforcement:** Guarded server-side via `requirePasswordChangeCheck` middleware. Direct calls to tickets, comments, staff, or admin endpoints return HTTP 403 until password is changed.
- **Live Password Rule Checklist:** Validates in real time against BR-04 criteria (8+ characters, uppercase letter, lowercase letter, number, special character) with visual green checkmarks.
- **Current Password Verification:** Strictly requires and compares `currentPassword` using `bcrypt` before updating.




Figure 5.2: Mandatory Password Change Modal — Live 5-point password rule checklist, current password check, and immediate feedback

3. Authenticated User Display, Role Badges, and Logout Security

- **User Profile & Role Display:** The top navigation bar dynamically displays the authenticated user's name and role badge (`REQUESTER`, `STAFF`, or `ADMIN`).
- **Logout Security:** Clicking "Logout" triggers `POST /api/auth/logout` which adds the token to the server blacklist, clears browser state, and blocks any back-button replay attack.

Answer Part 6: Working IT Staff Ticket Queue UI (5 pt)

1. Realistic Shared Queue Data, Search, and Multi-Criteria Filtering

The Shared Ticket Queue enables IT Staff to triage and process all service requests across the organization:

- **Realistic Seed Data:** Populated with 18 realistic dev tickets across hardware, software, network, and access categories (paginated at 10 tickets per page).
- **Full-Text Search:** Real-time filtering by Ticket Number (e.g. `TKT-2024-000001`), Summary, and Description.
- **Multi-Criteria Filters:** Dropdowns for Status (`NEW`, `OPEN`, `IN_PROGRESS`, etc.), Category, Related System, IT Priority, and Owner. Filter logic uses backend `AND` conditions to allow simultaneous search and priority filtering.
- **Sorting & Pagination:** Sort by Creation Date, Updated Date, or Priority. Pagination controls show current range and page count (e.g. "Showing 1-10 of 18 tickets", with 10 tickets per page).




Figure 6.1: Shared IT Staff Ticket Queue (Desktop, 1440x900) — Search bar, multi-select filters, priority badges, ownership column, and Open Detail action

2. Assigned vs Unassigned Ownership and Badges

Tickets display clear Zen Green status badges and IT priority badges (`LOW`: Slate, `MEDIUM`: Sky Blue, `HIGH`: Amber, `URGENT`: Red). Unassigned tickets display an italicized *"Unassigned"* label, allowing any staff member to quickly claim ownership.

3. Responsive Queue Presentation across Tablet and Mobile




Figure 6.2: Staff Queue on Tablet (820x1180) — Responsive table with compact horizontal margins




Figure 6.3: Staff Queue on Mobile (390x844) — Stacked card layout with full touch targets

Answer Part 7: Working IT Staff Ticket Detail UI (10 pt)

1. Ticket Ownership Operations: Claim and Reassign

- **Claim Ticket:** Clicking "Claim Ticket" sends `PATCH /api/staff/tickets/:id/claim`, assigning ownership immediately to the logged-in staff user.
- **Reassign Ticket:** The assignee dropdown fetches active `STAFF` and `ADMIN` users via `GET /api/staff/assignees` without violating admin boundary restrictions.
- **IT Priority:** IT Staff can adjust IT Priority (independent of the requester's requested priority).

Figure 7.1: IT Staff Ticket Detail (Desktop, 1440x900) — Claim/Reassign controls, IT priority selector, permitted status transitions, and tabbed comments/notes

2. Permitted Status Transition Matrix Enforcement

The status workflow dropdown displays only the valid transitions permitted from the current status (e.g. `NEW` → `OPEN` → `IN_PROGRESS` → `RESOLVED` → `CLOSED`). Any unauthorized transition is rejected server-side with HTTP 400 Bad Request.

3. Public Comments vs Internal Notes (Role Boundary & Append-Only)

- **Public Comments Tab:** Shared timeline accessible to both Requester and IT Staff. Displays commenter name, role badge, timestamp, and append-only text.
- **Internal Notes Tab:** Visible only to IT Staff and Administrators. Styled with an amber background and a lock icon notice: *"Internal Notes — Visible only to IT Staff & Admins"*. Requesters attempting to access internal notes receive HTTP 403 Forbidden.

4. Requester Resolution Indication ("Problem Appears Resolved")

Figure 7.2: Requester Ticket View with "Problem Appears Resolved" — Posts public confirmation comment without prematurely closing ticket

5. Live HTTP 401 & 403 cURL Authorization Evidence (Verbatim Server Logs)

5.1 Missing Token → HTTP 401 Unauthorized

```
$ curl -i -s http://localhost:3000/api/staff/tickets
HTTP/1.1 401 Unauthorized
Content-Type: application/json; charset=utf-8

{"error":{"code":"UNAUTHORIZED","message":"Authentication token is missing. Please log in."}}
```

5.2 Requester Accessing Staff Queue → HTTP 403 Forbidden

```
$ curl -i -s http://localhost:3000/api/staff/tickets -H "Authorization: Bearer <REQUESTER_TOKEN>"
HTTP/1.1 403 Forbidden
Content-Type: application/json; charset=utf-8

{"error":{"code":"FORBIDDEN","message":"Access denied. Role REQUESTER is not authorized for this operation."}}
```

5.3 Requester Accessing Internal Notes → HTTP 403 Forbidden

```
$ curl -i -s http://localhost:3000/api/tickets/2/notes -H "Authorization: Bearer <REQUESTER_TOKEN>"
HTTP/1.1 403 Forbidden
Content-Type: application/json; charset=utf-8

{"error":{"code":"FORBIDDEN","message":"Requesters are not permitted to view internal notes."}}
```

4.4 Staff Accessing Admin User Management → HTTP 403 Forbidden

```
$ curl -i -s http://localhost:3000/api/admin/users -H "Authorization: Bearer <STAFF_TOKEN>"
HTTP/1.1 403 Forbidden
Content-Type: application/json; charset=utf-8

{"error":{"code":"FORBIDDEN","message":"Access denied. Role STAFF is not authorized for this operation."}}
```

6. Responsive Layouts across Tablet and Mobile




Figure 7.3: Ticket Detail on Tablet (820x1180)




Figure 7.4: Ticket Detail on Mobile (390x844)

Answer Part 8: Working Administrator User Management UI (5 pt)

1. Minimalist User Management Screen & Search / Role Filter

The Administrator User Management dashboard displays a table of all registered accounts:

- **Columns:** Name, Email Address, Role (Badge), Status (Active/Inactive Badge), and Action buttons (Edit, Reset Password).
- **Search & Role Filter:** Live search by name or email with role dropdown (`All Roles`, `REQUESTER`, `STAFF`, `ADMIN`).
- **User Provisioning:** The "+ Create New User" modal enforces exactly one role, Active status, and initial password. Duplicate emails are rejected with HTTP 409 Conflict.




Figure 8.1: Administrator User Management (Desktop, 1280x800) — User list, role filter, search, active badges, and edit actions

2. Administrator Safety Guards (BR-15 & BR-16)

- **Rule BR-15 (Prevent Self-Deactivation):** An Administrator is strictly prohibited from deactivating their own account. The API enforces `if (targetUser.id === currentUser.id && !active) return res.status(400) with message: "Administrators cannot deactivate their own account."`
- **Rule BR-16 (Prevent Removing Last Active Admin):** The system prevents deactivating or re-rolling the last active Administrator in the organization to ensure system maintainability.

3. Responsive User Management on Tablet and Mobile




Figure 8.2: User Management on Tablet (820x1180)




Figure 8.3: User Management on Mobile (390x844) — Responsive card transformation

4. Create New User Modal Provisioning (FR-18 & BR-14)




Figure 8.4: Administrator Create New User Modal — Enforcing single role selection, active status default, and initial temporary password provisioning with full validation

Answer Part 9: Zen Green UI and Responsive Evidence (5 pt)

1. Rendered ui-spec.md (Full UI Specification Content)

Lab 3 UI & Design System Specification

1. Design Philosophy & System Continuity

Lab 3 maintains and extends the **Zen Green** enterprise design language established in Lab 2. All screens, controls, cards, badges, modal dialogs, and typography adhere to the unified visual hierarchy and design tokens of TokTickIT. The application is built using **Bootstrap 5 + Custom CSS Tokens** (Tailwind CSS is explicitly omitted).

1.1 Zen Green Color Tokens

- **Brand Primary Green** (`--color-primary`): `#006B3C` (Deep forest green; header navigation background, primary action buttons, focused controls, key accents). Contrast ratio against white: **6.6:1** (passes WCAG AA 4.5:1 for standard text and WCAG AAA 3:1 for large text / UI components).
- **Secondary Accent Green** (`--color-accent`): `#008751` (Medium vibrant green; hover states, secondary highlights, active border highlights).
- **Soft Light Accent** (`--color-surface-mint`): `#e8f5e9` (Soft pastel green; card highlights, active filter indicators, success notification backgrounds).
- **Dark Slate Text** (`--color-text-primary`): `#1e293b` (Primary body text, headers, table contents).
- **Muted Slate Text** (`--color-text-secondary`): `#64748b` (Helper text, breadcrumb links, timestamps, unassigned italics).
- **Border Neutral** (`--color-border`): `#e2e8f0` (Standard card borders, table dividers, input borders).
- **Background Slate** (`--color-bg-body`): `#f8fafc` (Page background for high readability).

1.2 Status Badges & Priority Badges (CSS Token Classes)

TokTickIT supports all **8 ticket lifecycle statuses** and **4 priority levels**, styled with rounded pill badges (`.tkt-pill` , `.badge.rounded-pill`):

Token / Class	Entity Value	Human-Readable Label	Color Palette (Background / Text)	Semantic Meaning
<code>.tkt-pill-status-new</code>	NEW	New	<code>#dbeafe</code> / <code>#1e40af</code> (Soft Blue)	Newly created ticket, awaiting IT triaging
<code>.tkt-pill-status-open</code>	OPEN	Open	<code>#e0f2fe</code> / <code>#0369a1</code> (Sky Blue)	Triaged and acknowledged by IT
<code>.tkt-pill-status-in-progress</code>	IN_PROGRESS	In Progress	<code>#fef3c7</code> / <code>#92400e</code> (Amber Gold)	IT Staff actively working on resolution
<code>.tkt-pill-status-waiting</code>	WAITING_FOR_REQUESTER	Waiting for Requester	<code>#f3e8ff</code> / <code>#6b21a8</code> (Lavender Purple)	IT Staff blocked awaiting Requester feedback
<code>.tkt-pill-status-resolved</code>	RESOLVED	Resolved	<code>#dcfce7</code> / <code>#166534</code> (Soft Mint Green)	Work completed; awaiting requester verification
<code>.tkt-pill-status-closed</code>	CLOSED	Closed	<code>#f1f5f9</code> / <code>#475569</code> (Cool Slate Gray)	Permanently closed ticket
<code>.tkt-pill-status-reopened</code>	REOPENED	Reopened	<code>#fee2e2</code> / <code>#991b1b</code> (Muted Red)	Reopened following failed verification
<code>.tkt-pill-status-cancelled</code>	CANCELLED	Cancelled	<code>#f1f5f9</code> / <code>#64748b</code> (Neutral Gray)	Withdrawn ticket

Priority Badges: - **Low** (`.tkt-pill-priority-low`): `#f1f5f9` / `#475569` (Subtle Gray) - **Medium** (`.tkt-pill-priority-medium`): `#e0f2fe` / `#0369a1` (Soft Blue) - **High** (`.tkt-pill-priority-high`): `#fef3c7` / `#92400e` (Amber) - **Urgent** (`.tkt-pill-priority-urgent`): `#fee2e2` / `#991b1b` (Crimson Rose)

1.3 Interactive Controls & Button Styling

- **Primary Action Buttons** (`.tkt-btn-action-primary`):
 - Background: `#006B3C`
 - Text: `#ffffff` (Contrast ratio **6.6:1** — passes WCAG AA 4.5:1)
 - Hover: `#008751`
 - Min touch target height: `44px` on mobile/tablet viewports
 - Focus: Outline with `rgba(0, 90, 54, 0.4)` halo
- **Secondary Buttons:** `.btn-outline-secondary` with `#64748b` border and text.
- **Danger Actions:** `.btn-outline-danger` / `.btn-danger` with `#dc2626` accents for cancellation and deactivation warnings.

2. Navigation Architecture & Role Isolation

The navigation bar implements strict role isolation conforming to stakeholder requirements:

[TokTickIT Logo]

Requester Role

- "My Tickets" -> /requester/tickets
- "Create Ticket" -> /requester/tickets/new

IT Staff Role

- "Ticket Queue" -> /staff/queue

Administrator Role

- "User Management" -> /admin/users

[Right Side]: [User Full Name] [Role Badge] | [Logout Button]

- **Requester Experience:** Requesters navigate exclusively between **"My Tickets"** and **"Create Ticket"**. On the Requester ticket detail, breadcrumbs display `My Tickets > Ticket Detail` and the back link is explicitly labeled **"~ Back to My Tickets"**.

- **IT Staff Experience:** IT Staff see "**Ticket Queue**". Detail page displays `Ticket Queue > Ticket Detail` and `"← Back to Ticket Queue"`.
- **Administrator Experience:** Administrator navigation is dedicated solely to "**User Management**". (The queue is not linked in Admin navigation, keeping administrative duties focused and clean).

3. Responsive Screen Layouts & Field-Set Justifications

3.1 IT Staff Ticket Queue (`StaffTicketQueue.tsx`)

Field-Set Justification Table:

Viewport	Form Factor	Display Mode	Columns / Fields Displayed	Design Rationale & Overflow Prevention
Desktop (≥1024px)	1440×900, 1920×1080	Data Table (<code>.table.tkt-table</code>)	Ticket No, Created Date, Summary, Category, Requested Priority, IT Priority, Status Badge, Owner, Action (<code>Open Detail</code>)	Wide horizontal space accommodates full tabular overview for fast multi-attribute scanning and triage.
Tablet (768px–1023px)	820×1180 (iPad Air)	Compact Data Table	Ticket No, Summary, Requested Priority, IT Priority, Status Badge, Owner, Action	Less critical columns (<code>Created Date</code> , <code>Category</code>) hidden via <code>.tkt-desktop-only</code> to guarantee zero clipping or horizontal table overflow.
Mobile (<768px)	375×667, 390×844	Stacked Cards (<code>.tkt-card-list.tkt-mobile-only</code>)	Card Top: Ticket No + Status Badge Card Body: Full Summary (wrapping naturally), Category, Requested vs IT Priority badges, Owner (or italic "Unassigned") Card Footer: "Open Detail" button (min-height: 44px)	Data tables inevitably clip or require annoying two-axis horizontal scrolling on mobile. Stacked cards provide complete readable information and touch-friendly targets. <code>scrollWidth <= clientWidth</code> strictly verified.

3.2 Admin User Management (`UserManagement.tsx`)

Field-Set Justification Table:

Viewport	Display Mode	Elements Rendered	Justification
Desktop & Tablet (≥768px)	Data Table	Name, Email, Role Badge, Status Badge, Edit Button, Reset Password Button	Structured multi-column display allows fast administrative auditing across accounts.
Mobile (<768px)	Stacked Cards	Name (bold title), Email, Role Badge, Status Badge, Action row: "Edit", "Reset Password"	Displays all critical account attributes without column squishing or cutoff. Buttons offer 44px minimum tap targets.

4. Screen Modes Specification

Screen	Create Mode	View Mode	Edit Mode
Login / Password Change	N/A	Clean centered card with email/password inputs	Mandatory password modal: Current password, New password, Confirm password with real-time rule checklist
Ticket Queue	N/A (IT Staff redirects to create if needed)	Paginated table or mobile card list with real-time search, multi-filter dropdowns, and sorting	N/A (Edits occur in Ticket Detail)
Staff Ticket Detail	Public Comment composer textarea; Internal Note composer textarea	Read-only ticket summary, requester metadata, attachments download, audit timeline	Inline Owner assignment (Claim / Reassign), IT Priority selector, Status transition dropdown
Requester Ticket Detail	Public Comment composer textarea	Read-only ticket summary, attachments download, public comment thread	Problem Appears Resolved action button (triggers confirmation modal)
Admin User Management	"+ Create New User" modal (Name, Email, Role dropdown, Active toggle, Initial Password)	Searchable, role-filterable user list with status indicators	"Edit User" modal (Name, Email, Role, Active status toggle); "Reset Password" modal

5. System Feedback States Matrix

State Type	Visual Implementation & User Feedback
Loading State	Centered animated spinner (<code>.spinner-border.text-success</code>) with "Loading tickets...", "Authenticating...", or button disablement with inline spinner.
Saving / Busy State	Submit buttons switch to disabled state with animated spinner and action text (e.g. "Signing in...", "Saving...", "Updating...").
Empty State	Clean slate panel with soft icon and message: <i>"No tickets found in the queue."</i> or <i>"No users found."</i>
No-Results State	Search/filter query returns zero records: <i>"No tickets match your filter criteria. Try adjusting your search or filters."</i> with a "Reset Filters" action button.
Validation Error	Red outline on input fields (<code>.is-invalid</code>), accompanied by distinct feedback message (<code>.invalid-feedback</code>). Live checklist for password complexity with checkmarks/crosses.
API Error / Failure	Red alert banner (<code>.alert.alert-danger</code>) at top of modal or container detailing the safe error message (e.g. "Invalid email address or password.", "A user with this email already exists.").
Forbidden State (403)	Immediate redirect to unauthorized view or login with alert: <i>"You do not have permission to access this resource."</i>
Not Found State (404)	Informative error card: <i>"Ticket not found or you do not have permission to view it."</i> with navigation back to safe queue/list.
Success State	Green toast/banner notification (<code>.alert.alert-success</code>) confirming action: <i>"User created successfully."</i> , <i>"Comment posted successfully."</i> , <i>"Password updated successfully."</i>
Confirmation State	Modal dialog requiring explicit confirmation before critical status changes: <i>"Indicate that your issue is resolved? This will notify IT Staff."</i> or Cancel/Close confirmations.

6. Accessibility & Visual Checklist Verification

Requirement Item	Target Viewports	Status	Verified Evidence
Zero Horizontal Scroll (<code>scrollWidth <= clientWidth</code>)	375px, 390px, 820px, 1440px	PASS	Automated Playwright responsive test (<code>e2e/lab-03/responsive-overflow.spec.ts</code>) passes across all 4 breakpoints for Login, Queue, Detail, Admin.
Primary Button Visibility & Contrast	All Viewports	PASS	<code>.tk-tbtn-action-primary</code> has background <code>#006B3C</code> with text <code>#ffffff</code> (contrast ratio 6.6:1 , exceeding WCAG AA 4.5:1).
Mobile Touch Targets	Mobile (<768px)	PASS	Action buttons on mobile cards have min-height of 44px (<code>min-height: 44px; display: inline-flex; align-items: center; justify-content: center;</code>).
Status Badge Coverage	All Screens	PASS	Distinct CSS classes implemented and rendered for all 8 statuses (<code>NEW</code> , <code>OPEN</code> , <code>IN_PROGRESS</code> , <code>WAITING_FOR_REQUESTER</code> , <code>RESOLVED</code> , <code>CLOSED</code> , <code>REOPENED</code> , <code>CANCELLED</code>).
Keyboard Accessibility & Modal Traps	All Modals	PASS	Pressing <code>Escape</code> closes Create User, Edit User, Reset Password, and Change Password modals.
Distinct Internal Notes vs Public Comments	IT Staff Detail	PASS	Internal notes render with amber/yellow background (<code>#fef3c7</code>), dark amber border (<code>#f59e0b</code>), and private lock icon, completely distinct from green-accented public comments.

2. Multi-Tier Responsive Viewport Evidence Catalog

All screenshots were captured from live application runs across standardized viewports (Desktop 1440x900 / 1280x800, Tablet 820x1180, Mobile 375x812 / 390x844):




Fig 9.1a: Login Desktop (1440x900)




Fig 9.1b: Login Tablet (820x1180)




Fig 9.1c: Login Mobile (375x812)




Fig 9.2a: Queue Desktop (1440x900)




Fig 9.2b: Queue Tablet (820x1180)




Fig 9.2c: Queue Mobile (390x844)




Fig 9.3a: Detail Desktop (1440x900)




Fig 9.3b: Detail Tablet (820x1180)




Fig 9.3c: Detail Mobile (390x844)




Fig 9.4a: Admin Desktop (1280x800)




Fig 9.4b: Admin Tablet (820x1180)




Fig 9.4c: Admin Mobile (390x844)

3. Completed Visual Quality Checklist

The following checklist documents visual verification across all Lab 3 screens and viewports:

Checklist Item	Status	Tested Viewports	Verification Details & Evidence
1. Design Consistency	[x] PASS	Desktop, Tablet, Mobile	Zen Green primary (#006B3C), medium accent (#008751), and soft tint (#e8f5e9) applied uniformly across all headers, buttons, cards, and modal dialogs.
2. Role Navigation	[x] PASS	Desktop, Tablet, Mobile	Navbar dynamically adapts to authenticated role: Requesters see My Tickets / Create Ticket; Staff see Ticket Queue; Admins see User Management. Unauthorized routes are hidden and blocked.
3. Status & Priority Badges	[x] PASS	All screens & viewports	All 8 statuses (NEW , OPEN , IN PROGRESS , WAITING_FOR_REQUESTER , RESOLVED , CLOSED , REOPENED , CANCELLED) and all 4 priorities (LOW , MEDIUM , HIGH , URGENT) render high-contrast, color-coded badges matching ui-spec tokens.
4. Editable vs Read-Only Fields	[x] PASS	Detail & User screens	Read-only fields (Ticket No, Requester info, Created Date) feature slate backgrounds (#f1f5f9) and disabled styling. Editable fields have crisp white backgrounds with visible focus borders.
5. Validation Placement & Messaging	[x] PASS	Login, Password Modal, Create User	Validation messages render inline directly beneath inputs. ChangePasswordModal features a 5-point live checklist updating green checkmarks in real time. Top alert banners display server errors.
6. Focus States & Keyboard Nav	[x] PASS	All interactive controls	Interactive elements (buttons, inputs, select dropdowns, links) display a distinct 3px Zen Green focus ring on Tab navigation. Modals trap focus and allow dismissal via Esc key.
7. No Clipping / Text Truncation	[x] PASS	Desktop, Tablet, Mobile	All ticket summaries, user emails, and descriptions wrap gracefully without awkward clipping across all tested screen widths (375px to 1440px). Tablet (820px) User Management table renders with responsive column sizing and compact padding.
8. No Element Overlap	[x] PASS	Desktop, Tablet, Mobile	Zero overlapping elements. Modals overlay cleanly with shaded backdrop. Navbar dropdowns render above content with appropriate z-index layering.
9. No Horizontal Overflow	[x] PASS	Mobile (375px & 390px)	Zero horizontal scrolling or layout blowout at 375px mobile viewport. Tables on Queue and Admin screens automatically transform into stacked responsive cards.

Visual Checklist Verification Summary

All 9 visual checklist items are verified and confirmed passing across all viewports. The Zen Green UI implementation conforms 100% to the specification and responsive design standards.