

### ✦✦ Acknowledgement:

It is our great pleasure to present our project report on **Online Watch Shopping** which we conceived during the BCA 5 th Sem affiliated to **Bhakta Kavi Narsinh Mehta University, Junagadh.**

Developing a project is not an easy task neither it can accomplished by solitary attempt. And students like us who are developing a project for first time, it is almost impossible to complete it successfully only through selfattemp.

It is by the grace of all those people who have helped us, that we have completed it successfully. We would also like to thank the whole staff of **The Future Computer Science College, Keshod** for their collaboration to create this best website.

With this report we would like to convey our profound gratitude to our project guide Mr.Pradip Kumbhani one and all without whose help this project would not have been possible. We are also very thankful to the Principal who provide us a good lab facility for completing this project.

**You're sincerely,**

Manali Kagathara,

Pinal Chhatrala,

Urvisha Depani.

### ✦✦ Project Abstract :

**Online Watch Shopping** is a website which is used to provide guidelines to buy different types of jewelries. As any customer has registration our website and after login in our website they can purchase any item. Without registration customers can't buy any item.

In This site There Are main 2 Modules are available **Admin & client.**

In Admin Module admin has a full authority to modify and change in the module of admin project.

In client Module client can see the information of their personal data and purchase item from the products.

## ✦✦ Project Index :

### Contents

✦✦ Project profile .....	3
✦✦ Problem defination.....	4
✦✦ Project defination.....	5
✦✦ Hardware Requirements.....	9
✦✦ Introduction about languages used .....	10
✦✦ Feasibility Study .....	12
✦✦ Data flow diagram.....	13
✦✦ ER diagram.....	15
✦✦ Data Dictionary.....	16
✦✦ Time Line Chart.....	21
✦✦ Screen shots with coding.....	22
✦✦ Project Summary .....	107
✦✦ Bibliography.....	108

## WATCH SHOPPING

---

### ✦ Project profile :

<b>PROJECT TITLE:</b>	Online Watch Shopping
<b>PROJECT TYPE:</b>	Web Application
<b>DEVELOPED AT:</b>	The Future Computer Science College – Keshod
<b>DEVELOPED BY:</b>	Manali Kagathara(SPID - 2017011539) Pinal Chhatrala(SPID - 2017011536) Urvisha Depani (SPID - 2017011578)
<b>FRONT END:</b>	PHP, HTML
<b>BACK END:</b>	MySQL
<b>BROWSER:</b>	Client Side any browser support
<b>EDITOR:</b>	Notepad++
<b>OPERATING SYSTEM:</b>	WINDOWS 1

### ✦✦ Problem definition :

- It contains information for client.
- It stores data of the entire client.
- Client cannot select item without login.
- Client cannot login without registration.
- It can store a data of order, feedback, contact us etc.
- It store data of all client like name, address, email, contact no etc.

### ✦✦ Project definition :

- Watch is known by everyone. watch is most important item for everyone life. If you want to earn more reputation in society then buy and wear so much watch.
- Watch is considered as a symbol of richness and this watch shopping project allows keeping on eyes on all the transaction in the watch shop.
- Online watch shop is basically used to build an application program which help people to find and buy latest design of watch with different type category like earring , necklace , bracelets , bangle etc. and the different items like gold , silver , diamond , handmade , pearl etc. It is in item in the product detail in like price and description etc. It is useful in the way that it makes an easier way to buy products online.
- Today most of the watch shop is useful for shopping site. The admin have lost of paper work and they are using desktop, spread sheet like MS Excel application to manage data in soft copy about user record. In this purposed watch system it will run in server and user can handle whole the registration activities. It has facilities to generate various type of report like (pdf, excel) which are required by the management during event organizing.
- This application maintains the centralized database so that any changes done at a location reflects immediately. A customer cannot purchase any watch without login into site so that can be secured. If user not full fills the required field at registration process them appropriate message will be displayed on the screen. This application is an online tool so more than one user can login into system and use the tool simultaneously.
- The main aim of this project is to develop an interactive and dynamic website that provide customer with an on-click functionality to search for their desired products over a wild range of watch products and buy them easily and at any time according to user's convenience.

### ✦✦ Scope of project:

The application is implemented in PHP and consists of two main components.

- Admin side
- Customer side

#### 1. Admin Side :

Admin side consists of the features such as creating username and password, input items, modify items, delete items, query sale data, query databases data, and logout.

#### 2. Customer Side :

Customer side consists of the features such as select products, buy products, continue shopping, view cart, checkout, sign in, creating an account, bill / ship information, confirm, send order, delete order. There are also the future works for this application. There are mainly two such objectives which are as follows:

- To shop in the comfort of your home, without having to step out of the door.
- To be able to easily save money.

## WATCH SHOPPING

---

### ✦✦ Features:

- 1) Watch shopping
- 2) Diamond watch searching
- 3) Gold watch searching
- 4) Silver watch searching
- 5) Pearl watch searching
- 6) Handmade watch searching
- 7) Watch booking
- 8) Free shipping services
- 9) 24 by 7 shopping and online transaction
- 10) The scope of the system is to provide the user with an account through the process of registration and with a mechanism that lets the customer give some feedback or ask a query pertaining to the products being offered online.
- 11) The system also helps in carrying out the transaction with the help of simple shopping cart and checkout system.
- 12) The system will also reduce the manual operation associated with the maintenance of the record consisting of the order detail, customer detail.
- 13) The system also facilitated user by providing an easy search mechanism to search their desired product on the basics of products name and category.
- 14) Login system
- 15) Admin panel



## WATCH SHOPPING

---

### ✦✦ Advantages :

- 1) Flexible project so edit any code very easily.  
A customer cannot purchase any watch without login into site so that can be secured.
- 2) More than one user can login into system and use the tool simultaneously.
- 3) Original view on all activities performs in the shop.
- 4) 24/7 shopping is possible.
- 5) No need to visit any watch shop. Just click and add stuff to your shopping cart any time.
- 6) Online shop best for discreet purchases.
- 7) Scroll down various option at one time.
- 8) Convenient and best option for lazy cum busy people.
- 9) Never crowded at all. No distraction only shopping.

### ✦✦ Disadvantages :

- 1) User has to require internet connection.
- 2) Speed of the software depends on the computer processor and RAM.
- 3) Over spending many time.

### ✦✦ Hardware Requirements :

- **Processor** :- Intel(R) Core(TM) i3
- **Main Memory** :- 4GB of RAM
- **CD-DVD-Drive** :- For installation
- **Hard Disk** :- 10 GB

### ✦✦ Software Requirements :

- **Operating System** :- Microsoft Windows8 & Higher
- **Browser** :- Google Chrome, IE etc.
- **Front End** :- PHP, HTML
- **Back End** :- MySQL
- **Editor** :- Notepad++

### ✦✦ Introduction about languages use

- **PHP :**

PHP (Hypertext Preprocessor) is a general-purpose programming language originally designed for web development. It was originally created by Rasmus Lerdorf in 1994; the PHP reference implementation is now produced by The PHP Group. PHP originally stood for Personal Home Page, but it now stands for the recursive initialism PHP: Hypertext Preprocessor.

PHP code may be executed with a command line interface (CLI), embedded into HTML code, or used in combination with various web template systems, web content management systems, and web frameworks. PHP code is usually processed by a PHP interpreter implemented as a module in a web server or as a Common Gateway Interface (CGI) executable.

- **MYSQL :**

MySQL was created by a Swedish company, MySQL AB, founded by David Axmark, Allan Larsson and Michael "Monty" Widenius. Original development of MySQL by Widenius and Axmark began in 1994. The first version of MySQL appeared on 23 May 1995. It was initially created for personal usage from MySQL based on the low-level language ISAM, which the creators considered too slow and inflexible. They created a new SQL interface, while keeping the same API as MySQL. By keeping the API consistent with the MySQL system, many developers were able to use MySQL instead of the (proprietary licensed) MySQL antecedent

- **CSS :**

Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a markup language like HTML. CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript. CSS is designed to enable the separation of presentation and content, including layout, colors, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple web pages to share formatting by specifying the relevant CSS in a separate .css file, and reduce complexity and repetition in the structural content.

- **JAVASCRIPT :**

JavaScript (JS) is a lightweight, interpreted, or just-in-time compiled programming language with first-class functions. While it is most well-known as the scripting language for Web pages, many non-browser environments also use it, such as Node.js, Apache Couch DB and Adobe Acrobat. JavaScript is a prototype-based, multi-paradigm, dynamic language, supporting object-oriented, imperative, and declarative (e.g. functional programming) styles. Read more about JavaScript. This section is dedicated to the JavaScript language itself, and not the parts that are specific to Web pages or other host environments. For information about APIs specific to Web pages, please see Web APIs and DOM.

### ✦✦ Feasibility Study :

There are 3 types of Feasibility Study:

- ✓ Technical
- ✓ Operational
- ✓ Economical

- Technical feasibility:-

Technical feasibility considers whether the project can be completed within the available technology. As our project was Website developing we get advanced web-editing tools that are available.

- Operational feasibility:-


Operational feasibility was done to assure that the product would be developed that is used or not. A Computer Peripherals & Consumables to have a website of its own. So, that's not problem for it.

- Economical feasibility:-

The organization has evaluated cost of hardware required for the system including the storage of data. The benefits expected from the system are studied to access reduced cost due to the new system.


### ✦✦ Data flow diagram :

- Data flow diagram level 0




## WATCH SHOPPING

- Data flow diagram level 1 :



# WATCH SHOPPING

ER diagram :





## WATCH SHOPPING

### ✦ Data Dictionary

#### ❖ Tables:

##### 1. Admin:

Field	Type	Allow Nulls	Description
Id	int(5)		Serial No
name	varchar(50)	✓	User Name
password	varchar(50)	✓	Password

#### Description:-

Admin Table Is use to manage the Website Security. This table contains an admin name and password. Id field is auto increment and unique.

##### 2. Cart:

FIELD	TYPE	Allow Null	Description
Id	Int		Serial No
userid	varchar(50)	✓	User Id
itemid	Int	✓	Item Id
quantity	Int	✓	Quantity of item
price	Int	✓	Price

#### Description:-

This table is store the information about the watch which is add to cart by client, this table store userid, item id of item which is add to cart by client and also store a Quantity and price of item. Id field is auto increment and unique.

### 3. Category:

FIELD	Type	Allow Null	Description
Id	Int		Serial No
category	varchar(50)	✓	Category
description	varchar(50)	✓	Description for the category

#### Description:-

This table is store a data about category which is added by the admin, it store a category name and Description about category. Id field is auto increment and unique.

### 4. Feedback:

Field	Type	Allow Null	Description
Id	Int		Serial No
name	varchar(50)	✓	Name
mail	varchar(50)	✓	Email Id
experience	varchar(50)	✓	Experience
comments	varchar(50)	✓	Comments

#### Description:-

This table is store a data of client and comments etc...which is entered by the client. Client can share an experience and give a comment..... Id field is auto increment and unique.

### 5. Order1:

FIELD	Type	Allow Null	Description
Id	int		Serial No
userid	varchar(50)	✓	User Id
Date	date	✓	Date
status	varchar(50)	✓	Status
Total	int	✓	Total

#### Description:-

This table is store a data of the order watch by the client and it also store a Id of user and purchase date and status, total of given order. Id field is auto increment and unique.

### 6. Order\_details:

Field	Type	Allow Null	Description
Id	int		Serial No
ordered	int	✓	Id of Order
itemid	int	✓	Id of Item
quantity	int	✓	Item Quantity
price	int	✓	Price

#### Description:-

This table is store a data of and information which item finalize by client.

It store order id, id of item, quantity of item and price .....

## WATCH SHOPPING

---

### 7. Product:

FIELD	Type	Allow Null	Description
Id	int		Serial No
name	varchar(50)	✓	Name Of Product
image	varchar(50)	✓	Product Image
description	varchar(50)	✓	Product Description
price	int	✓	Product price
Gram	int	✓	Gram
category	varchar(50)	✓	Product Category

#### Description:-

This table is store information about product which is inserting by the admin. This table stores a name of product, image of product, description about product Price, gram and category about product.

### 8. Registration:

FIELD	TYPE	Allow Null	Description
Id	int		Serial No
firstname	varchar(50)	✓	First Name
lastname	varchar(50)	✓	Last Name
bdate	date	✓	Date of Birthdate
gender	varchar(50)	✓	Gender
address	varchar(50)	✓	Address
City	varchar(50)	✓	City
state	varchar(50)	✓	State
country	varchar(50)	✓	Country
contact	varchar(50)	✓	Contact No
mail	varchar(50)	✓	Email Id
password	varchar(50)	✓	Password

## WATCH SHOPPING

---

### Description:-

This table is store a data of client like name, gender, address, contact no, mail etc... which is entered by the client. Id is unique identity which is given to the client...

### 9. Latest:

FIELD	TYPE	Allow Null	Description
Id	int		Serial No
Pid	int	✓	product id

### Description:-

This table is store a data of latest product like id, pid etc... which is entered by the admin. Id field is auto increment and unique.

### 10. Recommended:


FIELD	TYPE	Allow Null	Description
Id	Int		Serial No
Pid	Int	✓	product id

### Description:-

This table is store a data of recommended product like id, pid etc... which is entered by the admin. Id field is auto-increment and unique.

## WATCH SHOPPING

### ✦ Time Line Chart:



## WATCH SHOPPING


---

PHP Code:-

✦✦ Screen shots with coding:

### ❖ Admin Side:

#### 1) Admin Login:-



PHP CODE:-

```
<?php
session_start();
include("header.php");
if(isset($_POST["login"]))
{
    $mail=$_POST["name"];
    $pw=$_POST["password"];
    $que="select * from registration where mail='$mail' and password='$pw'";
    $res=mysqli_query($cn,$que);
```

## WATCH SHOPPING

---

```
if(!mysqli_num_rows($res))
{
    echo '<script>alert("User not exist or password is invalid")</script>';
}
else
{
    $res=mysqli_query($cn,$que);
    $_SESSION["un"]=$mail;
    header("Location:client/index.php");
}
}
echo $hh;
?>

<!-- ===== start banner area ===== -->
<section class="blog-banner-area" id="category">
    <div class="container h-100">
        <div class="blog-banner">
            <div class="text-center">
                <h1>Login / Register</h1>
                <nav aria-label="breadcrumb" class="banner-
breadcrumb">
                    <ol class="breadcrumb">
                        <li class="breadcrumb-item"><a href="#">Home</a></li>
```



## WATCH SHOPPING

---

```
<li class="breadcrumb-item active" aria-current="page">Login/Register</li>
</ol>
</nav>

</div>

</div>

</div>

</section>

<!-- ===== end banner area ===== -->

<!--=====Login Box Area =====>

<section class="login_box_area section-margin">
  <div class="container">
    <div class="row">
      <div class="col-lg-6">
        <div class="login_box_img">
          <div class="hover">
            <h4>New to our website?</h4>
            <a class="button button-account"
href="register.php">Create an Account</a>
          </div>
        </div>
      </div>
      <div class="col-lg-6">
        <div class="login_form_inner">
          <h3>Log in to enter</h3>
```

## WATCH SHOPPING

---

```
<form class="row login_form" action="#"
id="contactForm" method="post">

    <div class="col-md-12 form-group">

        <input type="text" class="form-
control" id="name" name="name" placeholder="Username" onfocus="this.placeholder = ''"
onblur="this.placeholder = 'Username'">

    </div>

    <div class="col-md-12 form-group">

        <input type="password"
class="form-control" id="password" name="password" placeholder="Password"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Password'">

    </div>

    <div class="col-md-12 form-group">

        <button type="submit"
value="submit" class="button button-login w-100" name="login">Log In</button>

        <a
href="changepassword.php">change password?</a>

    </div>

</form>

</div>

</div>

</div>

</section>

<!--=====End Login Box Area =====-->
```

<?php

echo \$hf;

?>

WATCHSHOPPING

### 2) Add Admin:-

Add New Admin

#### PHP Code:-

```
<?php
session_start();
include("header.php");
echo $hh;
if(isset($_POST["feedback"]))
{

    $nm=$_POST["Username"];
    $pwd=$_POST["password"];
    $qt="insert into admin values(NULL,'$nm','$pwd)";
    $data=mysqli_query($con,$qt);
    if($data)
    {
        header("location:add_admin.php");
    }
}
```

```
    echo "Sucesssfully Add Admin";
}
else
{
    echo "Unsucessfully";
}
}
?>
<!-- ===== contact section start ===== -->
<section class="section-margin--small">
    <div class="container">

        <div class="row">
            <div class="col-md-4 col-lg-3 mb-4 mb-md-0">
                <div class="media contact-info">

                    </div>
                    <div class="media contact-info">

                        </div>
                        <div class="media contact-info">

                            </div>

            </div>
        </div>
    </div>
```

## WATCH SHOPPING

---

</div>

<div class="col-md-8 col-lg-9">

Add New Admin<br><br>

<form action="#" class="form-contact contact\_form" action="contact\_process.php" method="POST" id="contactForm" novalidate="novalidate">

<div class="row">

<div class="col-lg-12">

<div class="form-group">

<input class="form-control" name="Username" id="Username" type="text" placeholder="Enter your Username">

</div>

<div class="form-group">

<input class="form-control" name="password" id="experience" type="text" placeholder="Enter password">

</div>

</div>

<div class="col-lg-7">

</div>

</div>

<div class="form-group text-center text-md-right mt-3">

<input type="submit" name="feedback" class="button button-login w-100" value="Add Admin">

## WATCH SHOPPING

---

```
</div>
</form>
</div>
</div>
</div>
</section>
<!-- ===== contact section end ===== -->
<?php
echo $hf;
?>
```

### 3) Delete Admin:-


#### PHP Code:-

```
<?php
include("header.php");
$id=$_REQUEST["id"];
mysqli_query($con,"delete from admin where id='".$id."'");
header("Location:add_admin.php");
?>
```



## WATCH SHOPPING

### 4) View Registration:-



[Home](#) [Register](#) [Contact](#) [Product](#) [Category](#) [Pages](#)

[Home](#) / [Admin](#) / View Registration

Firstname	Lastname	Mail	Mobile	View	Remove
adadsfasf	adsfadsfasf			<a href="#">View</a>	<a href="#">Delete</a>
hitesh	patel	hitesh@gmail.com		<a href="#">View</a>	<a href="#">Delete</a>
dev	patel	dev@gmail.com		<a href="#">View</a>	<a href="#">Delete</a>
sdads	xczxcxczc	hite@gmail.com		<a href="#">View</a>	<a href="#">Delete</a>
manali	kagathara	manalikagathara@gmail.com		<a href="#">View</a>	<a href="#">Delete</a>
pinal	chhatrala	pinal@gmail.com		<a href="#">View</a>	<a href="#">Delete</a>
urvisha	depani	urvisha@gmail.com		<a href="#">View</a>	<a href="#">Delete</a>

### PHP Code:-

```
<?php
session_start();

include("header.php");
if(isset($_SESSION['ua']))
{
echo $hh;echo $dd;

?>

<div class="breadcrumb-wrap">

<div class="container-fluid">
```

## WATCH SHOPPING

---

```
<ul class="breadcrumb">
  <li class="breadcrumb-item"><a href="#">Home</a></li>
  <li class="breadcrumb-item"><a href="#">Admin</a></li>
  <li class="breadcrumb-item active">View Registration</li>
</ul>
</div>
</div>
<div class="wishlist-page">
  <div class="container-fluid">
    <div class="wishlist-page-inner">
      <div class="row">
        <div class="col-md-12">
          <div class="table-responsive">
            <table class="table table-bordered">
              <thead class="thead-dark">
                <tr>
                  <th>Firstname</th>
                  <th>Lastname</th>
                  <th>Mail</th>
                  <th>Mobile</th>
                  <th>View</th>
                  <th>Remove</th>
                </tr>
              </thead>
              <tbody>
                <tr>
                  <td><?php
```

## WATCH SHOPPING

---

```
registration");

$res=mysqli_query($con,"select * from

while($row=mysqli_fetch_array($res))
{?>

<tbody class="align-middle">
    <tr>
        <td><?php echo
$row[1];?></td>
        <td><?php echo
$row["lastname"];?></td>
        <td><?php echo
$row["mail"];?></td>
        <td><?php echo
$row["contect"];?></td>
        <td><a
href='user.php?id=<?php echo $row["MAIL"];?>'>View</a></td>
        <td><a
href='del_regi.php?id=<?php echo $row["ID"];?>'>Delete</a></td>
    </tr>
</tbody>
<?php } ?>
</table>
</div>
</div>
</div>
</div>
```

```
</div>
</div>
<?php
echo $hf;
}
else
{
    header("location:index.php");
}
?>
```







### 5) Delete Registratio:-

#### PHP Code:-

```
<?php
include("header.php");
$id=$_REQUEST["id"];
mysqli_query($con,"delete from registration where ID='".$id."'");
header("Location:view_register.php");
?>
```

## WATCH SHOPPING

### 6) View Product:-

<div><div><a href="#">Home</a> <a href="#">Register</a> <a href="#">Contact</a> <a href="#">Product</a> <a href="#">Category</a> <a href="#">Pages</a></div></div>								
Id	Product_Name	Image	Description	Price	Category	Operation	Operation	Operation
3	watch		men watch	20000	men	<a href="#">Update</a>	<a href="#">Update Image</a>	<a href="#">Delete</a>
4	sonata		best wach	45555	men	<a href="#">Update</a>	<a href="#">Update Image</a>	<a href="#">Delete</a>
5	watch		watch for children	300	children	<a href="#">Update</a>	<a href="#">Update Image</a>	<a href="#">Delete</a>
6	watch		best watch	500	women	<a href="#">Update</a>	<a href="#">Update Image</a>	<a href="#">Delete</a>
7	watch		best wach	1000	women	<a href="#">Update</a>	<a href="#">Update Image</a>	<a href="#">Delete</a>

```
<?php
session_start();
if(isset($_SESSION["ua"]))
{
include("header.php");
echo $hh;
echo $dd;
?>

<section id="cart_items"><!--form-->
```

## WATCH SHOPPING

---

```
<div class="container">

    <div class="col-sm-11" style = "margin:0 0 0 50px;">

        <div class="table-responsive cart_info">

            <table class="table table-condensed">

                <thead>

                    <tr class='cart_menu'>

                        <td class='id'><center>Id</center></td>

                        <td

class='nm'><center>Product_Name</center></td>

                        <td

class='img'><center>Image</center></td>

                        <td

class='des'><center>Description</center></td>

                        <td

class='price'><center>Price</center></td>

                        <td

class='category'><center>Category</center></td>

                        <td

class='ope'><center>Operation</center></td>

                        <td

class='ope'><center>Operation</center></td>

                        <td

class='ope'><center>Operation</center></td>

                        <td></td>

                    </tr>
```

## WATCH SHOPPING

---

```
</thead>

<tbody>

<?php
$res=mysqli_query($con,"Select * from product");
while($row=mysqli_fetch_row($res))
{
    $res1=mysqli_query($con,"select * from category where
id=$row[5]");

    echo
" <tr><td><center>$row[0]</center></td><td><center>$row[1]</center></td><td><center><im
g src='../img/product/$row[2]' height=100
width=100></center></td><td><center><br>$row[3]</center></td><td><center><br>$row[4]<
/center></td><td><center><br>$row[5]</center></td><td><center><b><a
href='upd_product.php?id=$row[0]>Update</a></b></center></td><td><center><b><a
href='up_image.php?id=$row[0]>Update Image</a></b></center></td><td><center><b><a
href='del_Product.php?id=$row[0]>Delete</a></b></center></td><td><center><b>";

}

?>

</tbody>

</table>

</div>

<a href="add_Product.php">Add new Product</a>

</br></br></br>


</br>
```



```
        </div>
    </div>
</div>
</section><!--/form-->

<?php
echo $hf;
}
else
    header("Location:index.php");
?>
```

### 7) Add Product:-



The screenshot shows the 'Add Product' form in the Gerardz Watches application. The form is located on a page with a header containing the Gerardz Watches logo and navigation links: Home, Register, Contact, Product, Category, and Pages. The form itself has a light gray background and includes the following fields:

- 
- No file chosen
- 
- 
- 

At the bottom of the form is a blue button labeled "Add Category".

### PHP Code:-

```
<?php
session_start();
if(isset($_SESSION["ua"]))
{
include("header.php");
if(isset($_POST['submit']))
{

$nm=$_POST['name'];
$img=$_FILES['image']['name'];
$des=$_POST['description'];
$pri=$_POST['price'];
```

```
$cat=$_POST['category'];
$dir="../img/product/";
$tmpnm=$dir.$img;
if(move_uploaded_file($_FILES['image']['tmp_name'],$tmpnm))
{
    $arr=getimagesize($tmpnm);
    list($w,$h,$t,$a)=$arr;
    if($t>2)
    {
        echo "Sorry, wrong type";
        die();
    }
    else
    {
        $que="insert into product values(NULL,'$nm','$img','$des',$pri,$cat)";
        // echo $que;
        mysqli_query($con,$que);
        $id=mysqli_insert_id($con);
        $newnm=$dir.$id.'.jpg';
        //echo $tmpnm;
        //echo $newnm;
        rename($tmpnm,$newnm);
        $newnm=$id.'.jpg';
        mysqli_query($con,"UPDATE product SET product_image='$newnm' WHERE id=$id");
```

```
}
header("Location:view_product.php");
}

}
echo $hh;
echo $dd;
?> <section class="section-margin--small">
    <div class="container">

        <div class="row">

            <div class="col-md-8 col-lg-9">
                <form action="#" class="form-contact contact_form" action="#" method="POST"
                enctype="multipart/form-data" id="contactForm" novalidate="novalidate">
                    <div class="row">
                        <div class="col-lg-12">
                            <div class="form-group">
                                <input class="form-control" name="name" id="Category" type="text"
                                placeholder="Enter your Product Name">
                            </div>
                            <div class="form-group">
                                <input class="form-control" name="image" id="description" type="file"
                                placeholder="Select Image">
                            </div>
                            <div class="form-group">
```

## WATCH SHOPPING

---

```
<input class="form-control" name="description" id="description" type="text"
placeholder="Enter Discription">

</div>

<div class="form-group">

  <input class="form-control" name="price" id="description" type="text"
placeholder="Enter Price">

</div>

<div>

  <select name="category" id="category" class="form-control" required="required"
placeholder="">

    <option>Select Category</option>

    <?php
      $res=mysqli_query($con,"select * from category");
      while($row=mysqli_fetch_row($res))
      {
        echo "<option value='$row[1]'>$row[1]</option>";
      }
    ?>
  </select>

</div>

</div>

</div>

<div class="form-group text-center text-md-right mt-3">

  <input type="submit" name="submit" class="button button-login w-100" value="Add
Category">
```

```
</div>
</form>
</div>
</div>
</div>
</section>
<!-- Login End -->
<?php
echo $hf;
}
else
{
    header("location:index.php");
}
?>
```

### 8) Update Product:-



watch

men watch

20000

men

Select Category ▾

Update Product

#### PHP Code:-

```
<?php
session_start();
if(isset($_SESSION["ua"]))
{
include("header.php");
$id=$_REQUEST["id"];
if(isset($_POST["submit"]))
{
    $nm=$_POST['name'];
    $des=$_POST['description'];
    $pri=$_POST['price'];
    $gm=$_POST['gram'];
    $cat=$_POST['category'];

    $que="update product set
name='$nm',description='$des',price='$pri',gram='$gm',category='$cat' where id=$id";
```

## WATCH SHOPPING

---

```
mysqli_query($con,$que);
//echo $que;
header("Location:view_product.php");
}
$res=mysqli_query($con,"select * from product where id=$id");
$row=mysqli_fetch_row($res);
echo $hh;
?>
<section class="section-margin--small">
<div class="container">

<div class="row">

<div class="col-md-8 col-lg-9">
<form action="#" class="form-contact contact_form" action="#" method="POST"
enctype="multipart/form-data" id="contactForm" novalidate="novalidate">
<div class="row">
<div class="col-lg-12">
<div class="form-group">
<input class="form-control" name="name" id="Category" value="<?php echo $row[1];?>"
type="text" placeholder="Enter your Product Name">
</div>
<div class="form-group">
<input class="form-control" name="description" value="<?php echo $row[3];?>"
id="description" type="text" placeholder="Enter Discription">
</div>
```



## WATCH SHOPPING

---

```
<div class="form-group">

<input class="form-control" name="price" value="<?php echo $row[4];?>" id="description"
type="text" placeholder="Enter Price">

</div>

<div class="form-group">

<input class="form-control" name="gram" id="description" value="<?php echo $row[5];?>"
type="text" placeholder="Enter Gram">

</div>

<div>

<select name="category" id="category" class="form-control" required="required"
value="<?php echo $row[6];?>" placeholder="">

<option>Select Category</option>

<?php
$res=mysqli_query($con,"select * from category");
while($row1=mysqli_fetch_row($res))
{
if($row[6]==$row1[0])
echo "<option value='$row1[0]' selected>$row1[1]</option>";
else
echo "<option value='$row1[0]'>$row1[1]</option>";
}
?>

</select>

</div>

</div>

</div>
```


```
<div class="form-group text-center text-md-right mt-3">
<input type="submit" name="submit" class="button button-login w-100" value="Update
Product">
</div>
</form>
</div>
</div>
</div>
</section>
<!-- Login End -->
<?php
echo $hf;
}
else
{
header("location:index.php");
}
?>
```

### 9) Delete Product:-

#### PHP Code:-

```
<?php
include("header.php");
$id=$_REQUEST["id"];
mysqli_query($con,"delete from product where id='".$id."'");
header("Location:view_product.php");
?>
```

### 10) Add Category:-



GERARDZ  
WATCHES

[Home](#) [Register](#) [Contact](#) [Product](#) [Category](#) [Pages](#)

Enter your Category Name

Enter Description

Add Category

#### PHP Code:-

```
<?php
session_start();
if(isset($_SESSION["ua"]))
{
include("header.php");
if(isset($_POST['submit']))
{

$category=$_POST['category'];
$description=$_POST['description'];
$sql="insert into category values(null,'$category','$description)";
//echo $sql;
$res=mysqli_query($con,$sql);
//header("Location:category.php");
```

## WATCH SHOPPING

---

```
}  
echo $hh;  
echo $dd;  
?>  
<section class="section-margin--small">  
  <div class="container">  
  
    <div class="row">  
  
      <div class="col-md-8 col-lg-9">  
  
        <form action="#" class="form-contact contact_form" action="#" method="POST"  
        id="contactForm" novalidate="novalidate">  
  
          <div class="row">  
  
            <div class="col-lg-12">  
  
              <div class="form-group">  
  
                <input class="form-control" name="category" id="Category" type="text" placeholder="Enter  
                your Category Name">  
  
              </div>  
  
              <div class="form-group">  
  
                <input class="form-control" name="description" id="description" type="text"  
                placeholder="Enter Descriptiond">  
  
              </div>  
  
            </div>  
  
          </div>  
  
        </div>  
  
      <div class="form-group text-center text-md-right mt-3">
```

## WATCH SHOPPING

---

```
<input type="submit" name="submit" class="button button-login w-100" value="Add  
Category">
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Login End -->
```

```
<?php
```

```
echo $hf;
```

```
}
```

```
else
```


```
{
```

```
header("location:index.php");
```

```
}
```

```
?>
```

## 11) View Feedback:-



### PHP Code:-

```
<?php
include("header.php");
echo $hh;
?>
<div class="breadcrumb-wrap">
<div class="container-fluid">
<ul class="breadcrumb">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item"><a href="#">Admin</a></li>
<li class="breadcrumb-item active">View Feedback</li>
</ul>
</div>
</div>
<div class="wishlist-page">
<div class="container-fluid">
```

## WATCH SHOPPING

---


```
<div class="wishlist-page-inner">
<div class="row">
<div class="col-md-12">
<div class="table-responsive">
<table class="table table-bordered">
<thead class="thead-dark">
<tr>
<th>Name</th>
<th>Mail</th>
<th>Experience</th>
<th>Comment</th>
<th>Remove</th>
</tr>
</thead>
<?php
$res=mysqli_query($con,"select * from feedback");
while($row=mysqli_fetch_array($res))
{?>

<tbody class="align-middle">
<tr>
<td><?php echo $row[1];?></td>
<td><?php echo $row[2];?></td>
<td><?php echo $row[3];?></td>
<td><?php echo $row[4];?></td>
```



```
<td><a href='del_feed.php?id=?php echo $row[0];?>'>Delete</a></td>
</tr>
</tbody>
<?php } ?>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php
echo $hf;
?>
```

## 12) Contact Us:-



[Home](#) [Register](#) [Contact](#) [Product](#) [Category](#) [Pages](#)

[Home](#) / [Admin](#) / View Contact Us

Name	Subject	Mail	Message	Remove
hardik@gmail.com	Hardik	hello	sss	<a href="#">Delete</a>
hardik@gmail.com	Hardik	sdasadsad	ssadsa	<a href="#">Delete</a>
m,mn	hitesh@gmail.com	,mn,	mn,mn,	<a href="#">Delete</a>
gjkghj	kjg	ghjhghghj	hgjghj	<a href="#">Delete</a>
gjkghj	kjg	ghjhghghj	hgjghj	<a href="#">Delete</a>

### PHP Code

```
<?php
include("header.php");
echo $hh;
echo $dd;
?>
<div class="breadcrumb-wrap">
<div class="container-fluid">
<ul class="breadcrumb">
<li class="breadcrumb-item"><a href="home.php">Home</a></li>
<li class="breadcrumb-item"><a href="">Admin</a></li>
<li class="breadcrumb-item active">View Contact Us</li>
</ul>
</div>
```

```
</div>
<div class="wishlist-page">
<div class="container-fluid">
<div class="wishlist-page-inner">
<div class="row">
<div class="col-md-12">
<div class="table-responsive">
<table class="table table-bordered">
<thead class="thead-dark">
<tr>
<th>Name</th>
<th>Subject</th>
<th>Mail</th>
<th>Message</th>
<th>Remove</th>
</tr>
</thead>
<?php
$res=mysqli_query($con,"select * from contact");
while($row=mysqli_fetch_array($res))
{?>

<tbody class="align-middle">
<tr>
<td><?php echo $row[1];?></td>
```


```
<td><?php echo $row[2];?></td>
<td><?php echo $row[3];?></td>
<td><?php echo $row[4];?></td>
<td><a href='del_cont.php?id=<?php echo $row[0];?>'>Delete</a></td>
</tr>
</tbody>
<?php } ?>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
<?php
echo $hf;
?>
```

### 13) Log Out:-

```
<?php
session_start();
session_destroy();
header("location:index.php");
?>
```

## ❖ Client Side:-

### 1) Home Page:-



## 2) Registration:-

GERARDZ  
WATCHES

Home Shopping Login Register Contact Admin Buy Now

Already have an account?  
[Login Now](#)

CREATE AN ACCOUNT

FirstName  
LastName  
Email Address  
Password  
Confirm Password

REGISTER

### PHP Code

```
<?php  
include("header.php");  
  
if(isset($_POST["crt"]))  
{  
$fnm=$_POST["firstname"];  
$lnm=$_POST["lastname"];  
$mail=$_POST["mail"];  
$pass=$_POST["password"];  
$conpass=$_POST["conpassword"];  
  
$res=mysqli_query($cn,"select *from registration where mail='$mail'");
```

## WATCH SHOPPING

---

```
$r=mysqli_num_rows($res);  
if($r)  
{  
echo '<script>alert("User Already Exists")</script>';  
}  
else  
{  
if($pass==$conpass)  
{  
$que="insert into registration(id,firstname,lastname,mail,password)  
values(NULL,'$fnm','$lnm','$mail','$pass)";  
//echo $que;  
mysqli_query($cn,$que);  
echo '<script>alert("User Create Successfully")</script>';  
}  
else  
{  
echo '<script>alert("Plz check password and confirm password")</script>';  
}  
}  
  
echo $hh;
```



?>

<!-- ===== start banner area ===== -->

<section class="blog-banner-area" id="category">

<div class="container h-100">

<div class="blog-banner">

<div class="text-center">

<h1>Register</h1>

<nav aria-label="breadcrumb" class="banner-breadcrumb">

<ol class="breadcrumb">

<li class="breadcrumb-item"><a href="#">Home</a></li>

<li class="breadcrumb-item active" aria-current="page">Register</li>

</ol>

</nav>

</div>

</div>

</div>

</section>

<!-- ===== end banner area ===== -->

<!--=====Login Box Area =====-->

<section class="login\_box\_area section-margin">

<div class="container">

## WATCH SHOPPING

---

```
<div class="row">
<div class="col-lg-6">
<div class="login_box_img">
<div class="hover">
<h4>Already have an account?</h4>
<a class="button button-account" href="login.php">Login Now</a>
</div>
</div>
</div>
<div class="col-lg-6">
<div class="login_form_inner register_form_inner">
<h3>Create an account</h3>
<form class="row login_form" action="#" method="post" id="register_form" >
<div class="col-md-12 form-group">
<input type="text" class="form-control" id="name" name="firstname"
placeholder="FirstName" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Firstname'">
</div>
<div class="col-md-12 form-group">
<input type="text" class="form-control" id="name" name="lastname" placeholder="LastName"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Lastname'">
</div>
<div class="col-md-12 form-group">
<input type="text" class="form-control" id="email" name="mail" placeholder="Email Address"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Email Address'">
</div>
```

## WATCH SHOPPING

---

```
<div class="col-md-12 form-group">

<input type="password" class="form-control" id="password" name="password"
placeholder="Password" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Password'">

</div>

<div class="col-md-12 form-group">

<input type="password" class="form-control" id="confirmPassword" name="conpassword"
placeholder="Confirm Password" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Confirm Password'">

</div>

<div class="col-md-12 form-group">

<button type="submit" value="submit" name="crt" class="button button-register w-
100">Register</button>

</div>

</form>

</div>

</div>

</div>

</div>

</div>

</section>


<!--=====End Login Box Area =====-->
```

```
<?php
echo $hf;
```

?>

WATCHSHOPPING

### 3) Update Registration:-



#### PHP Code:-

```
<?php
session_start();
include("header.php");
if(isset($_POST["update"]))
{
    $fnm=$_POST["FIRSTNAME"];
    $lnm=$_POST["LASTNAME"];
    $bdate=$_POST["BDATE"];
    $gen=$_POST["GENDAR"];
    $add=$_POST["ADDRESS"];
    $cit=$_POST["CITY"];
```

## WATCH SHOPPING

---

```
$ste=$_POST["STATE"];
$cou=$_POST["COUNTRY"];
$con1=$_POST["CONTACT"];
$pin=$_POST["PINCODE"];
$mail=$_POST["MAIL"];
$id=$_SESSION['un'];

$qt="UPDATE registration SET
FIRSTNAME='$fnm',LASTNAME='$lnm',BDATE='$bdate',GENDER='$gen',ADDRESS='$add',CITY='
$cit',STATE='$ste',COUNTRY='$cou',CONTECT='$con1',PINCODE='$pin' WHERE
MAIL='".$_SESSION['un']."'";

$sql=mysqli_query($cn,$qt);
//header("Location:view_registration.php");

}

$result = mysqli_query($cn,"SELECT * FROM registration WHERE
MAIL='".$_SESSION['un']."'");
$row= mysqli_fetch_array($result);
echo $hh;
?>

<!-- ===== start banner area ===== -->

<section class="blog-banner-area" id="category">

<div class="container h-100">
```

## WATCH SHOPPING

---

```
<div class="blog-banner">
  <div class="text-center">
    <h1>Register</h1>
  <nav aria-label="breadcrumb" class="banner-breadcrumb">
    <ol class="breadcrumb">
      <li class="breadcrumb-item"><a href="#">Home</a></li>
      <li class="breadcrumb-item active" aria-current="page">Register</li>
    </ol>
  </nav>
</div>
</div>
</div>
</div>
</section>
<!-- ===== end banner area ===== -->

<!--=====Login Box Area =====-->
<section class="login_box_area section-margin">
  <div class="container">
    <div class="row">
      <div class="col-lg-6">
        <div class="login_box_img">
          <div class="hover">
            <h4>Already have an account?</h4>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
<p>There are advances being made in science and technology everyday, and a good example of
this is the</p>
```

## WATCH SHOPPING

---

```
<a class="button button-account" href="login.html">Login Now</a>

</div>

</div>

</div>

<div class="col-lg-6">

<div class="login_form_inner register_form_inner">

<h3>Update Registration</h3>

<form class="row login_form" action="#" method="POST" id="register_form" >

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="name" name="FIRSTNAME"
placeholder="Firstname" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Firstname'" value="<?php echo $row['firstname']; ?>">

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="LASTNAME" name="LASTNAME"
placeholder="Lastname" onfocus="this.placeholder = ''" onblur="this.placeholder = 'Enter
Lastname'" value="<?php echo $row['lastname']; ?>">

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="Dob" name="BDATE" placeholder="Dob"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Dob'" value="<?php echo
$row['bdate']; ?>">

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="Gender" name="GENDAR" placeholder="Gender"
onfocus="this.placeholder = ''" onblur="this.placeholder = 'Gender'" value="<?php echo
$row['gender']; ?>">
```



## WATCH SHOPPING

---

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="address" name="ADDRESS" placeholder="address" onfocus="this.placeholder = 'address'" onblur="this.placeholder = 'address'" value="<?php echo \$row['address']; ?>">

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="city" name="CITY" placeholder="city" onfocus="this.placeholder = ''" onblur="this.placeholder = 'city'" value="<?php echo \$row['city']; ?>">

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="state" name="STATE" placeholder="state" onfocus="this.placeholder = ''" onblur="this.placeholder = 'state'" value="<?php echo \$row['state']; ?>">

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="country" name="COUNTRY" placeholder="country" onfocus="this.placeholder = ''" onblur="this.placeholder = 'country'" value="<?php echo \$row['country']; ?>">

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="contact" name="CONTACT" placeholder="contact" onfocus="this.placeholder = ''" onblur="this.placeholder = 'contact'" value="<?php echo \$row['contact']; ?>">

</div>

<div class="col-md-12 form-group">

<input type="text" class="form-control" id="pincode" name="PINCODE" placeholder="pincode" onfocus="this.placeholder = ''" onblur="this.placeholder = 'pincode'" value="<?php echo \$row['pincode']; ?>">

## WATCH SHOPPING

---

</div>

<div class="col-md-12 form-group">

<input type="hidden" class="form-control" id="email" name="MAIL" placeholder="email"  
onfocus="this.placeholder = ''" onblur="this.placeholder = 'mail'">

</div>

<div class="col-md-12 form-group">

<input type="submit" name="update" class="button button-login w-100" value="update  
profile">

</div>

</form>

</div>

</div>

</div>

</div>

</section>


<!--=====End Login Box Area =====-->

<?php

echo \$hf;

?>

### 14) Login:-



#### PHP Code

```
<?php
session_start();
include("header.php");
if(isset($_POST["login"]))
{
    $mail=$_POST["name"];
    $pw=$_POST["password"];
    $que="select * from registration where mail='$mail' and password='$pw'";
    $res=mysqli_query($cn,$que);
    if(!mysqli_num_rows($res))
    {
```

```
echo '<script>alert("User not exist or password is invalid")</script>';

}
else
{
$res=mysqli_query($cn,$que);
$_SESSION["un"]=$mail;
header("Location:client/index.php");
}
}
echo $hh;
?>

<!-- ===== start banner area ===== -->
<section class="blog-banner-area" id="category">
<div class="container h-100">
<div class="blog-banner">
<div class="text-center">
<h1>Login / Register</h1>
<nav aria-label="breadcrumb" class="banner-breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item active" aria-current="page">Login/Register</li>
</ol>
</nav>
```

## WATCH SHOPPING

---

```
</div>
</div>
</div>
</section>
<!-- ===== end banner area ===== -->

<!--=====Login Box Area =====-->
<section class="login_box_area section-margin">
<div class="container">
<div class="row">
<div class="col-lg-6">
<div class="login_box_img">
<div class="hover">
<h4>New to our website?</h4>
<a class="button button-account" href="register.php">Create an Account</a>
</div>
</div>
</div>
<div class="col-lg-6">
<div class="login_form_inner">
<h3>Log in to enter</h3>
<form class="row login_form" action="#" id="contactForm" method="post">
<div class="col-md-12 form-group">
```

## WATCH SHOPPING

---

```
<input type="text" class="form-control" id="name" name="name"
placeholder="Username" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Username'">

</div>

<div class="col-md-12 form-group">

<input type="password" class="form-control" id="password" name="password"
placeholder="Password" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Password'">

</div>

<div class="col-md-12 form-group">

<button type="submit" value="submit" class="button button-login w-100" name="login">Log
In</button>

<a href="changepassword.php">change password?</a>

</div>

</form>

</div>

</div>

</div>

</div>

</div>


</section>

<!--=====End Login Box Area =====>

<?php
echo $hf;

?>
```

## 5) Contact Us:-



### PHP Code

```
<?php
```

```
include("header.php");
```

```
echo $hh;
```

```
?>
```

```
<!-- ===== start banner area ===== -->
```

```
<section class="blog-banner-area" id="contact">
```

```
<div class="container h-100">
```

```
<div class="blog-banner">
```

```
<div class="text-center">
```

```
<h1>Contact Us</h1>
```

## WATCH SHOPPING

---

```
<nav aria-label="breadcrumb" class="banner-breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item active" aria-current="page">Contact Us</li>
</ol>
</nav>
</div>
</div>
</div>
</section>
<!-- ===== end banner area ===== -->

<!-- ===== contact section start ===== -->
<section class="section-margin--small">
<div class="container">
<div class="d-none d-sm-block mb-5 pb-4">
<div id="map" style="height: 420px;"></div>
<script>
function initMap() {
var uluru = {lat: 21.3012256, lng: 70.2495109};
var grayStyles = [
{
featureType: "all",
stylers: [
{ saturation: -90 },
```



## WATCH SHOPPING

---

```
{ lightness: 50 }  
]  
,  
{elementType: 'labels.text.fill', stylers: [{color: '#A3A3A3'}]}  
];  
var map = new google.maps.Map(document.getElementById('map'), {  
  center: {lat: 21.3012256, lng: 70.2495109},  
  zoom: 9,  
  styles: grayStyles,  
  scrollwheel: false  
});  
}  
  
</script>  
  
<script  
src="https://maps.googleapis.com/maps/api/js?key=AlzaSyDpfS1oRGreGSBU5HHjMmQ3o5NL  
w7VdJ6I&callback=initMap"></script>  
  
</div>  
  
<div class="row">  
  <div class="col-md-4 col-lg-3 mb-4 mb-md-0">  
    <div class="media contact-info">  
      <span class="contact-info__icon"><i class="ti-home"></i></span>
```

## WATCH SHOPPING

---

```
<div class="media-body">
<h3>California United States</h3>
<p>Santa monica bullevard</p>
</div>
</div>
<div class="media contact-info">
<span class="contact-info__icon"><i class="ti-headphone"></i></span>
<div class="media-body">
<h3><a href="tel:454545654">00 (440) 9865 562</a></h3>
<p>Mon to Fri 9am to 6pm</p>
</div>
</div>
<div class="media contact-info">
<span class="contact-info__icon"><i class="ti-email"></i></span>
<div class="media-body">
<h3><a href="mailto:support@colorlib.com">support@colorlib.com</a></h3>
<p>Send us your query anytime!</p>
</div>
</div>
</div>
<div class="col-md-8 col-lg-9">
<form action="#" class="form-contact contact_form" action="contact_process.php"
method="post" id="contactForm" novalidate="novalidate">
<div class="row">
<div class="col-lg-5">
```

## WATCH SHOPPING

---

```
<div class="form-group">
  <input class="form-control" name="name" id="name" type="text" placeholder="Enter your
  name">
</div>

<div class="form-group">
  <input class="form-control" name="email" id="email" type="email" placeholder="Enter email
  address">
</div>

<div class="form-group">
  <input class="form-control" name="subject" id="subject" type="text" placeholder="Enter
  Subject">
</div>
</div>

<div class="col-lg-7">
  <div class="form-group">
    <textarea class="form-control different-control w-100" name="message" id="message"
    cols="30" rows="5" placeholder="Enter Message"></textarea>
  </div>
</div>
</div>

<div class="form-group text-center text-md-right mt-3">
  <button type="submit" class="button button--active button-contactForm">Send
  Message</button>
</div>
</form>
```

## WATCH SHOPPING

---

</div>

</div>

</div>

</section>


<!-- ===== contact section end ===== -->

<?php

echo \$hf;

?>

### 6)Shop:-



#### PHP Code

```
<?php
include("header.php");
echo $hh;
?>
<!--===== End Header Menu Area =====-->

<!-- ===== start banner area ===== -->
<section class="blog-banner-area" id="category">
<div class="container h-100">
<div class="blog-banner">
<div class="text-center">
```

```
<h1>Shop Category</h1>
<nav aria-label="breadcrumb" class="banner-breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item active" aria-current="page">Shop Category</li>
</ol>
</nav>
</div>
</div>
</div>
</section>
<!-- ===== end banner area ===== -->

<!-- ===== category section start ===== -->
<section class="section-margin--small mb-5">
<div class="container">
<div class="row">
<div class="col-xl-3 col-lg-4 col-md-5">
<div class="sidebar-categories">
<div class="head">Browse Categories</div>
<ul class="main-categories">
<li class="common-filter">
<form action="#">

<?php
```

## WATCH SHOPPING

---

```
$res=mysqli_query($cn,"Select * from category");
while($row=mysqli_fetch_array($res))
{
$res1=mysqli_query($cn,"select * from product where category='".$row[0]."'");
$n=mysqli_num_rows($res1);
echo '
<li class="filter-list"><a href="shop.php?cat='.$row[1].'"><label for="chain">'.$row[1].'.<span>
('.$n.')</span></label></a></li>;
}?'>
<ul>

</ul>
</form>
</li>
</ul>
</div>
<div class="sidebar-filter">

</div>
</div>
<div class="col-xl-9 col-lg-8 col-md-7">
<!-- Start Filter Bar -->
```

## WATCH SHOPPING

---

```
<!-- End Filter Bar -->

<!-- Start Best Seller -->

<section class="latest-product-area pb-40 category-list">

<div class="row">

<?php
if(isset($_REQUEST['cat']))
$res=mysqli_query($cn,"select * from product where category='".$_REQUEST['cat']."'");
else
$res=mysqli_query($cn,"select * from product");
while($row=mysqli_fetch_array($res))
{

?>

<div class="col-md-6 col-lg-4">
<div class="card text-center card-product">
<div class="card-product__img">


<ul class="card-product__imgOverlay">
<li><button><i class="ti-search"></i></button></li>
<li><a href="product_details.php?pid=<?php echo $row['id'];?>"><button><i class="ti-
shopping-cart"></i></button></a></li>
<li><button><i class="ti-heart"></i></button></li>
</ul>
```



```
</div>
<div class="card-body">
<h4 class="card-product__title"><a href="#"><?php echo $rowp['product_name'];?></a></h4>
<p class="card-product__price"><?php echo $rowp['price'];?></p>
</div>
</div>
</div>
<?php
}
?>
</div>
</section>
<!-- End Best Seller -->
</div>
</div>
</div>
</section>
<!-- ===== category section end ===== -->

<?php
echo $hf;
?>
```

## 7) View Cart:-



### PHP Code

```
<?php
session_start();
if(isset($_SESSION["un"]))
{
include("header.php");
echo $hh;
$uid=$_SESSION["un"];
$res=mysqli_query($con,"select * from cart where userid='$uid'");

?>

<section id="cart_items">

<div class="container">

<div class="table-responsive cart_info">
```

## WATCH SHOPPING

---

```
<table class="table table-condensed">
<thead>
<tr class="cart_menu">
<th class="image">Item</th>
<th class="cart_price">Price</th>
<th class="quantity">Quantity</th>
<th class="total">Total</th>
<th class="cart_delete"></th>

</tr>
</thead>
<tbody>
<?php
$tt=0;
while($row=mysqli_fetch_row($res))
{
$res1=mysqli_query($cn,"select * from product where id=$row[2]");
$row1=mysqli_fetch_row($res1);
$t=0;

?>
<tr>

<td class="cart_product"></td>
```

## WATCH SHOPPING

---

```
<td class="cart_price">Rs.<?php echo $row[4];?></td>
<td class="quantity"><?php echo $row[3];?></td>

<td class="total"><?php echo $row[4]*$row[3];$t=$row[4]*$row[3];$tt=$tt+$t;?></td>
<td></td>

<td class="cart_delete"><a class="cart_quantity_delete" href="cart_delete.php?cid=<?php
echo $row[0];?>"><i class="fa fa-times"></i></a>
</td>
</tr>
<?php
}
?>
</tbody>
</table>
<div class="total_area">
<ul>
<li>    <h3>Total to pay: <span><?php echo $tt;?></span></h3></li>
</ul>

</div>
<center><a class="btn btn-default check_out" href="checkout.php">Check Out</a></center>
</div>
</div>
</section>
```

```
<?php  
echo $hf;  
}  
else  
header("Location:../login.php");  
?>
```

### 8) Add Cart:-

```
<?php
session_start();
include("header.php");
$itemid=$_REQUEST["pid"];
$userid=$_SESSION["un"];
echo $userid;
$res=mysqli_query($cn,"select price from product where id=$itemid");
$row=mysqli_fetch_array($res);
$q="insert into cart values(null,'$userid',$itemid,1,$row[0])";
//echo $q;
mysqli_query($cn,$q);
header("Location:index.php");
?>
```

### 9) Check Out:-

```
<?php
session_start();
include("header.php");
$uid=$_SESSION["un"];
//$uid="aaa";
$tt=0;
$q="select * from cart where userid='".$uid."'";
```

## WATCH SHOPPING

---


```
$res=mysqli_query($cn,$que);
//echo $que;
echo mysqli_num_rows($res);
$dt=date("y-m-d");
$q="insert into order1 values(NULL,'" . $uid . "','" . $dt . "','" . 'order' . "','" . $tt . "')";
$res1=mysqli_query($cn,$q);
echo $q;
$oid=mysqli_insert_id($cn);
while($row=mysqli_fetch_row($res))
{
$resi=mysqli_query($cn,"select * from product where id='".$row[2]");
$rowi=mysqli_fetch_row($resi);
$i="insert into order_details values(NULL,'" . $oid . "','" . $row[2] . "','" . $row[3] . "','" . $row[5] . "')";
echo $i;
$rowi=mysqli_query($cn,$i);
mysqli_query($cn,"delete from cart where id='".$row[0]");
$tt+=$row[3]*$row[4];
}
mysqli_query($cn,"update order1 set total='".$tt.'" where id='".$oid");
header("Location:orders.php?oid=$oid");
?>
```

### 10) Item delete in cart:-

```
<?php
$cn=mysqli_connect("localhost","root","","watch");
$cid=$_REQUEST["cid"];
$query="delete from cart where id=$cid"; mysqli_query($cn,$query);
echo $query;
header("Location:cart.php");
?>
```



## 11)Order1:-



The screenshot shows the Gerardz Watches website. The header includes the logo, navigation links (Home, Shopping, User, Contact), and a shopping cart icon. Below the header is a table with the following data:

Order Id	Order Date	Status	Amount		
9	2022-10-09	order	0	<a href="#">View</a>	<a href="#">×</a>
10	2022-10-09	order	0	<a href="#">View</a>	<a href="#">×</a>
11	2022-10-09	order	0	<a href="#">View</a>	<a href="#">×</a>
12	2022-10-09	order	0	<a href="#">View</a>	<a href="#">×</a>
13	2022-10-09	order	0	<a href="#">View</a>	<a href="#">×</a>

### PHP Code

```
<?php
session_start();
if(isset($_SESSION["un"]))
{
include("header.php");
echo $hh;
$uid=$_SESSION["un"];
$res=mysqli_query($cn,"select * from order1 where userid='$uid'");

?>

<section id="cart_items">

<div class="container">

<div class="table-responsive cart_info">
```

## WATCH SHOPPING

---

```
<table class="table table-condensed">
<thead>
<tr class="cart_menu">
<td class="image">Order Id</td>
<td class="cart_price">Order Date</td>
<td class="quantity">Status</td>
<td class="total">Amount</td>
<td class="View"></td>
<td class="Cancel"></td>
<td></td>
</tr>
</thead>
<tbody>
<?php
$tt=0;
while($row=mysqli_fetch_row($res))
{?>
<tr>
<td class="quantity"><?php echo $row[0];?></td>
<td class="total"><?php echo $row[2];?></td>
<td class="total"><?php echo $row[3];?></td>
<td class="total"><?php echo $row[4];?></td>
<td class="total"><a href="vieworder.php?oid=<?php echo $row[0];?>">View</a></td>
<td class="cart_delete"><a class="cart_quantity_delete" href="cart_delete.php?cid=<?php
echo $row[0];?>"><i class="fa fa-times"></i></a>
```

```
</td>
```

```
</tr>
```

```
<?php
```

```
}
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<?php
```

```
echo $hf;
```

```
}
```


```
else
```

```
header("Location:../login.php");
```

```
?>\
```

## WATCH SHOPPING

### 12) Order Details:-



#### PHP Code

```
<?php
include("header.php");
echo $hh;
$id=$_REQUEST["pid"];
$res=mysqli_query($cn,"select * from product where id=".$id);
$row=mysqli_fetch_array($res);
?>

<section class="blog-banner-area" id="blog">

<div class="container h-100">
```

## WATCH SHOPPING

---

```
<div class="blog-banner">
<div class="text-center">
<h1>Shop Single</h1>
<nav aria-label="breadcrumb" class="banner-breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item active" aria-current="page">Shop Single</li>
</ol>
</nav>
</div>
</div>
</div>
</section>
<!-- ===== end banner area ===== -->

<!--=====Single Product Area =====>
<div class="product_image_area">
<div class="container">
<div class="row s_product_inner">
<div class="col-lg-6">
<div class="owl-carousel owl-theme s_Product_carousel">
<div class="single-prd-item">

</div>
```

## WATCH SHOPPING

---

```
<!-- <div class="single-prd-item">

</div>
<div class="single-prd-item">

</div> -->
</div>
</div>
<div class="col-lg-5 offset-lg-1">
<div class="s_product_text">
<h3$row['product_name'];?></h3>
<h2><?php echo $row['price'];?></h2>
<ul class="list">
<li><a class="active" href="#"><span>Category</span> : <?php echo
$row['category'];?></a></li>
<li><a href="#"><span>Availability</span> : In Stock</a></li>
</ul>
<p>Jewelry business is highly competitive. Many new and established companies are competing
in the market armed with their own marketing plans. Your new venture in this business too
must come out with something special for the customers.</p>
<div class="product_count">
<div class="media-body">
<h4>Blake Ruiz</h4>
<h5>12th Feb, 2018 at 05:56 pm</h5>
<a class="reply_btn" href="#">Reply</a>
</div>
```

</div>



</div><div class="media-body">

<h4>Blake Ruiz</h4>

<i class="fa fa-star"></i>

<i class="fa fa-star"></i>

<i class="fa fa-star"></i>

<i class="fa fa-star"></i>

<i class="fa fa-star"></i>

</div>

</div>

</div>

</div>

</div>

<div class="col-lg-6">

<div class="review\_box">

<h4>Add a Review</h4>

<p>Your Rating:</p>

<ul class="list">

<li><a href="#"><i class="fa fa-star"></i></a></li>

<li><a href="#"><i class="fa fa-star"></i></a></li>

<li><a href="#"><i class="fa fa-star"></i></a></li>

<li><a href="#"><i class="fa fa-star"></i></a></li>

<li><a href="#"><i class="fa fa-star"></i></a></li>

## WATCH SHOPPING

---

```
</ul><p>Outstanding</p>
<form action="#" class="form-contact form-review mt-3">
<div class="form-group">
<input class="form-control" name="name" type="text" placeholder="Enter your name"
required>
</div>
<div class="form-group">
<input class="form-control" name="email" type="email" placeholder="Enter email address"
required>
</div>
<div class="form-group">
<input class="form-control" name="subject" type="text" placeholder="Enter Subject">
</div>
<div class="form-group">
<textarea class="form-control different-control w-100" name="textarea" id="textarea"
cols="30" rows="5" placeholder="Enter Message"></textarea>
</div>
<div class="form-group text-center text-md-right mt-3">
<button type="submit" class="button button--active button-review">Submit Now</button>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
```



## WATCH SHOPPING

---

</div>

</section>

<!--=====End Product Description Area =====-->

<?php


echo \$hf;

?>

### 13) Cancel Order:-

```
<?php
session_start();
include("header.php");
$id=$_REQUEST["cid"];
$res=mysqli_query($cn,"select * from order1 where id=$id");
$row=mysqli_fetch_row($res); if($row[3]=='order' || $row[3]=='Accept')
mysqli_query($cn,"update order1 set status='Candle' where id=".$id); header("Location:order1.php");
?>
```

### 14) Change Password:-



The screenshot shows the Gerardz Watches website interface. At the top, there is a navigation bar with the logo 'GERARDZ WATCHES' on the left and links for 'Home', 'Shopping', 'User', and 'Contact' on the right. Below the navigation bar, there is a central form titled 'CHANGE PASSWORD'. The form contains two input fields: 'Password' and 'Confirm Password', both with placeholder text. Below these fields is a blue button labeled 'Change Password'.

#### PHP Code:-

```
<?php
```

```
    session_start();  
    include("header.php");  
    if(isset($_POST["change"]))  
    {  
        $ps=$_POST['password'];  
        $cps=$_POST['conpassword'];  
        if($cps==$ps)  
        {  
            $sql="update registration set password='$ps' where mail='".$_SESSION["un"]."'";  
            $res=mysqli_query($cn,$sql);  
            echo '<script>alert("Password change successfully")</script>';  
        }  
    }  
}
```

## WATCH SHOPPING

---

```
}  
else  
echo '<script>alert("Plz Confirm password")</script>';  
  
}  
echo $hh;  
?>  
  
<!-- ===== start banner area ===== -->  
<section class="blog-banner-area" id="category">  
  <div class="container h-100">  
    <div class="blog-banner">  
      <div class="text-center">  
        <h1>Change Password</h1>  
        <nav aria-label="breadcrumb" class="banner-breadcrumb">  
          <ol class="breadcrumb">  
            <li class="breadcrumb-item"><a href="#">Home</a></li>  
            <li class="breadcrumb-item active" aria-current="page">change password</li>  
          </ol>  
        </nav>  
      </div>  
    </div>  
  </div>  
</section>  
  
<!-- ===== end banner area ===== -->
```

## WATCH SHOPPING

---

```
<!--=====Login Box Area =====-->

<section class="login_box_area section-margin">

<div class="container">

<div class="row">

<div class="col-lg-6">

</div>

<div class="col-lg-6">

<div class="login_form_inner">

<h3>Change Password</h3>

<form class="row login_form" action="#" id="contactForm" method="post">

<div class="col-md-12 form-group">

<input type="password" class="form-control" id="password" name="password"
placeholder="Password" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Password'">

</div>

<div class="col-md-12 form-group">

<input type="password" class="form-control" id="password" name="conpassword"
placeholder="Confirm Password" onfocus="this.placeholder = ''" onblur="this.placeholder =
'Confirm Password'">

</div>

<div class="col-md-12 form-group">

<button type="submit" value="submit" class="button button-login w-100"
name="change">Change Password</button>
```

</div>

</form>

</div>

</div>

</div>

</div>

</section>

<!--=====End Login Box Area =====-->

<?php

echo \$hf;

?>

```
<?php  
session_start();  
session_destroy();  
header("Location:../index.php");  
?>
```

### 15) Log Out:-

#### PHP Code:-

```
<?php  
session_start(); session_destroy();  
header("Location:index.php");  
?>
```



### ✦ Project Summary:

- ***Online Jewellery Shopping*** is a website which is used to provide guidelines to buy different types of jewelleries.
- Without registration customers can't buy any item but they can only see items and price.
- As any customer has registration on our website and after login on our website they can purchase any item.

### ✦ Bibliography :

#### **Books:**

Website Development Using PHP

Mr. Rushikesh Raval

#### **Website reference:**

[www.w3school.com](http://www.w3school.com)

[www.tutorialspoint.com](http://www.tutorialspoint.com)

[www.wikipedia.com](http://www.wikipedia.com)

THANK  
YOU