

Tag	Description
<!--...-->	Specifies a comment
<!DOCTYPE>	Specifies the document type
<a>	Specifies an anchor
<abbr>	Specifies an abbreviation
<acronym>	Deprecated: Specifies an acronym
<address>	Specifies an address element
<applet>	Deprecated: Specifies an applet
<area>	Specifies an area inside an image map
<article>	New Tag: Specifies an independent piece of content of a document, such as a blog entry or newspaper article
<aside>	New Tag: Specifies a piece of content that is only slightly related to the rest of the page.
<audio>	New Tag: Specifies an audio file.
<base>	Specifies a base URL for all the links in a page
<basefont>	Deprecated: Specifies a base font
<bdo>	Specifies the direction of text display
<bgsound>	Specifies the background music
<blink>	Specifies a text which blinks
<blockquote>	Specifies a long quotation
<body>	Specifies the body element
 	Inserts a single line break
<button>	Specifies a push button
<canvas>	New Tag: This is used for rendering dynamic bitmap graphics on the fly, such as graphs or games.

<caption>	Specifies a table caption
<center>	Deprecated: Specifies centered text
<col>	Specifies attributes for table columns
<colgroup>	Specifies groups of table columns
<command>	New Tag:Specifies a command the user can invoke.
<comment>	Puts a comment in the document
<datalist>	New Tag:Together with the a new list attribute for input can be used to make comboboxes
<dd>	Specifies a definition description
	Specifies deleted text
<details>	New Tag:Specifies additional information or controls which the user can obtain on demand.
<dir>	Deprecated: Specifies a directory list
<div>	Specifies a section in a document
<dl>	Specifies a definition list
<dt>	Specifies a definition term
<embed>	New Tag:Defines external interactive content or plugin.
<fieldset>	Specifies a fieldset
<figure>	New Tag:Specifies a piece of self-contained flow content, typically referenced as a single unit from the main flow of the document.
	Specifies bold text
<big>	Deprecated:Specifies big text
<i>	Specifies italic text
<small>	Specifies small text
<tt>	Deprecated:Specifies teletype text
	Deprecated: Specifies text font, size, and color

<footer>	New Tag:Specifies a footer for a section and can contain information about the author, copyright information, et cetera.
<form>	Specifies a form
<frame>	Deprecated:Specifies a sub window (a frame)
<frameset>	Deprecated:Specifies a set of frames
<head>	Specifies information about the document
<header>	New Tag:Specifies a group of introductory or navigational aids.
<hgroup>	New Tag:Specifies the header of a section.
<h1> to <h6>	Specifies header 1 to header 6
<hr>	Specifies a horizontal rule
<html>	Specifies an html document
<isindex>	Deprecated: Specifies a single-line input field
<iframe>	Specifies an inline sub window (frame)
<ilayer>	Specifies an inline layer
	Specifies an image
<input>	Specifies an input field
<ins>	Specifies inserted text
<keygen>	New Tag:Specifies control for key pair generation.
<keygen>	Generate key information in a form
<label>	Specifies a label for a form control
<layer>	Specifies a layer
<legend>	Specifies a title in a fieldset
	Specifies a list item
<link>	Specifies a resource reference
<map>	Specifies an image map

<mark>	New Tag:Specifies a run of text in one document marked or highlighted for reference purposes, due to its relevance in another context.
<marquee>	Create a scrolling-text marquee
<menu>	Deprecated: Specifies a menu list
<meta>	Specifies meta information
<meter>	New Tag:Specifies a measurement, such as disk usage.
<multicol>	Specifies a multicolumn text flow
<nav>	New Tag:Specifies a section of the document intended for navigation.
<nobr>	No breaks allowed in the enclosed text
<noembed>	Specifies content to be presented by browsers that do not support the <embed>tag
<noframes>	Deprecated:Specifies a noframe section
<noscript>	Specifies a noscript section
<object>	Specifies an embedded object
	Specifies an ordered list
<optgroup>	Specifies an option group
<option>	Specifies an option in a drop-down list
<output>	New Tag:Specifies some type of output, such as from a calculation done through scripting.
<p>	Specifies a paragraph
<param>	Specifies a parameter for an object
<cite>	Specifies a citation
<code>	Specifies computer code text
<dfn>	Specifies a definition term

	Specifies emphasized text
<kbd>	Specifies keyboard text
<samp>	Specifies sample computer code
	Specifies strong text
<var>	Specifies a variable
<plaintext>	Deprecated: Render the remainder of the document as preformatted plain text
<pre>	Specifies preformatted text
<progress>	New Tag: Specifies a completion of a task, such as downloading or when performing a series of expensive operations.
<q>	Specifies a short quotation
<ruby>	New Tag: Together with <rt> and <rp> allow for marking up ruby annotations.
<script>	Specifies a script
<section>	New Tag: Represents a generic document or application section.
<select>	Specifies a selectable list
<spacer>	Specifies a white space
	Specifies a section in a document
<s>	Deprecated: Specifies strikethrough text
<strike>	Deprecated: Specifies strikethrough text
<style>	Specifies a style definition
<sub>	Specifies subscripted text
<sup>	Specifies superscripted text
<table>	Specifies a table
<tbody>	Specifies a table body
<td>	Specifies a table cell

<textarea>	Specifies a text area
<tfoot>	Specifies a table footer
<th>	Specifies a table header
<thead>	Specifies a table header
<time>	New Tag:Specifies a date and/or time.
<title>	Specifies the document title
<tr>	Specifies a table row
<u>	Deprecated: Specifies underlined text
	Specifies an unordered list
<video>	New Tag:Specifies a video file.
<wbr>	New Tag:Specifies a line break opportunity.
<wbr>	Indicate a potential word break point within a <nobr> section
<xmp>	Deprecated: Specifies preformatted text

ADS BY ADRECOVER

Useful Video Courses