

Embedding PinionAI with iframes

Overview

PinionAI is designed for seamless integration. Both the PinionAI Studio and PinionAI clients can be embedded directly into your existing websites, applications, and internal infrastructure using a simple HTML `<iframe>` tag. This allows you to bring the power of PinionAI to your users exactly where they need it.

This guide provides the basic code and explanation for embedding these components.

Embedding a PinionAI Client

You can embed a PinionAI chat client to provide direct interaction capabilities within your application. This is useful for customer support portals, internal helpdesks, or any page where you want to offer AI-assisted chat.

Example

To embed the chat client, add the following HTML snippet to your webpage's `<body>`.

```
<!DOCTYPE html>
<html>
  <head>
    <title>PinionAI Client Embed</title>
    <style>
      /* Basic responsive styling for the iframe */
      iframe {
        border: 1px solid #ccc; /* Optional: adds a border */
        width: 100%;
        max-width: 800px; /* Optional: sets a max width */
        aspect-ratio: 16 / 12;
      }
    </style>
  </head>
  <body>
    <h1>PinionAI Chat Client</h1>
    <iframe
      id="chat"
      src="https://pinion-ai-chat-72loomfx5q-uc.a.run.app"
      allow="clipboard-write"
      frameborder="0"
    >
    </iframe>
  </body>
</html>
```

Key Attributes

- **id**: A unique identifier for the iframe element.
- **src**: The most important attribute. This is the URL for the PinionAI client you wish to embed.
- **allow="clipboard-write"**: This permission is recommended as it allows users to copy text from the chat interface to their clipboard.
- **frameborder="0"**: Removes the default border from the iframe for a cleaner, more integrated look.

Embedding PinionAI Studio

For administrators and developers, the entire PinionAI Studio can be embedded into an internal dashboard or admin panel. This provides a centralized location to manage, configure, and monitor your AI models and agents without leaving your own environment.

Example

To embed the PinionAI Studio, use the following HTML snippet.

```
<!DOCTYPE html>
<html>
  <head>
    <title>PinionAI Studio Embed</title>
    <style>
      /* Full-screen iframe styling */
      html,
      body {
        margin: 0;
        padding: 0;
        height: 100%;
        overflow: hidden; /* Prevents scrollbars on the body */
      }
      iframe {
        width: 100%;
        height: 100%;
        border: none; /* Ensures no border */
      }
    </style>
  </head>
  <body>
    <iframe
      id="pinionaiStudio"
      src="https://pinionai-grpc-server-72loomfx5q-uc.a.run.app"
      allow="clipboard-write"
      frameborder="0"
    >
    </iframe>
  </body>
</html>
```

Key Attributes

- **id**: A unique identifier for the studio iframe.
- **src**: The URL for the PinionAI Studio.
- **allow**: You may need to add other permissions depending on the studio's features (e.g., `microphone`, `camera`). `clipboard-write` is a good starting point.
- **frameborder="0"**: Essential for making the studio feel like a native part of your dashboard.

The CSS in this example is designed to make the iframe take up the entire viewport, which is a common use case for embedding a full application like the studio.