COMP1021
Introduction to Computer Science

Handling Key Presses

Gibson Lam, David Rossiter and Leo Tsui

The Key

- It's often useful if you can tell Python to run a function when a particular key is pressed

  - For example, you can use 'a', 'b', … 'z' or '0' … '9'

- You can also use some special names, such as:

  - 'Return' – Enter key
  - 'Escape' – Esc key

- 'Up' – up arrow key
- 'Down' – down arrow key
- 'Left' – left arrow key
- 'Right' – right arrow key

The Key Press Event

- `onkeypress()` tells Python to execute a specific function when a particular key is pressed
- For example:

```
def mykeyfunc():
    . . .
```

Whenever the user presses 'a' this function will be executed

```
turtle.onkeypress(mykeyfunc, 'a')
```

The key press event is applied to the turtle window

The `mykeyfunc` *function is assigned to the key press event*

*A key ('a' in this example) triggers the function*

Listening for Keyboard Events

- Imagine you are using your computer normally

- When you press a key, the key goes to the window which currently has *focus*

- If you want key presses to go to your program, then you need to make sure your turtle window has the focus

- `turtle.listen()` does that – after this code, key presses go to the turtle window

- (You also need `turtle.done()` at the end)

Key Events Example

- This example uses keys to control the movement of the turtle:
    - Up key – move forward
    - Down key – move backward
    - Left key – rotate left
    - Right key – rotate right
- It also allows colour change:
    - 'o' key – orange
    - 'p' key – purple
    - 'c' key – cyan

Key Events Example 1/3 – Event Handlers for Turtle Movement

```
pixels_for_one_step = 4
angle_for_rotation = 5
```

```
def moveforward():
    turtle.forward(pixels_for_one_step)

def movebackward():
    turtle.backward(pixels_for_one_step)
```

These event handler functions move the turtle forward (up arrow key) or backward (down arrow key)

```
def rotateleft():
    turtle.left(angle_for_rotation)

def rotateright():
    turtle.right(angle_for_rotation)
```

These event handler functions rotate the turtle to the left (left arrow key) or right (right arrow key)

Key Events Example 2/3 –
Event Handlers for Changing Colour

```python
def orange():
    # Change the pen color and
    # the turtle to orange
    turtle.color("orange")
```

For the 'o' key

```python
def purple():
    # Change the pen color and
    # the turtle to purple
    turtle.color("purple")
```

For the 'p' key

```python
def cyan():
    # Change the pen color and
    # the turtle to cyan
    turtle.color("cyan")
```

For the 'c' key

Key Events Example 3/3 – Main Program

```
turtle.shape("turtle")
turtle.speed(0)
turtle.color("purple")
turtle.width(3)

turtle.onkeypress(moveforward, "Up")
turtle.onkeypress(movebackward, "Down")
turtle.onkeypress(rotateleft, "Left")
turtle.onkeypress(rotateright, "Right")
```

Assign the up, down, left and right keys for moving the turtle

```
turtle.onkeypress(orange, "o")
turtle.onkeypress(purple, "p")
turtle.onkeypress(cyan, "c")
```

Assign the 'o', 'p' and 'c' keys for the colour change functions

```
turtle.listen()
```

Make sure keyboard presses go to the turtle window, not any another window

```
turtle.done()
```

Must have this at the end