








alosa aestivalis_Atl presence











Partial for habitatFact











habitatFact









atosa pseudoharengus_Atl presence
















ammodytes dubius_Atl presence






s(SBT.seasonal,0)



SBT.seasonal


argentina silus_Atl presence

s(SST.seasonal.mean,0)




SST.seasonal.mean

s(SBT.min,1)




SBT.min

s(SBT.max,0.69)




SBT.max

s(SST.max,3.26)




SST.max

s(rugosity,0.99)




rugosity

s(GRAINSIZE,0)



GRAINSIZE


Partial for habitatFact










habitatFact









habitatFact

aspidophoroides monopterygius_Atl presence













centropristis striata_Atl presence


















habitatFact

chlorophthalmus agassizi_Atl presence











Otichthys arctifrons_Atl presence




















conger oceanicus_Atl presence











cryptacanthodes maculatus_Atl presence











cyclopterus lumpus_Atl presence











dasyatis americana_Atl presence




decapterus macarellus_Atl presence







enchelyopus cimbrius_Atl presence




SBT.seasonal




SST.seasonal.mean




SBT.min




SBT.max




SST.max











rugosity











GRAINSIZE











habitatFact




















glyptocephalus cynoglossus_Atl presence











hepocampus dactylopterus_Atl presence











hemitripterus americanus_Atl presence













hippoglossoides platessoides_Atl presence












habitatFact

hippoglossus hippocampus_Atl presence










*Homarus americanus*_Atl presence





















*leptopodium profundorum*_Atl presence




Septoclinus maculatus_Atl presence











leucoraja erinacea_Atl presence











leucoraja garmani_Atl presence






*limanda ferruginea*_Atl presence




s(SBT.seasonal,0)



SBT.seasonal


liparis atlanticus_Atl presence

s(SST.seasonal.mean,0)




SST.seasonal.mean

s(SBT,min,0)




SBT.min

s(SBT,max,0)




SBT.max

s(SST,max,0.86)




SST.max

s(rugosity,0)




rugosity

s(GRAINSIZE,0)











GRAINSIZE

Partial for habitatFact



















habitatFact

habitatFact











Sophiops americanus_Atl presence













maurolicus weitzmani_Atl presence



















*melanogrammus aeglefinus*_Alt presence




habitatFact

melanostigma atlanticum_Atl presence














merluccius albidus_Atl presence











Merluccius bilinearis_Atl presence







*myoxocephalus octodecemspinosis*_Atl presence




myxine glutinosa_Atl presence




SBT.seasonal




SST.seasonal.mean




SBT.min




SBT.max




SST.max



rugosity




GRAINSIZE



habitatFact


soft hard

$s(SBT.\text{seasonal}, 0)$




SBT.seasonal

*nezumia bairdii*_Atl presence




SST.seasonal.mean




SBT.min

$s(SBT.\text{max}, 0)$




SBT.max

$s(SST.\text{max}, 0)$




SST.max

$s(\text{rugosity}, 1)$




rugosity

$s(\text{GRAINSIZE}, 1.73)$



GRAINSIZE


Partial for habitatFact




habitatFact

habitatFact









paralichthys dentatus_Atl presence




*Lepeirous triacanthus*_Atl presence



peristedion miniatum_Atl presence




s(SBT.seasonal,0)



SBT.seasonal


phycis chesteri_Atl presence

s(SST.seasonal.mean,0)




SST.seasonal.mean

s(SBT.min,1)




SBT.min

s(SBT.max,0.69)




SBT.max

s(SST.max,1.58)




SST.max

s(rugosity,1.6)




rugosity

s(GRAINSIZE,1.68)



GRAINSIZE








Partial for habitatFact











habitatFact


habitatFact

placopecten magellanicus_Atl presence














Dipodomys saltatrix_Atl presence



















prionotus carolinus_Atl presence












pseudopleuronectes americanus_Atl presence






scomber scombrus_Atl presence




habitatFact


scomberesox saurus_Atl presence




SBT.seasonal




SST.seasonal.mean




SBT.min




SBT.max



SST.max




rugosity



GRAINSIZE

Partial for habitatFact




habitatFact









soft

hard


Scophthalmus aquosus_Atl presence











scyliorhinus retifer_Atl presence











sebastes fasciatus_Atl presence




schoeroides maculatus_Atl presence














squatina dumeril_Atl presence











Otenotomus chrysops_Atl presence











Stephanolepis hispidus_Atl presence




tautogolabrus adspersus_Atl presence







*Ulvaria subbifurcata*_Atl presence




SBT.seasonal




SST.seasonal.mean




SBT.min




SBT.max




SST.max



rugosity




GRAINSIZE




habitatFact

s(SBT.seasonal,2.25)




SBT.seasonal

urophycis chuss_Atl presence




SST.seasonal.mean




SBT.min

s(SBT.max,0.63)




SBT.max

s(SST.max,0.87)




SST.max

s(rugosity,2.81)




rugosity

s(GRAINSIZE,5.11)



GRAINSIZE


Partial for habitatFact



habitatFact

habitatFact


s(SBT.seasonal,0)



SBT.seasonal


urophycis regia_Atl presence

s(SST.seasonal.mean,0.9)




SST.seasonal.mean

s(SBT,min,0)




SBT.min

s(SBT,max,0)




SBT.max

s(SST,max,2.02)




SST.max

s(rugosity,0.33)




rugosity

s(GRAINSIZE,0)











GRAINSIZE

Partial for habitatFact




habitatFact

habitatFact



Zenopsis conchifera_Atl presence



Zearces americanus_Atl presence

