## **Department of Computing ITT Dublin**

# M.Sc. in Distributed and Mobile Computing M.Sc. in Information Technology Management

## **Software Development and Process Management**

**Spring 2014** 

CA<sub>1</sub>

Out: 25/02/2014 In: 06/05/2014 Value: 70%

**Type: Individual** 

**Lecturer: GC** 

Delivered by: Piotr Bodziachowski X00077517

**Iteration 2** 


### **Table of content**

ntroduction	3
Application diagram	3
The main RESTful application	3
It supports GET:	
It supports UPDATE:	4
It supports DELETE:	4
NoSQL Database Connection	
Source Code Control	4
Restful Client application	5
How to use the client	
Source Code Control	5
Summary	

#### Introduction

The RESTful application created supports a credit card industry and organizations that use credit card payments. The CreditCard application presents a particular card number risk level based on the data fetched by other companies and organizations. This way it is easy to say if the specific card holder performs many chargebacks.

#### **Application diagram**



### The main RESTful application


The CreditCard application software presented can be accessed by Azure services at the address: <a href="http://x00077517.cloudapp.net/Help">http://x00077517.cloudapp.net/Help</a>

#### **It supports GET:**

- Listing: http://x00077517.cloudapp.net/api/CreditCard
- Specific credit card information by the card number: <a href="http://x00077517.cloudapp.net/api/CreditCard?number=1234%205678%">http://x00077517.cloudapp.net/api/CreditCard?number=1234%205678</a>% 201234%205678
- Specific credit card information by its id: <a href="http://x00077517.cloudapp.net/api/CreditCard/5367be454fdd720038250">http://x00077517.cloudapp.net/api/CreditCard/5367be454fdd720038250</a>
   <a href="http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250">http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250</a>
   <a href="http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250">http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250</a>
   <a href="http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250">http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250</a>
   <a href="http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250">http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250</a>
   <a href="http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250">http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250</a>
   <a href="http://x0007517.cloudapp.net/api/CreditCard/5367be454fdd720038250">http://x0007517.cloudapp.net/api/CreditCa

#### **It supports UPDATE:** http://x00077517.cloudapp.net/api/CreditCard/5367be454fdd720038250010 POST form-data x-www-form-urlencoded raw Number 1234 5678 1234 5678 Ø RiskLevel Key Value Send Preview Add to collection STATUS 204 No Content TIME 78 ms Body Headers (7) Preview Pretty JSON XMLRaw 랊

#### **It supports DELETE:**



#### **NoSQL Database Connection**

It connects to the MongoDB database installed on the publicly available server: 54.247.178.80

#### **Source Code Control**

The source code of the application is stored in the GIT repository: <a href="https://github.com/piotrbod/itt-project-for-gc">https://github.com/piotrbod/itt-project-for-gc</a>

The source code of the application is stored also in the Google Code repository: <a href="https://peter.bod@code.google.com/p/itt-google-code-rest-api-for-gc">https://peter.bod@code.google.com/p/itt-google-code-rest-api-for-gc</a>

#### **Restful Client application**

The RESTful client created supports all functions described in the main application section. It can be run from:

#### How to use the client

Please see the main method below and description how to use it. After the change is performed start the client and the changes will be implemented.

```
static void Main(string[] args)
{
         GetAllAsync().Wait();

         //AddAsync("1234 5678 1234 5678", 1).Wait();
         //GetAllAsync().Wait();

         UpdateAsync("5367b8284fdd72003825000f", "7890 1234 7890 1234", 2).Wait();
         GetAllAsync().Wait();

         //DeleteAsync("53677427c904797da8946202").Wait();
         //GetAllAsync().Wait();
}
```

To add a new credit card uncomment AddAsync, enter the credit card number and after comma the risk level between 1-3.

To update existing credit card use its id, the same or updated card number as well as the risk level between 1-3.

To delete the card from the database uncomment DeleteAsync and enter the credit card id.

#### **Source Code Control**

The source code for the client application is stored in GIT and GoogleCode accordingly: <a href="https://github.com/piotrbod/itt-project-for-gc-client.git">https://github.com/piotrbod/itt-project-for-gc-client.git</a>
<a href="https://peter.bod@code.google.com/p/itt-google-code-rest-api-for-gc-client">https://peter.bod@code.google.com/p/itt-google-code-rest-api-for-gc-client</a>

#### Summary

The main application has been deployed within the Azure Cloud environment using the Visual Studio features. The application supports functionalities like: adding new cards to the system, modification of those cards as well as deletion of the cards from the database. The console client application has been written to facilitate the database control.