SAFETY DATA SHEET

According to EC 2020/878 (REACH) and 1272/2008 (CLP)

Last update: January 21, 2026

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name: Filament Noctuo ABS ESD

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Intended use: FDM 3D printing material

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Supplier:	**Manufacturer:**
Noctuo Sp. zo.o. ul. Sowińskiego 5 44-121 Gliwice, Polska	Noctuo Sp. zo.o. ul. Sowińskiego 5 44-121 Gliwice, Polska

1.4 EMERGENCY TELEPHONE NUMBER

Emergency telephone: +48 42 63 14 724

2. HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No 1272/2008 of the European Parliament and of the Council (CLP):

Not classified

2.2 LABEL ELEMENTS

The product does not require labeling according to GHS criteria in accordance with Regulation (EC) No 1272/2008 of the European Parliament and of the Council.

Signal word: No signal word

Hazard pictogram(s): None

2.3 OTHER HAZARDS

Results of PBT and vPvB assessment: Not applicable

PBT: Not classified

vPvB: Not classified

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCE

3.2 PREPARATION

Mixture. Acrylonitrile-butadiene-styrene terpolymer, ABS.

Chemical name	Identifiers	GHS Symbols GHS Statements	Wt. %	SVHC
Carbon Black[(1)]	CAS-No. 1333-86-4 EC-No. 215-609-9 REACH 01-2119384822-32-XXXX	none none	10-25	N
Styrene	CAS-No. 100-42-5 EC-No. 202-851-5 REACH 01-2119457861-32-XXXX	GHS07-GHS08 H315-319-332-361D-372	0.1 – 0.3	N

[(1)] Substance for which there are workplace exposure limits.

4. FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

General notes:

Special measures are not necessary.

Following eye contact:	If eye irritation persists, consult a specialist. Rinse with plenty of water
Following skin contact:	For thermal burns, immediately flush with cold water. Do not attempt to remove product from skin. Obtain medical attention. Wash off with soap and water.
Following inhalation:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Consult a physician if symptoms persist or exposure was severe.
Following ingestion:	Clean mouth with water and drink plenty of water afterwards. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 MOST IMPORTANT SYMPTOMS & EFFECTS BOTH ACUTE & DELAYED

No information

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No information

5. FIRE - FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable extinguishing agents:	Dry Chemical, Water Fog, Carbon Dioxide, Alcohol Foam
Unsuitable extinguishing agents:	Dry chemical and CO2 are not generally recommended for large fires due to their lack of cooling capacity which may allow re-ignition. Do not use water jet.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Every effort should be made to prevent suspension, concentration or accumulation of fines or dusts in, or around, material handling systems. Toxic and irritating fumes may be given off during burning.

5.3 ADVICE FOR FIREFIGHTERS

Persons exposed to products of combustion should wear an approved self contained breathing apparatus and full protective equipment.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES

No information.

6.2 ENVIRONMENTAL PRECAUTIONS

Do not discharge into sewer or waterways. Do not let product enter drains. Sweep up spilled material and collect it for disposal.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Sweep area as needed. Wear an approved dust respirator if necessary. (NIOSH, or EN143/EN149).

6.4 REFERENCE TO OTHER SECTIONS

See Section 13.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Use personal protective equipment. Users should be protected from the possibility of contact with molten material during use. Processing equipment should be equipped with adequate ventilation capabilities. Inhalation of vapors should be avoided.
Do not exceed recommended operating temperatures. Do not set fire.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store away from sources of fire, heat and sparks, and flammable products.
Store away from direct sunlight, in a well-ventilated, cool and dry place.

7.3 SPECIFIC END USE(S)

No information.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Chemical Name	ACGIH TLV	OSHA PEL	DFG MAK	EU ELV
Carbon Black	TWA: 3.0 mg/m³ ‡ STEL: NE	TWA: 3.5 mg/m³ STEL: NE	TWA: NE MEL: NE	TWA: NE STEL: NE
Styrene	TWA: 10 ppm STEL: 20 ppm	TWA: 100 ppm STEL: 200 ppm MEL	TWA: 20 ppm MEL: NE	TWA: NE STEL: NE

Further Advice: **MEL** = Maximum Exposure Limit **NE** = Not Established **STEL** = Short Term Exposure Limit **TWA** = Time Weighted Average

Notes

‡ Inhalable fraction of the aerosol.

8.2 EXPOSURE CONTROL

Eye protection:	Safety glasses with side shields.
Skin and body protection:	Canvas, cotton, or rubber gloves are recommended. Use heat resistant gloves when handling hot material.
Respiratory protection:	An approved respirator is recommended for protection against processing fumes, or from dust generated from grinding, sanding, or sawing operations on molded parts. (NIOSH or EN143/149/14387).
Other hazards:	No information.

Eating, drinking and smoking in immediate work area should be prohibited.

Use local exhaust to completely remove vapors and fumes generated during melt processing.

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid
Appearance:	Circular profile
Odour:	No information
pH:	Not applicable
Freezing point:	No information.
Vapour pressure:	Not applicable
Vapour density:	Not applicable
Density:	1.1 g/cm3
Boiling temperature:	Not applicable
Solubility in water:	No information
Flammability	No information
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not applicable

9.2 OTHER SAFETY INFORMATION:

None.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

No information.

10.2 CHEMICAL STABILITY

Stable under recommended conditions.

10.3 POSSIBLE HAZARDOUS REACTION

Hazardous polymerization will not occur.

10.4 CONDITIONS TO AVOID

Avoid temperatures above 300 °C.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Carbon monoxide, carbon dioxide. Styrene, hydrogen cyanide, hydrocarbons, acrylonitrile, acrolein, acetaldehyde, acetophenone, ethylbenzene, cumene, 4-vinylcyclohexene, phenols.

11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbon Black 1333-86-4	>8000 mg/kg	N.I.	N.I.
Styrene 100-42-5	5000 mg/kg rat	N.I.	11.8 mg/l 4h rat

N.I. = No Information

CARCINOGENICITY:

Chemical Name	
Carbon Black	**IARC-2B, Mak-3B** Route of exposure: Inhalation
Styrene	**IARC-2A, NTP-R**

IARC-2A Probably Carcinogenic to Humans
IARC-2B Possibly Carcinogenic to Humans
NTP-R Reasonably Anticipated to Be a Carcinogen

Skin corrossion/ irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity Repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

Practical Experiences

Effects of overexposure

Inhalation	Processing fumes may cause irritation to the respiratory tract.
Skin contact	Contact with molten material may cause thermal burns. Processing fumes may cause irritation.
Eye contact	Processing fumes may cause irritation. Direct eye contact may cause irritation.

Ingestion	Not a probable route of exposure. Ingestion may cause gastric disturbances.

11.2 INFORMATION ON OTHER HAZARDS

No information.

12. ECOLOGICAL INFORMATION

No specific ecological information is available. This material is considered to be non-biodegradable.

12.1 TOXICITY

No information.

12.2 PERSISTENCE AND DEGRADABILITY

Not classified as PBT or vPvB.

12.3 BIOACCUMULATIVE POTENTIAL

Not classified as PBT or vPvB.

12.4 MOBILITY IN SOIL

No information.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT

No information.

12.6 OTHER ADVERSE EFFECTS

No information.

12.7 ADDITIONAL INFORMATION

No information.

13. DISPOSAL CONSIDERATION

13.1 WASTE TREATMENT METHODS

Non-hazardous and may be discarded in accordance with federal, state, and local regulations. Do not discharge into sewer or waterways. Do not let product enter drains.

14. TRANSPORT INFORMATION

14.1 UN number

None.

14.2 UN proper shipping name

None.

14.3 Transport hazard class(es)

Not regulated.

14.4 Packing Group

Not regulated.

14.5 Environmental hazards

No information.

14.6 Special precautions for user

No information.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information.

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS /LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

U.S. Federal Regulations:
TSCA Inventory:
All ingredients are listed or exempt from listing on the TSCA 8b inventory.

International Regulations: As follows –

EU REACH - SVHC (Substances of Very High Concern)

This product contains the following chemicals at a concentration above 0.1% that are on the Candidate List of Substances of Very High Concern (SVHC) published by the European Chemicals Agency (ECHA) — (updated 5 November 2025)

None known.

EU REACH - Substances requiring authorisation under REACH

Regulation (EC) No. 1907/2006, REACH, Annex XIV as amended: This product contains the following chemicals found on the Authorisation List above the threshold values defined in Article 56. If any exist, this product may require authorisation before being placed on the EU market. (updated 1 May 2022)

None known.

EU REACH - Substances restricted under REACH

Regulation (EC) No. 1907/2006, REACH, Annex XVII as amended: This product contains the following chemicals, with applicable restrictions, above any applicable threshold value. If any exist, this product may have restrictions against being placed on the EU market. (updated 17 October 2025)
The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC)
No 1907/2006 of the European Parliament and of the Council.

Chemical Name	CAS-No.	CAS-No.	Wt. %
Entry 78 - Synthetic polymer microparticles			100

15.2 CHEMICAL SAFETY ASSESSMENT

For this substance a chemical safety assessment is not yet required.

16. OTHER INFORMATION

The information contained in this sheet is based on current knowledge and experience with the product. This information is intended to support independent assessment of the methods used to ensure safe work with the filament and its safe disposal.