

Raport z procesu budowania pakietu ze źródeł

Piotr Smęt


30 maja 2026

1 Przebieg procesu budowania pakietu

Zdecydowano się na pakiet GNU time.

1. Pobranie plików źródłowych

Polecenie: `sudo apt-get source time`




```
smecik@komputer:~$ sudo apt-get source time
Reading package lists... Done
Need to get 613 kB of source archives.
Get:1 http://archive.ubuntu.com/ubuntu jammy/main time 1.9-0.1build2 (dsc) [1835 B]
Get:2 http://archive.ubuntu.com/ubuntu jammy/main time 1.9-0.1build2 (tar) [597 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy/main time 1.9-0.1build2 (diff) [14.4 kB]
Fetched 613 kB in 0s (1506 kB/s)
dpkg-source: info: extracting time in time-1.9
dpkg-source: info: unpacking time_1.9.orig.tar.gz
dpkg-source: info: unpacking time_1.9-0.1build2.debian.tar.xz
dpkg-source: info: using patch list from debian/patches/series
dpkg-source: info: applying time-include-time_h.patch
dpkg-source: info: applying option-p-texi.patch
W: Download is performed unsandboxed as root as file 'time_1.9-0.1build2.dsc' couldn't be accessed by user '_apt'. - pkg
Acquire::Run (13: Permission denied)
```

Rysunek 1: Pobieranie plików źródłowych.

2. Pobieranie zależności

Polecenie: `sudo apt-get build-dep time`



```
smecik@komputer:~/time-1.9$ sudo apt-get build-dep time
Reading package lists... Done
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages were automatically installed and are no longer required:
  libslirp0 slirp4netns
Use 'sudo apt autoremove' to remove them.
The following NEW packages will be installed:
  autoconf automake autopoint autotools-dev debhelper debugedit dh-autoreconf dh-strip-nondeterminism dwz gettext
  intltool-debian libarchive-zip-perl libdebhelper-perl libfile-stripnondeterminism-perl libsub-override-perl
  libtext-unidecode-perl libtool libxml-libxml-perl libxml-namespacesupport-perl libxml-sax-base-perl libxml-sax-perl
  po-debconf tex-common texinfo
0 upgraded, 24 newly installed, 0 to remove and 19 not upgraded.
Need to get 5904 kB of archives.
After this operation, 25.5 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy/universe amd64 tex-common all 6.17 [33.7 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy/main amd64 autoconf all 2.71-2 [338 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy/main amd64 autotools-dev all 20220109.1 [44.9 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy/main amd64 automake all 1:1.16.5-1.3 [558 kB]
Get:5 http://archive.ubuntu.com/ubuntu jammy/main amd64 autopoint all 0.21-4ubuntu4 [422 kB]
Get:6 http://archive.ubuntu.com/ubuntu jammy/main amd64 libdebhelper-perl all 13.6ubuntu1 [67.2 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy/main amd64 libtool all 2.4.6-15build2 [164 kB]
Get:8 http://archive.ubuntu.com/ubuntu jammy/main amd64 dh-autoreconf all 20 [16.1 kB]
Get:9 http://archive.ubuntu.com/ubuntu jammy/main amd64 libarchive-zip-perl all 1.68-1 [90.2 kB]
Get:10 http://archive.ubuntu.com/ubuntu jammy/main amd64 libsub-override-perl all 0.09-2 [9532 B]
Get:11 http://archive.ubuntu.com/ubuntu jammy/main amd64 libfile-stripnondeterminism-perl all 1.13.0-1 [18.1 kB]
Get:12 http://archive.ubuntu.com/ubuntu jammy/main amd64 dh-strip-nondeterminism all 1.13.0-1 [5344 B]
Get:13 http://archive.ubuntu.com/ubuntu jammy/main amd64 debugedit amd64 1:5.0-0ubuntu1 [47.2 kB]
```

Rysunek 2: Rozpoczęcie pobierania zależności.


```

dh_strip_nondeterminism
dh_compress
dh_fixperms
dh_missing
dh_dwz
dh_strip
47ad52cabfef1b5eb31cafced8453eca36aaa8d2
dh_makeshlibs
dh_shlibdeps
dh_installdeb
dh_gencontrol
dh_md5sums
dh_builddeb
dpkg-deb: building package 'time' in '../time_1.9-0.1build2_amd64.deb'.
dpkg-deb: building package 'time-dbgsym' in 'debian/.debhelper/scratch-space/build-time/time-dbgsym_1.9-0.1build2_amd64.deb'.
Renaming time-dbgsym_1.9-0.1build2_amd64.deb to time-dbgsym_1.9-0.1build2_amd64.ddeb
dpkg-genbuildinfo --build=binary -O../time_1.9-0.1build2_amd64.buildinfo
dpkg-genchanges --build=binary -O../time_1.9-0.1build2_amd64.changes
dpkg-genchanges: info: binary-only upload (no source code included)
dpkg-source --after-build .
dpkg-source: info: using options from time-1.9/debian/source/options: --extend-diff-ignore=(^|/)(time\.info|version.texi|stamp-vti)$
dpkg-buildpackage: info: binary-only upload (no source included)
Now running lintian time_1.9-0.1build2_amd64.changes ...
running with root privileges is not recommended!
W: time-dbgsym: elf-error In program headers: Unable to find program interpreter name [usr/lib/debug/.build-id/47/ad52cabfef1b5eb31cafced8453eca36aaa8d2.debug]
Finished running lintian.
smecik@komputer:~/time-1.9$ |

```

Rysunek 5: Zakończenie budowania pakietu - wygenerowanie pliku .deb.

2 Instalacja i uruchomienie programu

1. Instalacja pakietu

Polecenie: `sudo dpkg -i time_1.9-0.1build2_amd64.deb`

```

smecik@komputer:~$ sudo dpkg -i time_1.9-0.1build2_amd64.deb
(Reading database ... 132170 files and directories currently installed.)
Preparing to unpack time_1.9-0.1build2_amd64.deb ...
Unpacking time (1.9-0.1build2) over (1.9-0.1build2) ...
Setting up time (1.9-0.1build2) ...
Processing triggers for install-info (6.8-4build1) ...
Processing triggers for man-db (2.10.2-1) ...
smecik@komputer:~$

```

Rysunek 6: Instalacja zbudowanego pakietu deb.

2. Uruchomienie programu

Polecenie: `\time -v pwd`

```
smecik@komputer:~$ \time -v pwd
/home/smecik
    Command being timed: "pwd"
    User time (seconds): 0.00
    System time (seconds): 0.00
    Percent of CPU this job got: 0%
    Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.00
    Average shared text size (kbytes): 0
    Average unshared data size (kbytes): 0
    Average stack size (kbytes): 0
    Average total size (kbytes): 0
    Maximum resident set size (kbytes): 1804
    Average resident set size (kbytes): 0
    Major (requiring I/O) page faults: 2
    Minor (reclaiming a frame) page faults: 99
    Voluntary context switches: 3
    Involuntary context switches: 0
    Swaps: 0
    File system inputs: 80
    File system outputs: 0
    Socket messages sent: 0
    Socket messages received: 0
    Signals delivered: 0
    Page size (bytes): 4096
    Exit status: 0
```

Rysunek 7: Uruchomienie programu i pomiar czasu wykonania.

3 Wnioski

Proces budowania pakietu ze źródeł przebiegł bezproblemowo i przyjemnie.