Command	Range	Motion
yank change	${f f}{ m ind}$ ${f i}{ m nside}$	\$ - end line "([])
delete	$\mathbf{a}$ round	w - word
insert	$\mathbf{t}$ ill	p - paragraph
= autoident		s - $sentence$
<> indent left/right		b - begin of word
		e - end of world
		t - tag

#### INSERT MODE

```
^n - autocomplete (^n ^p w gore i w dol)
^x^n - tylko z tego pliku
^x^f - nazwy plikow z sciezka
^x^] - tagi
```

# GREP

```
:vimgrep cos \*\* lub :grep -R
:cn - next
:cp - previous
:clist - lista
:cclose - wyjście z tego trybu
```

### **FILES**

:find filename tab tab

You can use :sfind instead of :find to open it in a split window, and :tabf to open it in a new tab.

# Split WINDOWS

ctr-w s - split hori ctr-w h - split vert :<br/>sp[lit] filename - open new file in horiz split :<br/>vsp[lit] filename - open new file in vertical split

:q - close current window :on [ly[ - close other windows

ctr-w + - increse size of curr window ctr-w - - decrese size of curr window ctr-w > - increse current window width ctr-w < - decrese curr window width

### **CTAGS**

^] -> go to tag definition (by ctags) ^b -> return