



evoqua
WATER TECHNOLOGIES

EVOQUA WATER SYSTEM

80 GPM 2-PASS RO CONTAINER (SINGLE UNIT) W/ENGINEERING

ELECTRIC HYDROGEN – V1 HYDROGEN PLANT, NATICK, MA

Firm Proposal #587118 Rev 2

September 6, 2023

210 Sixth Avenue, Suite 3300, Pittsburgh, PA, 15222

(866) 926-8420 (toll-free) (978) 614-7111 (toll) www.evoqua.com

Evoqua Water Technologies, LLC Confidential Information

All the information set forth in this quotation (including drawings, designs and specifications) is confidential and/or proprietary and has been prepared for your use solely in considering the purchase of the equipment and/or services described herein. Transmission of all or any part of this information to others, or use by you, for other purposes is expressly prohibited without our prior written consent.

Table of Contents

1.0	EQUIPMENT SCOPE	2
1.1	Equipment.....	2
1.2	On Site Services.....	3
1.3	Pricing Information and Order Form.....	5
1.4	Optional Supplied Items.....	7
1.5	Technical and Commercial Qualifications	9
1.6	Scope of Supply	11
2.0	BASIS OF DESIGN	13
2.1	Design Requirements	13
2.2	Design Influent Water Characteristics	14
2.3	Effluent Water Quality.....	14
2.4	Performance Guarantee	15
2.5	Performance Conditions.....	15
2.6	Performance Testing.....	16
2.7	Remedies for Breach of Performance Guarantee	16
2.8	Limitations of Warranty and Liability	17
3.0	TERMS, CONDITIONS AND WARRANTIES	18
3.1	Standard Terms of Sale	18
3.2	Confidentiality Statement	21
3.3	Terms for Submittal of Drawings, CAD Files, Documents and Operating Instructions.....	21
3.4	Field Service Policy	23
3.5	Start-Up, Commissioning & Training.....	30
3.6	Service and Maintenance Contracts	32
4.0	ATTACHMENTS	34
4.1	Engineering Deliverables List.....	34
4.2	Eurofins Water Analysis.....	34
4.3	Proposed Drawings	34

1.0 Equipment Scope

1.1 Equipment

The list below details the unit operations supplied as part of the Evoqua Scope of Supply

Item #	Qty	Description
1.	1	40 Foot Container includes: • Insulated • Outfitted with Lights • Heating/AC unit installed • Power Distribution Panel • PLC with 9" HMI • Ethernet Communication and Link-2 Site Modem for remote monitoring by local service organization
Items below mounted in Container from item 1. Interconnecting Piping and Valves in PVC (see P&ID for Details)		
2.	1	Pre-treatment Cartridge Filter Housing • Inlet, Outlet, Bypass, and Vent Valves • Inlet/Outlet Pressure Gauges • 304SS Construction • 21Rx3H contains 21 each 30" cartridge filters
3.	2	FRP 42" Carbon Filters (to be supplied under a separate service agreement)
4.	1	Antiscalant Addition • Chemical Tote to be provided by chemical supplier. • Secondary Containment by Evoqua • One (1) Antiscalant Injection pump • One (1) level switch
5.	1	pH Adjustment (acid or caustic) • Chemical Tote to be provided by chemical supplier. • Secondary Containment by Evoqua. • One (1) Injection pump per chemical (accommodation for two chemicals in current design) • One (1) level switch • pH cell and Signet 8900 series monitor located on RO skid.

Item #	Qty	Description
6.	1	Vantage Custom M284 Two Pass RO with Caustic Injection <u>Includes:</u> 80 GPM Two-Pass RO - Includes: - VFD controlled booster pump 5-micron pre-filter – 12Rx3H Protects the RO membranes from particulate contamination - Two Pass RO – 4:2:1 // 2:1:1 array with 8" diameter 4M RO vessels. - CPA5-34 in the first pass, ESPA2-MAX in the second pass 8" diameter FRP RO pressure vessels. - Vessels are ASME code rated to 450 psi with the RP-1 stamp. - Caustic Injection – between passes to convert CO2 for removal by RO. - Painted CS Frame – Glass bead Blast - NEMA 4 Power/Control Enclosure 316SS High Pressure Piping - PVC Low Pressure Feed and Product piping - See the attached specification for more details.
7.	1	TOC Reduction Ultraviolet Light - Aquafine Model 10DTL 185 nm wavelength - Reduce TOC from 20 ppb to < 5 ppb, increased size for high feedwater TOC 80-100 gpm flow
8.	1	Controls The control system consists of a PLC mounted in a NEMA 4 enclosure with adequate I/O and software to provide automated control of the USP system. The following items form the backbone of the controls systems provided: - Process Control Panel to coordinate operation of all Evoqua supplied equipment. - Allen Bradley Compact Logix PLC and Human Machine Interface (HMI). - Digital and analog I/O (Input/Output) modules, 1 lot. 24 VDC power supply. - Solenoid valves to control air distribution.

1.2 On Site Services

In addition to the equipment above, these services will be offered as an option.

Qty.	Description
To Follow	On-site (10 hrs/day; 1 trip) for Installation Support & Inspection
To Follow	On-site (10 hrs/day; 1 trip) for Start-up Support & Assistance

Qty.	Description
To Follow	On-site (10 hrs/day; 1 trip) for Hands-on Training / Instruction, using Evoqua system O&M manual based on Level One training.
Note	Travel & Living expenses will be invoiced per the enclosed Field Service Policy, and additional days of service can be purchased, according to the enclosed Field Service Policy (see Section 3.4 for further details). "Repair or replacement of parts" under warranty terms, is repair of the part or a new part, not including removal and installation.

Estimates of required time do not include any mandated attendance at site safety training or other site requirements.

Evoqua Services & Products

Evoqua Water Technologies LLC Service & Products organization consists of over 80 branches throughout the United States, Puerto Rico, and Canada. 85% of the US population lives within 2 hours of an Evoqua Branch. Each Evoqua Branch is focused on helping you service your process water systems over time. Proper care and maintenance over time is the best way to minimize your risk of down time while lowering the life cycle cost of your system.

Evoqua is located locally so we can offer you the very best service response time in the industry. Response time can literally mean the difference between having water and not having water within your manufacturing and lab environments. Evoqua's local branches and highly trained service managers and technicians can address and fix problems with your systems within hours. When service is not local, this can sometimes turn into days. Additionally, each Evoqua Branch routinely stocks many of the items used in your system, providing yet another advantage when speed of repair is needed.

Evoqua offers a broad line of products and services that address your water system needs. Examples of these are as follows:

Products	Services
Filters & Housings	Preventative Maintenance Contracts
Gauges, Pumps, Controls, Valves & Gaskets	Membrane Care Program
UV Bulbs	Service Deionization
Sterilants	Mobil Water Treatment
Resins & Media	Design, Build, Own, Operate – Evoqua
Membranes (RO, UF, MF and ceramic)	Water Analysis
Lab Systems and Cartridges	Wastewater Ion Exchange Services
Original Manufacturers Parts	System Spare Parts
SOPs – Standard Operating Procedures	

During project execution, Evoqua will work with you to tailor a service program that meets your needs. At the time of the Factory Acceptance Test a detailed Preventative Maintenance Proposal will be presented. With Evoqua knowledge of water and your system we are well positioned to provide system care over time that will minimize risk of down time while reducing life cycle ownership cost. Additional detailed information is always available through your local Evoqua Service & Products Representative.



1.3 Pricing Information and Order Form

To:	ELECTRIC HYDROGEN	Reference:	Proposal # 587118 Rev. 2
	1 STRATHMORE ROAD	Proposal Date:	September 6, 2023
	NATICK, MA		Evoqua Water Technologies LLC
		PO Remittance	210 Sixth Avenue, Suite 3300
		Address:	Pittsburgh, PA 15222
			719-570-9600

Evoqua proposes to furnish materials, equipment and/or technical service in accordance with this quotation. Materials, equipment and/or technical service not specifically listed under the Scope of Supply or on attachments to this proposal are EXCLUDED.

Equipment Base Bid PriceUS\$667,052

Note: The offer excludes any taxes, duties or other related charges unless specifically documented by Evoqua.

This proposal, by Evoqua, is contingent upon several items including: (i) resolution of mutually acceptable payment terms; (ii) Evoqua's satisfactory completion of an anti-corruption due diligence review; (iii) a written agreement specifically acknowledging acceptance of terms and conditions mutually agreed upon by the parties; and (iv) subject to credit approval by Evoqua.

Payment Terms:

Equipment Payment Terms

35% due upon acceptance of Purchase Order (PO)

35% due upon submittal of engineering drawings (P&ID)

15% due upon release to fabrication

15% due upon notification of readiness to ship

Site Labor Payment Terms

100% due upon completion of on sites service not to exceed 90 days after equipment delivery

Net 30

Quotation Validity: This quotation is valid for a period of thirty (30) days unless extended in writing by Evoqua. Recent extreme raw material volatility in FRP, carbon steel, and stainless steel has resulted in potential impacts to cost and schedule on all projects. Due to this unprecedented market volatility, Evoqua reserves the right to re-quote the equipment proposed herein at the time of award based on the fluctuations in delivery and price of the materials identified above.



Freight: FOB Shipping Point, Freight Collect

Taxes: The pricing provided in the proposal does not include applicable Sales Tax or GST. If your company is exempt from Sales tax, GST or eligible for a reduced rate of tax, a tax exemption certificate must be provided not later than with your purchase order. If a timely, valid exemption certificate or other valid documentation is not provided with your order, any applicable Sales tax or GST will be invoiced and payable.

Shipments: Estimated 40 weeks from acceptance of purchase order and successful T&C negotiations. If applicable, approval of P&ID and all other documents submitted for approval must be received based on the Terms for Submittal of Drawings in Section 3.3 in order to maintain schedule. Estimated ship date is predicted on all documentation requiring approval being reviewed and returned within five working days by the reviewer.

Submittal Drawings: One (1) set of electronic submittal drawings will be issued based on enclosed document schedule (after receipt and approval of purchase order). Paper Copies of Submittal drawings may be provided as specified and agreed to.

Manuals: One (1) set of English language final prints and O&M manuals on paper, and one (1) set electronic copy (bookmarked and linked PDF formatted; for all documents, with the exception of engineering drawings which will be in ACAD).

Note: Any order resulting from this proposal is subject to the terms and conditions attached. Purchaser's signature acceptance of this offer is expressly limited to such terms and conditions without change or addition.

Purchaser Name: Address: Accepted Title: Date:	Presented by Signature: Approved by Evoqua Water Technologies LLC By: Title: Date:
--	--

Notes: To ensure accurate and prompt order entry, product delivery, billing and accounts receivables processing, please ensure your Purchase Order contains the following information:

1. **Hard Copy:** Our preference is to receive a hard-copy of the PO with full customer and order details – by mail, fax or email, rather than an order number quoted in an email or verbally, since this gives more assurance to both parties of the order requirements.
2. **Proposal Number:** Please reference the Proposal Number on any PO.
3. **Entity:** Please issue any Purchase Orders to the PO Remittance Address listed on the previous page of this proposal.
4. **Price:** Needs to be stated alongside the information so that the Purchase Order can be cross-checked against any proposal detail.
5. **Delivery Location (Ship-to Address):** Please clearly define the delivery location.
6. **Delivery Date:** Please include your requested delivery date in your PO. Upon receipt of the PO the requested delivery date will be reviewed in accordance with the quoted timeframe. If that date is achievable based upon factory loading it will be confirmed back to you via the confirmation information indicated on your PO, if the requested delivery date is not achievable a representative will contact you to discuss how to proceed. If a delivery date is not included in your PO, the next available production capacity will be utilized and confirmed back to you.

1.4 Optional Supplied Items

In addition to the equipment supplied per Section 1.1 and the quoted options below, Evoqua can supply other optional equipment and services upon request. Pricing for additional items is available upon request and may impact the delivery time. These optional items are detailed in the table below.

Item	Qty	Description	Price (US\$)
A	1	5,500 Gallon Storage Tank	\$66,617
		Alternate 20,000 Gallon Storage Tank	\$98,330
B	Lot	Components for Storage Tank and Distribution • Nitrogen Blanketing System • Level Transmitter • Flowmeter • Upgrade piping post RO to Polypropylene • Distribution pump skid with VFD	\$54,580
C	1	Shelf spare RO Pump	\$15,774
D	1	Shelf spare Distribution Pump	\$6,852
E	1	Upgrade TOC Analyzer to Sievers 500E in lieu of Mettler	\$16,350
F	1	Additional 1 year warranty on equipment – parts only	\$8,453
G	Lot	Piping upgrade to polypropylene post RO	\$13,785

Pricing Schedule - Additional Operation and Maintenance Manuals

Requests for **additional** Operation and Maintenance (O&M) Manuals beyond those included per the original proposal will be filled by Document Control and charged to the customer according to the following pricing schematic:

Each O&M manual consists of the following:

Volume I: O&M Manual text

Volume II: Engineering drawings and documentation

Volume III: Vendor literature

Document Control will determine the scope of the project and cost upon request. Additional costs may apply.

Project Scope and Package Description	Cost
Large custom engineered projects with more than two (2) units of operation, limited validation requirements, and no witnessed FAT Small custom engineered projects with up to two units of operation and witnessed FAT Package includes: One (1) hard copy of the O&M manual text, engineering drawings and documentation, and vendor literature (Volumes I, II, and III) Five (5) soft copies of the O&M manual text, the engineering drawings and documentation, and the vendor literature (Volumes I, II, and III)	\$1,200

1.5 Technical and Commercial Qualifications

While Evoqua will supply a completely functional system with superior engineering support, not everything required for proper operation of the proposed unit is included. The following is a list of Technical and/or Commercial specifications that Evoqua has received and reviewed for this proposal. Any requirements not listed here (including "nested" specifications within the attached, but not specifically listed here) have not been considered. Evoqua would be pleased to review any additional requirements and provide a revised proposal considering any resulting impact to price and/or schedule. Clarifications or items to be supplied by others are detailed in the following tables:

Documents

Document Number	Document Name	Rev.	Date	Pages
22MH194-PR8027	RFQ 22MH194-PR8027-EH2 Product V1 Plant Water Purification System	0	6/8/2023	45
-	22MH194-PR8027 Quote Summary Data Sheet	-	-	2
22MH194-PR8027 Highlighted	Qualifications to Specification 22MH194-PR8027-EH2 Product V1 Plant Electric Hydrogen. Qualifications to the specification have been highlighted in this PDF copy of the specification supplied with the RFQ.	-	7/7/2023	45
Feed Water Analysis	Water Analysis - Beaumont - 8-17-2023	-	8/16/2023	23
Product RODI Requests to Vendor	See attachment Product RODI Requests to Vendor for Document List Required	-	August 2023	3
22MH194-PR8027-TBE-EH2	Product V1 Plant Water Purification System - Clarifications - Evoqua	A	6/21/23	2
Site Conditions	Site Design Requirements	-	-	1

Technical Qualifications

Page #	Section	Item	Clarification
All	All	All	Evoqua's bid is based on our standard products which provide the quality and quantity of water set forth in Section 2 of this proposal. Clarifications have been made to the RFQ package in order to supply value engineered alternatives.
All	All	All	See highlighted comments throughout RFQ (attached with our proposal).

Commercial Qualifications

Document Number	Section	Commercial Qualification
		Evoqua's bid is in accordance with Evoqua's Standard Terms of Sale set forth in Section 4.1 herein. Evoqua reserves the right to review any other commercial terms and conditions of sale with you to reach a mutual agreement at the time of an order.

1.6 Scope of Supply

Project Scope and Responsibility Matrix

Item#	Description	By Others	By Evoqua	Non-Applicable
1.	All plumbing utilities (valved feedwater, loop supply, loop return, floor drains) to within 5' (unobstructed) from the system connection points.	X		X
2.	All equipment interconnecting piping material (PVC within trailer boundary) and labor. Outside container by others.	X	X	
3.	All labor & materials to install interconnecting "control" wiring between skids and components within the boundaries of the system location (container).		X	
4.	All labor and materials to install and terminate "full-load" electrical power to local panels and receptacles.	X		X
5.	Equipment off-loading (container).	X		
6.	Equipment placement (container).	X		
7.	Concrete slabs, structural work or housecleaning pads.			X
8.	Core drilling and wall penetrations.			X
9.	Heavy equipment such as crane, forklift, man-lift etc.			X
10.	Components to be installed along a wall or other structure for piping support. Free standing pipe or equipment supports are not included.			X
11.	Equipment to be installed on the ground floor with easy access.			X
12.	Estimate based on normal working hours 8:00am - 5:00pm, Monday - Friday and non-union labor.		X	
13.	Distribution loop sanitization. Loop is estimated to have ____xx____ points of use and ____xxx____ feet in length.			X
14.	Passivation of stainless-steel equipment and piping.			X
15.	All air piping and termination at local panels & devices.	X		
16.	Revise project drawings to as-built status.		X	
17.	Pipe & conduit elevation estimated to be no higher than ____ feet above floor, is easily accessible and can be supported by existing structure.			X
18.	System Startup.		Optional	
19.	Expendables such as chemicals, salt, spare filters, etc. for initial startup.	X		

Item#	Description	By Others	By Evoqua	Non-Applicable
20.	Standard O&M Manual: One (1) Electronic copy (s).		X	
21.	Formal Submittal: One (1) Electronic copy (s).			X
22.	Informal Submittals: ____one____ copy.		X	
23.	Off-site and/or special analytical testing.			X
24.	Freight cost for equipment & materials			X
25.	Demolition of existing equipment.			X
26.	Disposal of equipment, medias or materials.			X
27.	Unloading/loading of expendables in existing equipment.			X
28.	Re-installation of existing equipment.			X
29.	Startup of existing equipment.			X
30.	Neutralization of wastewater before discharge.			X
31.	Insulation and heat tracing of piping.			X
32.	Standard security requirements.			X
33.	Special safety training requirements.			X
34.	Component field tagging and identification.			X
35.	Labeling of field installed piping and electrical components.			X

2.0 Basis of Design

2.1 Design Requirements

This section details the basis of design for the equipment (the “System”) offered by Evoqua to Electric Hydrogen (the “Purchaser” and “End User/Owner”) for the Containerized 2-Pass RO Project. Evoqua has used the design information provided in RFQ “Product V1 Plant Water Purification System” Revision 0, dated May 25, 2023, and as listed below to develop our treatment approach, specify and size equipment and develop equipment take offs. Any deviations to the design information contained therein is set forth in Section 1.5, Technical Qualification herein.

The System as fully described in this proposal is based upon the design criteria and design assumptions stated in Table 2.1. Please note that any assumed values are indicated with an asterisk (*). In the event any of the assumptions are incorrect, the proposed System could be affected technically and commercially, therefore we request your confirmation concerning the accuracy of our assumptions.

Table 2.1 Design Criteria and Assumptions	
Influent Water Source	Local Municipal Potable Surface Supply
Influent Water Pressure: Minimum Maximum	60 psig 80 psig
Influent Water Temperature: Minimum Maximum	40 degrees F 90 degrees F
Influent Water Flow Rate: Nominal	107 gpm
Instrument Air: Pressure Temperature Dew Point	80-100 psig 100 degrees F -40 degrees F
Chemical Concentrations: Sulfuric Acid / Hydrochloric Acid Caustic Antiscalant	38% 50% Neat
Incoming Power:	480-Volt, 3-Phase, 60-Hertz
Seismic Zone	Applicable
Location	Indoors (climate-controlled container)
Ambient Air Temperature: Indoors – Minimum / Maximum	50 degrees F / 85 degrees F
Relative Humidity: Indoors – Minimum / Maximum	30% / 50%
Plant Elevation (Above Mean Sea Level)	Not provided / Various
Wind Load	Not applicable

Table 2.1 Design Criteria and Assumptions	
Snow Load	Not applicable
Area Classification	Unclassified, Non-Hazardous
Notes: * Assumed Value	
Storage & Distribution Design Criteria and Assumptions	
Storage and Distribution will be Outside the Container and will be Supplied by Others	

2.2 Design Influent Water Characteristics

The Purchaser must ensure that all conditions set forth in this Section, including all the influent water parameters listed in Table 2.2, are met (the "Influent Characteristics").

Table 2.2. Influent Characteristics (Composite Estimate)		
Parameter	Unit	Maximum Design Value
Notes: Water quality based on Analytical report done by eurofins Environment Testing for Electric Hydrogen 835 E San Carlos Ave Suite 100 San Carlos, Ca 94070 for the Job Description Electric Hydrogen Potable Water 8-8-23 Job Number 860-54867-1		

2.3 Effluent Water Quality

The System is capable in meeting the effluent water quality requirements set forth in Table 2.3 below (the "Effluent Water Quality Requirements").

Table 2.3. Effluent Water Quality Requirements		
Parameter	Unit	Guaranteed Value
Effluent Flow Rate	gpm	80
Conductivity	$\mu\text{S/cm @ } 25^{\circ}\text{C}$	0.056
Resistivity	MegOhm	18.2
Sodium	ppb as CaCO_3	≤ 1
Chloride	ppb as CaCO_3	≤ 1
Dissolved Silica, SiO_2	ppb	≤ 3
TOC	ppb	≤ 5
Notes:		

2.4 Performance Guarantee

Evoqua guarantees that the System shall meet the Effluent Water Quality Requirements provided in Table 2.3 of Section 2.3 above provided that (A) the Influent Characteristics of the feed water to the System are as specified in Table 2.2 of Section 2.2 above and (B) the performance conditions set forth in Section 2.5 below (the “Performance Conditions”) are met (collectively, the “Performance Guarantee”). Evoqua shall have fulfilled its obligations under the Performance Guarantee at such time as the Performance Testing specified in Section 2.6 below is satisfactorily completed and shall have no further obligations or liability of any kind under this Performance Guarantee.

2.5 Performance Conditions

The Performance Guarantee offered by Evoqua is subject to the following conditions Evoqua shall be deemed to have satisfied all of its obligations under this Performance Guarantee if there are any deviations of the Performance Conditions and such deviations are not remedied by Purchaser in accordance with Section 2.7 below.

1. Start-up assistance and testing is purchased from Evoqua and Performance Testing is scheduled within three (3) days after start-up of the System, however in no event shall start-up of the System exceed six (6) months after delivery of the System
2. The System is constructed and installed in accordance with Evoqua provided process flow diagrams and P&IDs.
3. The influent water stream shall not contain any substances, anomalous constituents, or extreme physical conditions which might interfere with the physical / chemical / biological treatment processes and/or cause damage to the treatment equipment.
4. The constituent concentrations in the feed water, with the exception of pH, shall not exceed the Influent Characteristics. The pH of the feed water shall not vary more than 10 percent from the Influent Characteristic parameter for pH.
5. Daily changes in any of the constituent parameters in the feed water within the limits defined above shall not exceed 10% per day.
6. The System shall be operated and maintained in accordance with the written procedures provided in the Evoqua-supplied operation and maintenance manual.
7. The System shall not be subjected to neglect or misuse.
8. After mechanical completion, the Purchaser's and/or Owner's operators shall begin their training by Evoqua personnel and shall be present starting at the pre-commissioning phase. Analytical test results used to validate the System Performance Guarantee and copies of the operator's log shall be transmitted to Evoqua for review.
9. Upon obtaining “steady state” conditions, Evoqua shall notify the Purchaser and the performance test shall be scheduled.
10. The ramping, up or down, of flow to the System does not exceed 10% (percent) per hour.
11. The influent temperature variation shall not exceed 2°F per hour.
12. The design requirements set forth in Table 2.1 above are accurate and met.

2.6 Performance Testing

Within three (3) working days of Evoqua's notice to Purchaser that the System installation is complete, the System is acclimated and is ready for testing, three (3) consecutive 24-hour days of testing shall begin (the "Performance Testing"). The Purchaser shall operate the System during the Performance Testing, but Evoqua may have representative(s) present at all times during the Performance Testing.

Performance Testing shall consist of sample collection via 24-hour composite samples of the equalized, cooled/heated influent to the System, and the treated effluent from the System. The analysis interval for collection of the water samples shall be equally spaced periods of time over the course of 24 hours. Samples shall be split in order for the Purchaser and Evoqua to have independent analyses conducted. When comparing influent and effluent test results, consideration of the residence time within the System shall be taken into consideration.

The test results from the third-party certified laboratory, along with the test results obtained by the Evoqua certified laboratory, shall be compiled into the performance test report, which shall be prepared by Evoqua. The performance test report shall list the daily influent / effluent test results and shall also indicate the average influent / effluent concentrations for the duration of the test. The average values shall be used to evaluate the Influent Characteristics and Effluent Water Quality Requirements.

2.7 Remedies for Breach of Performance Guarantee

If the System fails to comply with the Effluent Water Quality Requirements during the Performance Testing set out above, for reasons other than the non-conformance of the Influent Characteristics or the Performance Conditions as set forth herein, Evoqua shall make appropriate adjustments to the System prior to completing the Performance Testing sequence. Once the System successfully completes the Performance Testing, Evoqua's obligations under this Performance Guarantee shall be fully satisfied and Evoqua shall have no further obligations or liability of any kind under this Performance Guarantee.

If the System fails to meet the Effluent Water Quality Requirements because of non-conformance of the Influent Characteristics or the Performance Conditions, the Purchaser shall have the opportunity to correct such non-conformance, at Purchaser's cost, and reschedule the testing within one (1) month of the original test. In the event Purchaser is not able to remedy such non-conformance or failure to retest within the timeframe herein, Evoqua shall have no further obligations to Purchaser with respect to the Performance Guarantee, this Performance Guarantee shall be deemed fully satisfied and Purchaser shall release final payment to Evoqua as provided for in the Contract Documents.

If the System continues to fail to comply with the Effluent Water Quality Requirements, for reasons other than the non-conformance of the Influent Characteristics or the Performance Conditions, Evoqua shall at its sole option and expense, and as Purchaser's sole remedy hereunder, either: (a) repair, replace or modify the System as Evoqua deems appropriate; or (b) pay, in the form of liquidated damages, a lump sum amount equal to 10% of the price paid to Evoqua for the System, subject to the limitation on liability set forth below.

2.8 Limitations of Warranty and Liability

THE REMEDY PROVIDED TO PURCHASER ABOVE SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY FOR ANY FAILURE BY EVOQUA TO SATISFY THE PERFORMANCE GUARANTEE. IN NO EVENT SHALL EVOQUA BE LIABLE FOR ANY INDIRECT, CONSEQUENTIAL, INCIDENTAL, SPECIAL, OR PUNITIVE DAMAGES. EVOQUA LIABILITY UNDER THIS PERFORMANCE GUARANTEE SHALL BE LIMITED TO DIRECT DAMAGES ONLY AND SHALL NOT EXCEED 10% OF THE PRICE PAID TO EVOQUA UNDER THE EQUIPMENT CONTRACT. THIS LIMITATION ON WARRANTY LIABILITY IS A SUBSET OF THE TOTAL LIMITATION OF LIABILITY SET FORTH IN THE EQUIPMENT CONTRACT. THEREFORE, EVOQUA TOTAL CUMULATIVE LIABILITY UNDER THIS PERFORMANCE GUARANTEE AND THE EQUIPMENT CONTRACT, INCLUDING WITHOUT LIMITATION ANY LIABILITY FOR MECHANICAL WARRANTY CLAIMS OR FOR ANY BREACH OR FAILURE TO PERFORM ANY OBLIGATION UNDER THE EQUIPMENT CONTRACT, SHALL NOT EXCEED THE LIABILITY LIMITATION SET FORTH IN THE EQUIPMENT CONTRACT. THE FOREGOING LIMITATIONS APPLY REGARDLESS OF WHETHER THE LIABILITIES OR DAMAGES ARISE, OR ARE ALLEGED TO ARISE, UNDER CONTRACT, TORT, STRICT LIABILITY OR ANY OTHER THEORY.

OTHER THAN THE EXPRESS GUARANTEE PROVIDED IN THIS PERFORMANCE GUARANTEE DOCUMENT, AND THE MECHANICAL WARRANTY CONTAINED IN "ARTICLE 7 OF EVOQUA'S STANDARD TERMS OF SALE", EVOQUA MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE.

3.0 Terms, Conditions and Warranties

3.1 Standard Terms of Sale

1. **Applicable Terms.** These terms govern the purchase and sale of equipment, products, related services, leased products, and media goods if any (collectively herein "Work"), referred to in Seller's proposal ("Seller's Documentation"). Whether these terms are included in an offer or an acceptance by Seller, such offer or acceptance is expressly conditioned on Buyer's assent to these terms. Seller rejects all additional or different terms in any of Buyer's forms or documents.
2. **Payment.** Buyer shall pay Seller the full purchase price as set forth in Seller's Documentation. Unless Seller's Documentation specifically provides otherwise, freight, storage, insurance and all taxes, levies, duties, tariffs, permits or license fees or other governmental charges relating to the Work or any incremental increases thereto shall be paid by Buyer. If Seller is required to pay any such charges, Buyer shall immediately reimburse Seller. If Buyer claims a tax or other exemption or direct payment permit, it shall provide Seller with a valid exemption certificate or permit and indemnify, defend and hold Seller harmless from any taxes, costs and penalties arising out of same. All payments are due within 30 days after receipt of invoice. Buyer shall pay interest on all late payments not received by the due date. The Buyer shall be charged the lesser rate of 1 ½% interest per month or the maximum interest rate permissible under applicable law, calculated daily and compounded monthly. Buyer shall also reimburse Seller for all costs incurred in collecting amounts due but unpaid, including without limitation, collections fees and attorneys' fees. All orders are subject to credit approval by Seller. Back charges without Seller's prior written approval shall not be accepted.
3. **Delivery.** Delivery of the Work shall be in material compliance with the schedule in Seller's Documentation. Unless Seller's Documentation provides otherwise, delivery terms are FOB Shipping Point, or for international orders, ExWorks Seller's factory (INCOTM Terms 2020). Title to all Work shall pass upon receipt of payment for the Work under the respective invoice. Unless otherwise agreed to in writing by Seller, shipping dates are approximate only and Seller shall not be liable for any loss or expense (consequential or otherwise) incurred by Buyer or Buyer's customer if Seller fails to meet the specified delivery schedule.
4. **Ownership of Materials and Licenses.** All devices, designs (including drawings, plans and specifications), estimates, prices, notes, electronic data, software and other information prepared or disclosed by Seller, and all related intellectual property rights, shall remain Seller's property. Seller grants Buyer a non-exclusive, non-transferable license to use any written material solely for Buyer's use of the Work. Buyer shall not disclose any such material to third parties without Seller's prior written consent. Buyer grants Seller a non-exclusive, non-transferable license to use Buyer's name and logo for marketing purposes, including but not limited to, press releases, marketing and promotional materials, and web site content.
5. **Changes.** Neither party shall implement any changes in the scope of Work described in Seller's Documentation without a mutually agreed upon change order. Any change to the scope of the Work, delivery schedule for the Work, any Force Majeure Event, any law, rule, regulation, order, code, standard or requirement which requires any change hereunder shall entitle Seller to an equitable adjustment in the price and time of performance. If Buyer requests a proposal for a change in the Work from Seller and subsequently elects not to proceed with the change, a change order shall be issued to reimburse Seller for reasonable costs incurred for estimating services, design services, and services involved in the preparation of proposed changes.
6. **Force Majeure Event.** Neither Buyer nor Seller shall have any liability for any breach or delay (except for breach of payment obligations) caused by a Force Majeure Event. If a Force Majeure Event exceeds six (6) months in duration, the Seller shall have the right to terminate the Agreement without liability, upon fifteen (15) days written notice to Buyer, and shall be entitled to payment, including overhead and profit, for work performed prior to the date of termination. "**Force Majeure Event**" shall mean events or circumstances that are beyond the affected party's control and could not reasonably have been easily avoided or overcome by the affected party and are not substantially attributable to the other party. Force Majeure Event may include, but is not limited to, the following circumstances or events: war, act of foreign enemies, terrorism, riot, strike, or lockout by persons other than by Seller or its sub-suppliers, natural catastrophes, (with respect to on-site work) unusual weather conditions, epidemic, pandemic, communicable disease outbreak, quarantines, national emergency, or state or local order.
7. **Warranty.** Subject to the following sentence, Seller warrants to Buyer that the (i) Work shall materially conform to the description in Seller's Documentation and shall be free from defects in material and workmanship and (ii) the Services shall be performed in a timely and workmanlike manner. Determination of suitability of treated water for any use by Buyer shall be the sole and exclusive responsibility of Buyer, and Seller disclaims any warranty regarding such suitability. The foregoing warranty shall not apply to any Work that is specified or otherwise demanded by Buyer and is not manufactured or selected by Seller, as to which (i) Seller hereby assigns to Buyer, to the extent assignable, any warranties made to Seller and (ii) Seller shall have no other liability to Buyer under warranty, tort or

any other legal theory. The Seller warrants the Work, or any components thereof, through the earlier of (i) eighteen (18) months from delivery of the Work, or (ii) twelve (12) months from Buyer's initial operation of the Work, or in the case of services performed as part of the Work, ninety (90) days from the performance of the services (the "Warranty Period"). If Buyer gives Seller prompt written notice of breach of this warranty within the Warranty Period, Seller shall, at its sole option and as Buyer's sole and exclusive remedy, repair or replace the subject parts, re-perform the Service or refund the purchase price. Unless otherwise agreed to in writing by Seller, (i) Buyer shall be responsible for any labor required to gain access to the Work so that Seller can assess the available remedies and (ii) Buyer shall be responsible for all costs of installation of repaired or replaced Work. If Seller determines that any claimed breach is not, in fact, covered by this warranty, Buyer shall pay Seller its then customary charges for any repair or replacement made by Seller. Seller's warranty is conditioned on Buyer's (a) operating and maintaining the Work in accordance with Seller's instructions, (b) not making any unauthorized repairs or alterations, and (c) not being in default of any payment obligation to Seller. Seller's warranty does not cover (i) damage caused by chemical action or abrasive material, improper thermal or electrical capacity, misuse or improper installation (unless installed by Seller) and (ii) media goods (such as, but not limited to, resin, membranes, or granular activated carbon media) once media goods are installed. THE WARRANTIES SET FORTH IN THIS SECTION ARE THE SELLER'S SOLE AND EXCLUSIVE WARRANTIES AND ARE SUBJECT TO THE LIMITATION OF LIABILITY PROVISION BELOW. SELLER MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE.

8. **Indemnity.** Seller shall indemnify, defend, and hold Buyer harmless from any claim, cause of action, or liability incurred by Buyer as a result of third-party claims for personal injury, death, or damage to tangible property, to the extent caused by Seller's negligence. Seller shall have the sole authority to direct the defense of and settle any indemnified claim. Seller's indemnification is conditioned on Buyer (a) promptly notifying Seller of any claim, and (b) providing reasonable cooperation in the defense of any claim. Buyer shall indemnify, defend, and hold harmless Seller from any claim, cause of action, or liability incurred by Seller as a result of third-party claims for personal injury, death, or damage to tangible property, to the extent caused by Buyer's negligence. Buyer shall have the sole authority to direct the defense of and settle any such indemnified claim. Buyer's indemnifications is conditioned on Seller (a) promptly notifying Buyer of any claim, and (b) providing reasonable cooperation in the defense of any claim.

9. **Assignment.** Neither party may assign this Agreement, in whole or in part, nor any rights or obligations hereunder without the prior written consent of the other party; provided, however, the Seller may assign its rights and obligations under these terms to its affiliates or in connection with the sale or transfer of the Seller's business, and Seller may grant a security interest in the Agreement and/or assign proceeds of the agreement without Buyer's consent.

10. **Termination.** Either party may, in addition to any other available remedy, terminate this agreement for a material breach upon issuance of a written notice of the breach and expiration of a thirty (30) day cure period. In the event of (a) a voluntary or involuntary petition in bankruptcy, (b) an assignment for the benefit of a creditor, or (c) a receivership, liquidation, or dissolution, Seller may terminate the agreement immediately, in addition to seeking any other available remedy. If Buyer suspends an order without a change order for ninety (90) or more days, Seller may thereafter terminate this Agreement without liability, upon fifteen (15) days written notice to Buyer, and shall be entitled to payment for work performed, whether delivered or undelivered, prior to the date of termination.

11. **Dispute Resolution.** In the event of any claim, dispute, or controversy arising out of or relating in any way to this Agreement (collectively, a "Claim"), Seller and Buyer shall first negotiate in good faith in an effort to resolve the Claim. If, despite good faith efforts, the parties are unable to resolve a Claim through negotiations, the parties shall mediate the Claim in accordance with the commercial mediation procedures of the American Arbitration Association ("AAA"), with such mediation to take place in Pittsburgh, Pennsylvania. If the parties are unable to resolve the Claim through such mediation, then the Claim shall be resolved through final and binding arbitration pursuant to the commercial arbitration procedures of the AAA, with such arbitration to take place in Pittsburgh, Pennsylvania before one arbitrator, who shall have authority to rule on jurisdiction over the Claim. Seller and Buyer agree to the exclusive jurisdiction of the federal and state courts situated in Allegheny County, Pennsylvania for purposes of entering judgment upon the arbitrator's award. The substantially prevailing party, as determined by the arbitrator, shall be entitled to recover all costs, expenses, and charges, including, without limitation, reasonable attorneys' fees and expert witness fees, incurred in connection with the Claim. In case of an Agreement under which Seller ships the Work outside of the United States, or under which Seller's and Buyer's places of business are in different countries, any Claim which is not resolved by the good faith negotiations and mediation required by this Section shall then be determined by arbitration administered by the International Center for Dispute Resolution in accordance with its International Arbitration Rules, with such arbitration taking place in Pittsburgh, Pennsylvania, USA, before one arbitrator, with English as the language of the arbitration. This Agreement and any Claim shall be governed by the laws of the Commonwealth of Pennsylvania, without giving effect to the choice of law principles thereof.

12. **Export Compliance.** All items, and technologies, software, and work products are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They

may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations. Any diversion contrary to U.S. law is prohibited. Buyer acknowledges that Seller is required to comply with applicable export laws and regulations relating to the sale, exportation, transfer, assignment, disposal and usage of the Work provided under this Agreement, including any export license requirements. Buyer agrees that such Work shall not at any time directly or indirectly be used, exported, sold, transferred, assigned or otherwise disposed of in a manner which will result in non-compliance with such applicable export laws and regulations. It shall be a condition of the continuing performance by Seller of its obligations hereunder that compliance with such export laws and regulations be maintained at all times. BUYER AGREES TO INDEMNIFY AND HOLD SELLER HARMLESS FROM ANY AND ALL COSTS, LIABILITIES, PENALTIES, SANCTIONS AND FINES RELATED TO NON-COMPLIANCE WITH APPLICABLE EXPORT LAWS AND REGULATIONS.

13. **Anti-Kickback Statute – Discounts.** It is the intent of both Buyer and Seller to comply with the Anti-Kickback Statute (42 U.S.C. §1320a-7b(b)) and the Discount Safe Harbor and Warranties Safe Harbor regulations set forth in 42 C.F.R. 1001.952(h) and (g), respectively. Buyer's price may constitute a 'discount or other reduction in price' under the Anti-Kickback Statute. Seller shall provide Buyer with invoices that fully and accurately disclose the discounted price of all Products purchased under this Agreement to allow Buyer to comply with this Section and the Discount Safe Harbor regulations, including sufficient information to enable it to accurately report its actual cost for all purchases of Products. Buyer acknowledges that, if applicable, it will fully and accurately report all discounts or other price reductions, including warranty items, in the costs claimed or charges made under any Federal or State healthcare program and provide information upon request to third party reimbursement programs, including Medicare and Medicaid. Buyer will be solely responsible for determining whether any savings or discount or warranty item it receives must be reported or passed on to payors.

14. **Federal Program Participation.** Seller represents and warrants that neither it nor any of its current directors, officers, or key personnel: (i) are currently excluded, debarred or otherwise ineligible to participate in federal health care programs as defined in 42 U.S.C. §1320a-7b(f) (the "**Federal Healthcare Programs**"); (ii) have been convicted of a criminal offense related to the provision of healthcare items or services during the last five (5) years; or (iii) have been excluded, debarred or otherwise declared ineligible to participate during the last five (5) years in Federal Healthcare Programs. Seller will notify Buyer of any change in the status of the representations and warranties set forth above.

15. **LIMITATION OF LIABILITY.** NOTWITHSTANDING ANYTHING ELSE TO THE CONTRARY, SELLER SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, PUNITIVE OR OTHER INDIRECT DAMAGES, AND SELLER'S TOTAL LIABILITY ARISING AT ANY TIME FROM THE SALE OR USE OF THE WORK, INCLUDING WITHOUT LIMITATION ANY LIABILITY FOR ALL WARRANTY CLAIMS OR FOR ANY BREACH OR FAILURE TO PERFORM ANY OBLIGATION UNDER THE AGREEMENT, SHALL NOT EXCEED THE PURCHASE PRICE PAID FOR THE WORK. THESE LIMITATIONS APPLY WHETHER THE LIABILITY IS BASED ON CONTRACT, TORT, STRICT LIABILITY OR ANY OTHER THEORY.

16. **Miscellaneous.** These terms, together with any related Contract Documents issued or signed by the Seller, comprise the complete and exclusive statement of the agreement between the parties (the "Agreement") and supersede any terms contained in Buyer's documents, unless separately signed by Seller. No part of the Agreement may be changed or cancelled except by a written document signed by Seller and Buyer. No course of dealing or performance, usage of trade or failure to enforce any term shall be used to modify the Agreement. To the extent the Agreement is considered a subcontract under Buyer's prime contract with an agency of the United States government, in case of Federal Acquisition Regulations (FARs) flow down terms, Seller will be in compliance with Section 44.403 of the FAR relating to commercial items and those additional clauses as specifically listed in 52.244-6, Subcontracts for Commercial Items (OCT 2014). If any of these terms is unenforceable, such term shall be limited only to the extent necessary to make it enforceable, and all other terms shall remain in full force and effect. The Agreement shall be governed by the laws of the Commonwealth of Pennsylvania without regard to its conflict of laws provisions. Both Buyer and Seller reject the applicability of the United Nations Convention on Contracts for the international sales of goods to the relationship between the parties and to all transactions arising from said relationship.

Only in the event that the Work contemplated in this Order is related to the provision of medical devices, the following additional terms apply:

17. **Medical Devices Act and Regulatory Disclaimer.** Buyer acknowledges that it is familiar with the U.S. Safe Medical Devices Act of 1990 (the "Devices Act") and the reporting obligations imposed on device users thereunder. In this regard, Buyer agrees to notify Seller within ten (10) days of the occurrence of any event identified in the Devices Act imposing a reporting obligation on Buyer and/or Seller (except for events representing an imminent hazard that require notification to the United States Food and Drug Administration

(the “FDA”) within seventy-two (72) hours (or such shorter time as required by law), in which case, such notice will be delivered to the FDA and Seller within said period). Buyer will maintain adequate tracking for the Products to enable Seller to meet the FDA requirements applicable to the tracking of medical devices. Although Seller has the required registrations, approvals, and licenses (e.g., U.S. 510(k) pre-market notifications) for all or substantially all of its systems, the purchase of parts and system components from Seller does not provide 510(k) compliance or compliance under any other law, rule or regulation for Buyer’s system.

Only in the event that the Work contemplated in this Order is related to the provision of leased or rented equipment (“Leased Equipment”), the following additional terms apply:

18. **Rental Equipment / Services.** Any Leased Equipment provided by Seller shall at all times be the property of Seller with the exception of certain miscellaneous installation materials purchased by the Buyer, and no right or property interest is transferred to the Buyer, except the right to use any such Leased Equipment as provided herein. Buyer agrees that it shall not pledge, lend, or create a security interest in, part with possession of, or relocate the Leased Equipment. Buyer shall be responsible to maintain the Leased Equipment in good and efficient working order. At the end of the initial term specified in the order, the terms shall automatically renew for the identical period unless canceled in writing by Buyer or Seller not sooner than three (3) months nor later than one (1) month from termination of the initial order or any renewal terms. Upon any renewal, Seller shall have the right to issue notice of increased pricing which shall be effective for any renewed terms unless Buyer objects in writing within fifteen (15) days of issuance of said notice. If Buyer timely cancels service in writing prior to the end of the initial or any renewal term this shall not relieve Buyer of its obligations under the order for the monthly rental service charge which shall continue to be due and owing. Upon the expiration or termination of this Agreement, Buyer shall promptly make any Leased Equipment available to Seller for removal. Buyer hereby agrees that it shall grant Seller access to the Leased Equipment location and shall permit Seller to take possession of and remove the Leased Equipment without resort to legal process and hereby releases Seller from any claim or right of action for trespass or damages caused by reason of such entry and removal.

3.2 Confidentiality Statement

This document and all information contained herein are the property of Evoqua and/or its affiliates. The design concepts and information contained herein are proprietary to Evoqua and are submitted in confidence. They are not transferable and must be used only for the purpose for which the document is expressly loaned. They must not be disclosed, reproduced, loaned or used in any other manner without the express written consent of Evoqua. In no event shall they be used in any manner detrimental to the interest of Evoqua. All intellectual property rights are reserved. Upon the demand of Evoqua, this document, along with all copies or extracts, and all related notes and analyses, must be returned to Evoqua or destroyed, as instructed by Evoqua. Acceptance of the delivery of this document constitutes agreement to these terms of confidentiality. IF YOU CANNOT ABIDE BY THESE TERMS OF CONFIDENTIALITY, PLEASE CONTACT EVOQUA IMMEDIATELY TO MAKE ARRANGEMENTS FOR THE RETURN OR DESTRUCTION OF ALL PROPOSAL MATERIALS.

3.3 Terms for Submittal of Drawings, CAD Files, Documents and Operating Instructions

The intent of these conditions is to facilitate processing of the order and to define the scope of engineering work to be performed by Evoqua covering the equipment offered in this proposal:

Evoqua will furnish the drawings and documents listed within section 4.1 of this Proposal as part of this contract.

All design related files utilized in the project development process, and exchanged between Evoqua and external parties, shall originate, and be compatible with Evoqua’s current release of Autodesk based products at the time of project execution. Evoqua is not responsible for any cost associated with making files from a third-party compatible with Evoqua’s current release of Engineering CAD Design Tools utilized on a project. As such, drawings shall be provided in Evoqua’s standard template unless

otherwise negotiated. If as represented on the deliverables list in 4.1 and contract that this proposal includes one round of submittals for approval, the customer is provided with a five-working day approval turnaround time, consisting of electronic copies (unless negotiated upon agreement). Delays in returning drawings beyond the five-working days allocated or in clarifying details will result in extended shipping dates, which may be beyond a day for day extension. These drawings and/or documents are based upon submittal details agreed upon at time of contract approval. Evoqua assumes that all drawings will be returned “Approved” or “Approved, As Noted” and will incorporate such comments by the customer at no charge, if they are in accordance with Evoqua’s scope of work.

Drawings returned “Resubmit” or containing customer comments/additions not included in Evoqua’s scope of work, may require a change order and incur project delays. Any subsequent changes or modifications by Purchaser that are beyond the terms of this contract and may require an extra charge and possible project delays.

Drawings marked “Approved” or “Approved as Noted” will not be resubmitted for approval. The “Approved as Noted” drawings will be revised and returned as final drawings. Evoqua will make one transmittal of approval drawings and one transmittal of final drawings.

Should additional changes be made by Purchaser to drawings previously reviewed during the review period, Evoqua will submit an estimate of costs and schedule impact (if applicable) for such changes for Purchaser’s acceptance before incorporating the additional revisions.

3.4 Field Service Policy

IET Version 1 (Rev. May 24, 2021)

1. Field Services

The services of an Evoqua Field Service Representative are available as an additional option for support of equipment installation, start-up, troubleshooting and/or training when such services have not been included in the base contract.

2. Authorization

Authorization is limited to the maximum amount within the Purchase Order issued for the above services. If an additional funding authorization is required, customer will be notified when 75% of allocated monies have been used on the original Purchase Order. Additional work will not be performed until receipt of additional Purchase Order.

3. Responsibility

Unless otherwise specifically authorized in writing, the Field Service Representative shall act only in an advisory capacity interpreting drawings, recommending sequence of work in erection, installation, start-up and training.

Evoqua shall not be responsible for any acts, omissions or workmanship of employees, subcontractors or agents of the owner or for their failure to follow the advice or instructions of the Field Service Representative.

The customer at its own cost and expense shall supply all labor, materials, tools, equipment, and facilities necessary for the execution of the work, unless agreed to otherwise in writing.

4. Reports

Daily summary reports are completed by the Field Service Representative and are available for customer's review and signature upon request.

5. Travel Time

Travel time to destination depends on availability of personnel, but will vary and shall be at Evoqua discretion. Any travel to a foreign country other than Canada or Mexico where an individual segment exceeds 10 hours (600 minutes) of continuous flight point to point will be business class and charged to the customer.

Evoqua Field Service Representatives are allowed one trip home every two weeks in North America and PR, and one trip home every three (3) to four (4) weeks for international jobs. Travel time (charged at standard billing rate) and travel expenses will be billed at actual cost plus 10% admin fee.

6. Rates

Field Service Representative rates apply in the manner set forth below:

Standard Rate: – Standard Rate shall be charged for time worked on a regular (non-holiday) schedule of 10 hours per calendar day between 7:00 a.m. and 6:00 p.m., Monday through Friday, unless something other is mandated by state or local regulations.

Travel time shall be charged at the Standard Rate.

Premium Rate: – Premium Rates shall be charged for time worked in excess of 10 hrs/day Monday through Friday, or at times other than the above regular schedule, unless something other is mandated by state or local regulations.

As long as the Field Service Representative is retained by the customer, the minimum charge for weekdays will be 10 hours at the rates described below whether requested to work or not. If a Field Service Representative is retained over a weekend but does not work, the charge for the weekend will be limited to expenses incurred by the Field Service Representative +10% administrative fee.

Evoqua's standard daily Field Service rates within the US, Canada, Mexico and Puerto Rico at the time of this proposal are:

Day	Time	Price
Monday through Friday	Up to 10 hours	\$250/hour, 10 hours min. charge
Monday through Friday	1 to 4 hours above 10 hours	Premium Rate @ 50% above Standard Rate (1.5 x Std. Rate)
Monday through Friday	> 4 hours above 10 hours	Premium Rate @ 100% above Standard Rate (2 x Std. Rate)
Saturday	Up to 8 hours Minimum Charge 8 hours	Premium Rate @ 50% above Standard Rate (1.5 x Std. Rate), 8 hours minimum charge
Saturday	In excess of 8 hours	Premium Rate @ 100% above Standard Rate (2 x Std. Rate)
Sunday	Minimum Charge 8 hours	Premium Rate @ 100% above Standard Rate (2 x Std. Rate), 8 hours minimum charge
Sunday	In excess of 8 hours	Premium Rate @ 200% above Standard Rate (3 x Std. Rate)
Holidays	Minimum Charge 8 hours not to exceed 10 hours	Premium Rate @ 200% above Standard Rate (3 x Std. Rate)

The Customer shall be charged for the services of the Field Service Representative at the job site when service cannot be rendered because of delays or conditions beyond Evoqua's control. In cases of undue delay, Evoqua reserves the right to recall the Field Service Representative. Prior to arriving at the site, the Customer will be required to complete the Exhibit 1 Site Readiness Checklist to document the site completion status. Failure to complete the checklist or to do so inaccurately could result in delays and standby charges if contracted services cannot commence as planned.

The Customer may reschedule or cancel the scheduled startup date 14 days prior to on site mobilization. The Customer shall be charged for one week of the Field Service Rate set forth in the proposal if a reschedule or cancellation is requested within the 14 day window preceding the scheduled startup date.

7. Expenses

The rates for services of Evoqua personnel do not include air fare. Air Fare shall be charged at cost +10% admin fees.

8. Invoicing

Invoices will be rendered on a biweekly basis. Payment shall be made 15 days net.

9. Default Provision

Upon the failure of Purchasers to make payment for service, or any part thereof, when due or upon breach of this agreement or upon the filing of a Petition in Bankruptcy, whether voluntary or involuntary; the filing of any proceedings under the provisions of Bankruptcy Act; a common law extension; Assignment for the Benefit of Creditor; receivership liquidation; dissolution; or any act of Bankruptcy, the entire unpaid balance shall, at the option of Evoqua, at once become due and payable. In the event of litigation, Purchaser shall be liable for all of Evoqua's costs and expense, including but not limited to, reasonable attorney's fees in the amount of twenty percent (20%) of the unpaid balance. Further, upon default interest on the unpaid balance shall accrue at the rate of one percent (1%) per month.

10. Advance Notice and Preparation

Support of Start-up – Due to the indefinite nature of many field service calls, precise scheduling of service Rep. time is difficult. As sufficient advance notice is the customer's best means of ensuring an on-target visit, Evoqua recommends a minimum of four (4) weeks advance notice of the intended start-up date.

Adequate preparation is equally important to a good start-up. Failure to complete the equipment installation in all respects will result in serious delays. Typical deficiencies encountered are failure to pipe in drain lines, inadequate drain facilities, no regenerant chemicals on hand, inadequate inlet supply pressure, no operating personnel available, etc. A general list of preliminary start-up requirements and precautions is included in the Evoqua operating manual. Refer to the Exhibit 1 Site Readiness Checklist and the aforementioned need to complete this checklist in advance of the start of on-site services.

When Purchaser or Purchaser's agent is responsible for installation, this shall include unloading and setting up the equipment, assembling loose items, loading of media, fixing of minor leaks due to loosening during shipment, calibration of instruments, and all other labor not included in the proposal which is required to make the equipment ready for operation.

In the event that adjustments to the controls or to other components in the system are required prior to or during start-up as defined in Exhibit 1, Purchaser or the authorized contractor should make these adjustments promptly to avoid delays which will be charged at the above rate if delays are the result of improper preparation and/or delays in making necessary adjustments.

Other Field Service – Routine service calls are scheduled in the same way as start-ups. Four (4) weeks' notice should be given. Urgent trouble calls are handled on an emergency basis and, in most cases, a Representative can be dispatched within 48 hours. However, a large share of these problems can be dealt with effectively through telephone consultation with our area Evoqua Branch Representative or one of our Field Service Department personnel or by contacting the 1-800-466-7873 Customer Support Line.

11. Acceptance of Equipment

Upon completion of start-up, the Purchaser will be asked to accept the equipment and release Evoqua personnel. This written acceptance (see Exhibit 2 Customer Acceptance Letter) serves as an acknowledgment that the equipment was brought into satisfactory operation, the customer's operations personnel were fully instructed in its operation, and suitable arrangement were made for correction of any outstanding problems. Acceptance does not, in any way, relieve Evoqua of its responsibilities under the mechanical and performance guarantees, if any.

EXHIBIT 1

SITE READY CHECKLIST

Evoqua Water Technologies (Evoqua) requires completion of this form to facilitate installation/start-up of your equipment. Please review the notice on page 2, verify the readiness of the following items, and return the completed form to Evoqua. Missing, incomplete and/or incorrect responses may result in additional expenses. Your cooperation is greatly appreciated.

Project Name: _____ Date: _____

Project No.: _____

Customer Name: _____

Mechanical Contractor: _____

Electrical Contractor: _____

Item Description	Ready	Not Ready	N/A	Comments (Include Source of Info and Date Where Applicable)
General Site Conditions				
Site(s) Accessible and Directions Available	☐	☐	☐	
Control Building(s) Enclosed	☐	☐	☐	
Power Available at All panels	☐	☐	☐	
"Old" Equipment Removed and Disposed	☐	☐	☐	
Mechanical				
Piping and Vessels				
All equipment installed, leveled, piped anchored, and grounded.	☐	☐	☐	
All piping installation completed; inlet, interconnecting and outlet.	☐	☐	☐	
Inlet water supply available at required flows and pressure.	☐	☐	☐	
All interconnecting piping, air lines, and vessels pressure tested as required, and free of leaks.	☐	☐	☐	
Adequate supports and braces provided for all piping	☐	☐	☐	
Air Supply				
Air supply available at required flows and pressure.	☐	☐	☐	
Air lines, including tubing, complete to all enclosures and valves etc.	☐	☐	☐	
Air is of instrument quality; free of oil, water, etc.	☐	☐	☐	
Drains				
All drain connections meet unit back pressure requirements.	☐	☐	☐	
All drain piping installation complete (at least one pipe size larger than connection at units).	☐	☐	☐	
Drain piping tested for leaks where applicable.	☐	☐	☐	
Pumps and Motors				
All pumps utilized by the system grouted in and aligned by a certified millwright.	☐	☐	☐	

Site Ready Checklist				
Item Description	Ready	Not Ready	N/A	Comments (Include Source of Info and Date Where Applicable)
Motor wiring and MCC complete with proper wire size, fuses heaters, etc.	☐	☐	☐	
Pump motors checked for rotation and vibration prior to coupling.	☐	☐	☐	
All pumps coupled and lubricated as per manufacturer's specifications.	☐	☐	☐	
Miscellaneous				
Media and membrane storage to prevent damage by elements, et., direct sun exposure, rain freezing, etc.	☐	☐	☐	
Pretreatment chemicals available.	☐	☐	☐	
Regeneration chemicals available.	☐	☐	☐	
Safety showers/eyewash must be operational to prevent delays.	☐	☐	☐	
Electrical				
Power				
All electrical tie-ins completed, all circuits "rung out"; including all 120 VAC, 480 VAC, neutrals, and grounds to and from field devices.	☐	☐	☐	
Motor wiring and MCC complete with proper wire size, fuses, heaters, etc.	☐	☐	☐	
Controls				
Equipment On-Site, Visually Inspected, Quantities Verified	☐	☐	☐	
All field panel(s) (off skid) Mounted	☐	☐	☐	
All panel power wiring pulled, labeled, and terminated	☐	☐	☐	
All panel power wiring continuity verified to ensure proper termination.	☐	☐	☐	
All Ethernet cable pulled, labeled, and terminated.	☐	☐	☐	
Ethernet cable tested for proper termination	☐	☐	☐	
All Remote I/O communication cable pulled, labeled, and terminated.	☐	☐	☐	
All Remote I/O communication cable continuity tested to ensure proper termination.	☐	☐	☐	
All panel I/O field wiring (off-skid) pulled, labeled, and terminated.	☐	☐	☐	
All panel I/O field wiring (off-skid) continuity verified to ensure proper termination.	☐	☐	☐	
Computer On-Site, placed in Control Room, and ready for final hook up.	☐	☐	☐	
Computer Furniture Placed and Ready	☐	☐	☐	Provided by Other than Evoqua
Separate Protected Circuit for Computer	☐	☐	☐	Provided by Other than Evoqua
Motor Control Centers Installed and Wired	☐	☐	☐	Provided by Other than Evoqua
Instrumentation				
Equipment On-Site, Visually Inspected, Quantities Verified	☐	☐	☐	
All field instrumentation (off skid) wiring pulled, labeled, and terminated	☐	☐	☐	
All field instrumentation (off skid) wiring continuity verified to ensure proper termination.	☐	☐	☐	

Site Ready Checklist				
Item Description	Ready	Not Ready	N/A	Comments (Include Source of Info and Date Where Applicable)
Instrument calibration checked by qualified technician and documented by log sheet or sticker on each device.	☐	☐	☐	

Important Notice

A specific amount of time and number of site visits have been allocated to provide installation/start up service on this project. Please verify the readiness of each of the above items and return a signed copy of this form to Evoqua. Customer must initial those items that are not ready. Failure to complete any of the above items before arrival of Evoqua personnel may result in the following:

- 1) Reserves the right to leave the site and return when items are completed.
- 2) If additional time and/or expenses are required, Evoqua reserves the right to assess additional charges.

On Day One of the planned start-up, the assigned Evoqua Field Service Engineer Lead will conduct a walkdown of the installed equipment and system against the P&IDs of record. Following the walk-down a conference call will be arranged by the Evoqua Project Manager with the customer and Evoqua Field Service Engineer Lead in attendance. The results of the site walk-down will be reviewed and a decision will be reached as to whether the system installation is complete and accurate or if further installation or corrections are required to allow for start-up to proceed. If not, then the customer will be given the following options:

- 1) Have the Evoqua Field Service Team leave site and return when the system installation is complete and/or corrections have been made. The timing of this return visit will be subject to the availability of Field Service resources at the time.
- 2) Have the Evoqua Field Service Team remain on-site and provide technical advisory assistance to the installer and customer. In this case the days spent in this capacity will be deducted from the original budgeted on-site days and will have to be replaced by change order to the contract.

Approved by (please print full name) _____

Title _____

Signature _____

Date _____

Evoqua requires the customer to provide a reasonably safe work environment in accordance with applicable OSHA standards including but not limited to 29CFR1910.146, Confined Space & 29CFR1910.147, Lockout/Tagout.



EXHIBIT 2

ACCEPTANCE OF EQUIPMENT

Customer Name: _____ Site
Location _____

Customer PO # _____

Sales Order #: _____

Work Completion Date: _____

Description of Equipment (or work performed):

The undersigned, an authorized representative of _____
(Customer Name/Contractor Name)

acknowledges that (describe work performed, installation, or start-up, or repair)

was performed by: _____
(Evoqua Field Service Engineer name or Evoqua Contractor Name)

and completed the work to the satisfaction of the Customer/Customer Contractor's representative. The Customer's operating personnel were fully instructed in its operation and maintenance and suitable arrangements were made for correction of outstanding items (if any) listed below:

Customer acceptance of the equipment in no way relieves Evoqua of its responsibilities under the warranties as set forth in the Proposal or Purchase Order or Signed Contract.

Accepted By: (Customer representative) _____

Title: _____ **Date Accepted:** _____

Evoqua Representative _____ **Date** _____

Email completed form to: _____ **Evoqua Project Manager**

3.5 Start-Up, Commissioning & Training

Startup

The FSE works with the Customer to accomplish the following:

- Ensure the system is installed correctly
- Support the loading of media and membranes
- Ensure correct operational and alarm set points
- Operate each unit of the system through its cycles
- Verify the system is running and producing water per the Process Guarantee (within Section 3 of this proposal)
- Execute the SAT (if included within this proposal)
- Level One Training (see details below)

Commissioning

The FSE works with the Customer's Validation Team to accomplish the following:

- Execute the IQ (if included within this proposal) **after** Start-Up of the system
- Execute the OQ (if included within this proposal) **after** Start-Up of the system

Training

The following outlines the two (2) levels of training Evoqua offers. The first level is primarily focused towards the operators; this is the basic training typically offered at most sites. The second level focused toward operators, management and technical personnel. A separate quotation can be provided for customers preferring the detailed training offered within level two.

Level One:

The O&M manual will be used for this training.

- Description of Major System Components
- Principles of Operation
- Review of Drawings
- Maintenance
- Troubleshooting
- Actual Equipment Walk-through
- Questions and Answers

Level Two:

A training manual will be issued to each participant, and will cover:

- Introduction of the trainer, the training and the experience
- Description of major system components
- Types of filters (multi-media/carbon/cartridge)
Softeners (sodium and hydrogen)
Chemical feed systems (caustic/acid/bisulfite/anti-scalant)

Reverse Osmosis (RO)
UV sterilizers
Continuous Deionization (CDI)
Ion exchange (two bed and mix bed systems)
Clean-In-Place units (CIP)

- Principals of Operation
- Review of Process System Flow
- Control System & HMI Function
 - Set Points
 - Graphic Screens
 - Access to PLC
 - What Screens Show
- Review Sequence Charts
 - How to Read Sequence Sheets
 - Review of valve sequence
 - Review of step times and how determined
- Review Drawings
 - Electrical
 - Mechanical
 - P&IDs
- Safety Precautions with Equipment and Chemicals
 - Acid
 - Caustic
 - Chemical Feed
 - Vessel entry
 - Piping
 - Steam
 - Hearing protection
 - Personal protection equipment
- Maintenance
 - Record keeping
 - Daily checks
 - Weekly checks
 - Cleaning
 - Sanitization
 - Long-term storage procedures
- Troubleshooting Guide and Tips
 - Electrical/Mechanical
 - General hints and techniques
 - Most common problems encountered
 - Who to contact with problems

Warranty review

- Equipment Walk-through
- Questions and Answers

3.6 Service and Maintenance Contracts

Evoqua can provide Service and Maintenance Contracts, under separate cover. These contracts may include, but are not limited to, the following:

Scope Item	Available Evoqua Services
General Services	Continuously supply high-purity water, any quantity, up to specified flow rate. Monitor key parameters of system operation via telephone modem hook-up. Provide operational coverage, as required: scheduled on-site time plus 24/7 hours on call. Maintain system in calibrated state per validation procedures and logs. Provide personnel to assist during initial FDA audit. Back-up mobile water services available 24 hours per day, with short response time.
Pretreatment Maintenance	Perform valve, instrument, pump and pipe repair. Supply activated carbon, UV lamps, scale inhibitor and filter cartridges. Provide labor for above activities.
Membrane System Maintenance	Monitor system's operating conditions including, but not limited to: temperatures, pH, permeate and concentrate flow rates, salt rejection and operating pressures. Initiate any corrective action necessary to maintain system design parameters. Maintain membranes, clean and replace, as required. Supply sodium hydroxide solution and sanitizing chemicals. Maintain and replace membrane skid pumps and motors, as required.
Polishing System Maintenance	Supply ion exchange resin, CDI modules and sub-micron filter cartridges. Provide labor for above activities.
Instrumentation Maintenance and Sample Analysis	Maintain and calibrate (not traceable to NIST, see below). Provide labor for repairs and supply replacement parts. Provide signals to Client from quality instrumentation and level controls. Provide periodic water / feed water analysis and maintain testing records. Develop sampling protocol, action levels and sanitization procedures.
Operational Review	Monthly Account Management Review Quarterly Plant Performance Review Annual Engineering Review

Labor Warranty	Provide Labor for the warranted equipment with the execution of a Maintenance Agreement at the time of Equipment Purchase
----------------	---

The following items are generally excluded from our Service and Maintenance Contracts:

Scope Item	Client Responsibilities
Operational Requirements	Utilities, turnover of equipment in working condition, major repairs to the following: pump casings, pressure vessels, internals, UV chambers and cartridge filter housings.
FDA Interface	Main interface with FDA for audits and any required correspondence.
Calibration Services	On-site calibration department for critical instruments requiring NIST calibration.
Bacteria Counts	Laboratory services on-site to support bacteria testing.

Please contact your local Evoqua Service Representative for service contract information.

4.0 Attachments

The following attachments are appended to this proposal:

4.1 Engineering Deliverables List

4.2 Eurofins Water Analysis

4.3 Proposed Drawings

- Piping & Instrumentation Diagram

 evoqua WATER TECHNOLOGIES				TITLE Engineering Deliverables List
Opportunity ID 587118	Proposal Number 587118	Revision 0	Date 9/6/2023	Project Name Electric Hydrogen

IFI - Issued for Information Only
FRC - For Review & Comment (Work Proceeds)
FA - For Approval (Work Stops Pending Approval)

AS - After Shipment
ARAO - After Receipt and Acceptance of Order
ARAP - After Receipt of Approved P&ID

Item No.	DESCRIPTION	Submitted to Customer	Hard Copy Quantity	Soft Copy Format	Include in O&M	Estimated Document Submittal (weeks)	Timing of Submittal	REMARKS
1.02	P&IDs	IFI	0	PDF	Yes	4	ARAO	
1.04	Process Design Calculations	IFI	0	PDF	Yes	4	ARAP	
1.16	Equipment List	IFI	0	PDF	Yes	4	ARAP	
1.19	Document Delivery Schedule (EDL-This document)	IFI	0	PDF	Yes	1	ARAP	
2.04	I/O List	IFI	0	PDF	No	8	ARAP	
2.06	Recommended Spare Parts List	IFI	0	PDF	Yes	2	AS	
2.10	Equipment Data Sheets	IFI	0	PDF	Yes	2	AS	
2.11	Instrument Data Sheets	IFI	0	PDF	Yes	2	AS	
2.14	Panel Layout Drawings	IFI	0	PDF	Yes	36	ARAP	
2.15	Panel Schematics	IFI	0	PDF	Yes	36	ARAP	
2.18	Skid General Arrangement Drawings	IFI	0	PDF	Yes	2	AS	
2.20	Seismic Design Calculations	IFI	0	PDF	No	2	AS	
2.29	Philosophy/Sequence of Operation	IFI	0	PDF	No	12	ARAP	
2.30	Sequence Charts	IFI	0	PDF	No	12	ARAP	
2.35	PLC Program	IFI	0	Native	No	12	ARAP	
2.41	Supplier Process/Equipment Design Calculations	IFI	0	PDF	No	2	AS	
2.44	Supplier Installation Manual	IFI	0	PDF	Yes	2	AS	Provided to in O&M Manual only
2.45	Supplier Operation & Maintenance Manual	IFI	0	PDF	Yes	2	AS	Provided to in O&M Manual only
3.01	General Arrangement Drawing (Final)	IFI	0	PDF	Yes	44	ARAP	
4.02	O&M Manual	IFI	0	PDF	Yes	2	AS	
4.03	Installation Manual	IFI	0	PDF	No	26	ARAP	
5.01	Project Schedule/Updates	IFI	0	PDF	No	Monthly		
6.01	Project Specific Inspection and Test Plan	IFI	0	PDF	No	40	ARAP	
6.02	Inspection Report/NCRs/QA Release	IFI	0	PDF	Yes	2	AS	Included only with Record Data Books
6.03	Shipping Documentation (Packing Lists)	IFI	0	PDF	Yes	2	AS	
6.04	EAT (Engineering Acceptance Test)	IFI	0	PDF	Yes	40	ARAP	

ANALYTICAL REPORT

PREPARED FOR

Attn: Yogesh Diwan
Electric Hydrogen
835 E San Carlos Ave
Suite 100
San Carlos, California 94070

Generated 8/16/2023 9:48:39 AM

JOB DESCRIPTION

Electric Hydrogen Potable Water 8-8-23

JOB NUMBER

860-54867-1


Eurofins Houston

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
8/16/2023 9:48:39 AM

Authorized for release by
Lance Tigrett, Project Manager II
Lance.Tigrett@et.eurofinsus.com
(979)484-9088

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
QC Sample Results	9
QC Association Summary	16
Lab Chronicle	18
Certification Summary	19
Method Summary	20
Sample Summary	21
Chain of Custody	22
Receipt Checklists	23



Definitions/Glossary

Client: Electric Hydrogen

Job ID: 860-54867-1

Project/Site: Electric Hydrogen Potable Water 8-8-23

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Job ID: 860-54867-1

Laboratory: Eurofins Houston

Narrative

Job Narrative 860-54867-1

Receipt

The sample was received on 8/8/2023 3:15 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.1°C

HPLC/IC

Method 300_ORGFM_28D: The instrument blank/CCB for analytical batch 860-116268 contained Chloride greater than the method detection limit (MDL), and were not reanalyzed because associated sample(s) results were greater than 10X the value found in the instrument blank/CCB. The data have been reported..

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Client Sample ID: POTABLE WATER

Lab Sample ID: 860-54867-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	20		0.50	0.25	mg/L	1		300.0	Total/NA
Nitrate as N	0.16		0.10	0.039	mg/L	1		300.0	Total/NA
Fluoride	0.52		0.50	0.10	mg/L	1		300.0	Total/NA
Nitrite as N	0.33		0.10	0.029	mg/L	1		300.0	Total/NA
Sulfate	45		0.50	0.20	mg/L	1		300.0	Total/NA
Aluminum	0.20		0.20	0.034	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.050		0.010	0.0013	mg/L	1		200.7 Rev 4.4	Total Recoverable
Boron	0.028	J	0.050	0.017	mg/L	1		200.7 Rev 4.4	Total Recoverable
Calcium	9.9		0.20	0.12	mg/L	1		200.7 Rev 4.4	Total Recoverable
Copper	0.019	J	0.020	0.0039	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	3.5		0.20	0.043	mg/L	1		200.7 Rev 4.4	Total Recoverable
Manganese	0.0071	J	0.020	0.0020	mg/L	1		200.7 Rev 4.4	Total Recoverable
Potassium	3.2		0.50	0.091	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	32		0.50	0.15	mg/L	1		200.7 Rev 4.4	Total Recoverable
Strontium	0.10		0.020	0.0031	mg/L	1		200.7 Rev 4.4	Total Recoverable
SiO2	11		1.1	0.47	mg/L	1		200.7 Rev 4.4	Total Recoverable
Hardness as calcium carbonate	39		0.40	0.40	mg/L	1		SM 2340B	Total/NA
Calcium hardness as calcium carbonate	25		0.20	0.20	mg/L	1		SM 2340B	Total/NA
Magnesium hardness as calcium carbonate	14		0.40	0.40	mg/L	1		SM 2340B	Total/NA
pH	9.2	HF			SU	1		9040C	Total/NA
Alkalinity	56		4.0	4.0	mg/L	1		SM 2320B	Total/NA
Bicarbonate Alkalinity	56		4.0	4.0	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	150		5.0	5.0	mg/L	1		SM 2540C	Total/NA
Chlorine, Total Residual	3.6	HF	0.25	0.25	mg/L	5		SM 4500 Cl G	Total/NA
Carbon dioxide	46		1.3	1.3	mg/L	1		SM 4500 CO2 D	Total/NA
Total Organic Carbon	2.6		1.0	0.50	mg/L	1		SM 5310C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Houston

Client Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Client Sample ID: POTABLE WATER

Lab Sample ID: 860-54867-1

Date Collected: 08/08/23 07:00

Matrix: Water

Date Received: 08/08/23 15:15

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20		0.50	0.25	mg/L			08/09/23 00:00	1
Nitrate as N	0.16		0.10	0.039	mg/L			08/09/23 00:00	1
Fluoride	0.52		0.50	0.10	mg/L			08/09/23 00:00	1
Nitrite as N	0.33		0.10	0.029	mg/L			08/09/23 00:00	1
Sulfate	45		0.50	0.20	mg/L			08/09/23 00:00	1

Method: EPA 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	0.20		0.20	0.034	mg/L		08/11/23 12:00	08/11/23 21:52	1
Arsenic	<0.0092		0.010	0.0092	mg/L		08/11/23 12:00	08/11/23 21:52	1
Barium	0.050		0.010	0.0013	mg/L		08/11/23 12:00	08/11/23 21:52	1
Beryllium	<0.0011		0.0040	0.0011	mg/L		08/11/23 12:00	08/11/23 21:52	1
Boron	0.028	J	0.050	0.017	mg/L		08/11/23 12:00	08/11/23 21:52	1
Cadmium	<0.0024		0.0050	0.0024	mg/L		08/11/23 12:00	08/11/23 21:52	1
Calcium	9.9		0.20	0.12	mg/L		08/11/23 12:00	08/11/23 21:52	1
Chromium	<0.0040		0.010	0.0040	mg/L		08/11/23 12:00	08/11/23 21:52	1
Copper	0.019	J	0.020	0.0039	mg/L		08/11/23 12:00	08/11/23 21:52	1
Iron	<0.019		0.20	0.019	mg/L		08/11/23 12:00	08/11/23 21:52	1
Lead	<0.0042		0.010	0.0042	mg/L		08/11/23 12:00	08/11/23 21:52	1
Magnesium	3.5		0.20	0.043	mg/L		08/11/23 12:00	08/11/23 21:52	1
Manganese	0.0071	J	0.020	0.0020	mg/L		08/11/23 12:00	08/11/23 21:52	1
Lithium	<0.025		0.042	0.025	mg/L		08/11/23 12:00	08/11/23 21:52	1
Nickel	<0.0019		0.010	0.0019	mg/L		08/11/23 12:00	08/11/23 21:52	1
Potassium	3.2		0.50	0.091	mg/L		08/11/23 12:00	08/11/23 21:52	1
Selenium	<0.012		0.030	0.012	mg/L		08/11/23 12:00	08/11/23 21:52	1
Silver	<0.0041		0.020	0.0041	mg/L		08/11/23 12:00	08/11/23 21:52	1
Sodium	32		0.50	0.15	mg/L		08/11/23 12:00	08/14/23 12:23	1
Strontium	0.10		0.020	0.0031	mg/L		08/11/23 12:00	08/11/23 21:52	1
Vanadium	<0.0020		0.020	0.0020	mg/L		08/11/23 12:00	08/11/23 21:52	1
Zinc	<0.012		0.030	0.012	mg/L		08/11/23 12:00	08/11/23 21:52	1
SiO2	11		1.1	0.47	mg/L		08/11/23 12:00	08/11/23 21:52	1

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	39		0.40	0.40	mg/L			08/16/23 10:38	1
Calcium hardness as calcium carbonate	25		0.20	0.20	mg/L			08/16/23 10:38	1
Magnesium hardness as calcium carbonate	14		0.40	0.40	mg/L			08/16/23 10:38	1

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
pH (SW846 9040C)	9.2	HF			SU			08/11/23 13:10	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (EPA 180.1)	<0.50		1.0	0.50	NTU			08/09/23 16:18	1
Chlorine, Total Residual (SM 4500 Cl G)	3.6	HF	0.25	0.25	mg/L			08/14/23 13:20	5
Total Organic Carbon (SM 5310C)	2.6		1.0	0.50	mg/L			08/10/23 19:08	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B)	56		4.0	4.0	mg/L			08/10/23 11:53	1

Eurofins Houston

Client Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Client Sample ID: POTABLE WATER

Lab Sample ID: 860-54867-1

Date Collected: 08/08/23 07:00

Matrix: Water

Date Received: 08/08/23 15:15

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Bicarbonate Alkalinity (SM 2320B)	56		4.0	4.0	mg/L			08/10/23 11:53	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<4.0		4.0	4.0	mg/L			08/10/23 11:53	1
Hydroxide Alkalinity (SM 2320B)	<4.0		4.0	4.0	mg/L			08/10/23 11:53	1
Phenolphthalein Alkalinity (SM 2320B)	<4.0		4.0	4.0	mg/L			08/10/23 11:53	1
Total Dissolved Solids (SM 2540C)	150		5.0	5.0	mg/L			08/09/23 10:23	1
Carbon dioxide (SM 4500 CO₂ D)	46		1.3	1.3	mg/L			08/11/23 10:10	1
Carbon Dioxide, Free (SM 4500 CO ₂ D)	<0.37		0.37	0.37	mg/L			08/11/23 10:10	1

QC Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-116268/3

Matrix: Water

Analysis Batch: 116268

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.25		0.50	0.25	mg/L			08/08/23 11:46	1
Fluoride	<0.10		0.50	0.10	mg/L			08/08/23 11:46	1
Sulfate	<0.20		0.50	0.20	mg/L			08/08/23 11:46	1

Lab Sample ID: MB 860-116268/41

Matrix: Water

Analysis Batch: 116268

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.25		0.50	0.25	mg/L			08/08/23 19:47	1
Fluoride	<0.10		0.50	0.10	mg/L			08/08/23 19:47	1
Sulfate	<0.20		0.50	0.20	mg/L			08/08/23 19:47	1

Lab Sample ID: LCS 860-116268/42

Matrix: Water

Analysis Batch: 116268

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	10.0		mg/L		100	90 - 110
Fluoride	10.0	10.5		mg/L		105	90 - 110
Sulfate	10.0	9.98		mg/L		100	90 - 110

Lab Sample ID: LCSD 860-116268/43

Matrix: Water

Analysis Batch: 116268

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.95		mg/L		100	90 - 110	1	20
Fluoride	10.0	10.4		mg/L		104	90 - 110	0	20
Sulfate	10.0	9.94		mg/L		99	90 - 110	0	20

Lab Sample ID: LLCS 860-116268/7

Matrix: Water

Analysis Batch: 116268

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	0.500	0.483	J	mg/L		97	50 - 150
Fluoride	0.500	0.484	J	mg/L		97	50 - 150
Sulfate	0.500	0.467	J	mg/L		93	50 - 150

Lab Sample ID: MB 860-116269/3

Matrix: Water

Analysis Batch: 116269

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	<0.039		0.10	0.039	mg/L			08/08/23 11:46	1
Nitrite as N	<0.029		0.10	0.029	mg/L			08/08/23 11:46	1

Eurofins Houston

QC Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 860-116269/41

Matrix: Water

Analysis Batch: 116269

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	<0.039		0.10	0.039	mg/L			08/08/23 19:47	1
Nitrite as N	<0.029		0.10	0.029	mg/L			08/08/23 19:47	1

Lab Sample ID: LCS 860-116269/42

Matrix: Water

Analysis Batch: 116269

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate as N	10.0	10.1		mg/L		101	80 - 120
Nitrite as N	10.0	10.2		mg/L		102	80 - 120

Lab Sample ID: LCSD 860-116269/43

Matrix: Water

Analysis Batch: 116269

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrate as N	10.0	10.1		mg/L		101	80 - 120	0	20
Nitrite as N	10.0	10.2		mg/L		102	80 - 120	1	20

Lab Sample ID: LLCS 860-116269/6

Matrix: Water

Analysis Batch: 116269

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate as N	0.100	0.116		mg/L		116	50 - 150
Nitrite as N	0.100	0.113		mg/L		113	50 - 150

Method: 200.7 Rev 4.4 - Metals (ICP)

Lab Sample ID: MB 860-116819/1-A

Matrix: Water

Analysis Batch: 117011

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	<0.034		0.20	0.034	mg/L		08/11/23 12:00	08/11/23 20:22	1
Arsenic	<0.0092		0.010	0.0092	mg/L		08/11/23 12:00	08/11/23 20:22	1
Barium	<0.0013		0.010	0.0013	mg/L		08/11/23 12:00	08/11/23 20:22	1
Beryllium	<0.0011		0.0040	0.0011	mg/L		08/11/23 12:00	08/11/23 20:22	1
Boron	<0.017		0.050	0.017	mg/L		08/11/23 12:00	08/11/23 20:22	1
Cadmium	<0.0024		0.0050	0.0024	mg/L		08/11/23 12:00	08/11/23 20:22	1
Calcium	<0.12		0.20	0.12	mg/L		08/11/23 12:00	08/11/23 20:22	1
Chromium	<0.0040		0.010	0.0040	mg/L		08/11/23 12:00	08/11/23 20:22	1
Copper	<0.0039		0.020	0.0039	mg/L		08/11/23 12:00	08/11/23 20:22	1
Iron	<0.019		0.20	0.019	mg/L		08/11/23 12:00	08/11/23 20:22	1
Lead	<0.0042		0.010	0.0042	mg/L		08/11/23 12:00	08/11/23 20:22	1
Magnesium	<0.043		0.20	0.043	mg/L		08/11/23 12:00	08/11/23 20:22	1
Manganese	<0.0020		0.020	0.0020	mg/L		08/11/23 12:00	08/11/23 20:22	1
Lithium	<0.025		0.042	0.025	mg/L		08/11/23 12:00	08/11/23 20:22	1
Nickel	<0.0019		0.010	0.0019	mg/L		08/11/23 12:00	08/11/23 20:22	1
Potassium	<0.091		0.50	0.091	mg/L		08/11/23 12:00	08/11/23 20:22	1

Eurofins Houston

QC Sample Results

Client: Electric Hydrogen

Job ID: 860-54867-1

Project/Site: Electric Hydrogen Potable Water 8-8-23

Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

Lab Sample ID: MB 860-116819/1-A

Matrix: Water

Analysis Batch: 117011

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Selenium	<0.012		0.030	0.012	mg/L		08/11/23 12:00	08/11/23 20:22	1
Silver	<0.0041		0.020	0.0041	mg/L		08/11/23 12:00	08/11/23 20:22	1
Strontium	<0.0031		0.020	0.0031	mg/L		08/11/23 12:00	08/11/23 20:22	1
Vanadium	<0.0020		0.020	0.0020	mg/L		08/11/23 12:00	08/11/23 20:22	1
Zinc	<0.012		0.030	0.012	mg/L		08/11/23 12:00	08/11/23 20:22	1
SiO2	<0.47		1.1	0.47	mg/L		08/11/23 12:00	08/11/23 20:22	1

Lab Sample ID: MB 860-116819/1-A

Matrix: Water

Analysis Batch: 117096

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sodium	<0.15		0.50	0.15	mg/L		08/11/23 12:00	08/14/23 11:46	1

Lab Sample ID: LCS 860-116819/2-A

Matrix: Water

Analysis Batch: 117011

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	5.00	5.34		mg/L		107	85 - 115
Arsenic	1.00	1.06		mg/L		106	85 - 115
Barium	1.00	1.06		mg/L		106	85 - 115
Beryllium	1.00	1.08		mg/L		108	85 - 115
Boron	1.00	1.09		mg/L		109	85 - 115
Cadmium	1.00	1.08		mg/L		108	85 - 115
Calcium	25.0	26.5		mg/L		106	85 - 115
Chromium	1.00	1.09		mg/L		109	85 - 115
Copper	1.00	1.08		mg/L		108	85 - 115
Iron	5.00	5.43		mg/L		109	85 - 115
Lead	1.00	1.11		mg/L		111	85 - 115
Magnesium	25.0	26.1		mg/L		104	85 - 115
Manganese	1.00	1.07		mg/L		107	85 - 115
Lithium	1.00	0.965		mg/L		97	85 - 115
Nickel	1.00	1.06		mg/L		106	85 - 115
Potassium	10.0	10.7		mg/L		107	85 - 115
Selenium	1.00	1.07		mg/L		107	85 - 115
Silver	0.500	0.544		mg/L		109	85 - 115
Strontium	1.00	1.12		mg/L		112	85 - 115
Vanadium	1.00	1.08		mg/L		108	85 - 115
Zinc	1.00	1.10		mg/L		110	85 - 115
SiO2	21.4	24.2		mg/L		113	85 - 115

Lab Sample ID: LCS 860-116819/2-A

Matrix: Water

Analysis Batch: 117096

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sodium	25.0	24.8		mg/L		99	85 - 115

Eurofins Houston

QC Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

Lab Sample ID: LCSD 860-116819/3-A

Matrix: Water

Analysis Batch: 117011

Client Sample ID: Lab Control Sample Dup

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits			
Aluminum	5.00	5.33		mg/L		107	85 - 115		0	20
Arsenic	1.00	1.06		mg/L		106	85 - 115		0	20
Barium	1.00	1.06		mg/L		106	85 - 115		0	20
Beryllium	1.00	1.08		mg/L		108	85 - 115		0	20
Boron	1.00	1.10		mg/L		110	85 - 115		1	20
Cadmium	1.00	1.07		mg/L		107	85 - 115		1	20
Calcium	25.0	26.4		mg/L		106	85 - 115		0	20
Chromium	1.00	1.09		mg/L		109	85 - 115		0	20
Copper	1.00	1.07		mg/L		107	85 - 115		1	20
Iron	5.00	5.42		mg/L		108	85 - 115		0	20
Lead	1.00	1.10		mg/L		110	85 - 115		1	20
Magnesium	25.0	26.0		mg/L		104	85 - 115		0	20
Manganese	1.00	1.07		mg/L		107	85 - 115		0	20
Lithium	1.00	0.966		mg/L		97	85 - 115		0	20
Nickel	1.00	1.06		mg/L		106	85 - 115		0	20
Potassium	10.0	10.7		mg/L		107	85 - 115		0	20
Selenium	1.00	1.07		mg/L		107	85 - 115		0	20
Silver	0.500	0.543		mg/L		109	85 - 115		0	20
Strontium	1.00	1.12		mg/L		112	85 - 115		0	20
Vanadium	1.00	1.08		mg/L		108	85 - 115		0	20
Zinc	1.00	1.09		mg/L		109	85 - 115		1	20
SiO2	21.4	24.2		mg/L		113	85 - 115		0	20

Lab Sample ID: LCSD 860-116819/3-A

Matrix: Water

Analysis Batch: 117096

Client Sample ID: Lab Control Sample Dup

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits			
Sodium	25.0	24.7		mg/L		99	85 - 115		0	20

Lab Sample ID: LLCS 860-116819/4-A

Matrix: Water

Analysis Batch: 117096

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 116819

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits			
Sodium	0.500	0.677		mg/L		135	50 - 150			

Method: 180.1 - Turbidity, Nephelometric

Lab Sample ID: MB 860-116468/3

Matrix: Water

Analysis Batch: 116468

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Turbidity	<0.50		1.0	0.50	NTU			08/09/23 16:18	1

Eurofins Houston

QC Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Method: 9040C - pH

Lab Sample ID: 860-54867-1 DU
Matrix: Water
Analysis Batch: 116847

Client Sample ID: POTABLE WATER
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
pH	9.2	HF	9.2		SU		0.8	20

Method: SM 2320B - Alkalinity

Lab Sample ID: MB 860-116666/3
Matrix: Water
Analysis Batch: 116666

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	<4.0		4.0	4.0	mg/L			08/10/23 11:07	1
Bicarbonate Alkalinity	<4.0		4.0	4.0	mg/L			08/10/23 11:07	1
Carbonate Alkalinity as CaCO3	<4.0		4.0	4.0	mg/L			08/10/23 11:07	1
Hydroxide Alkalinity	<4.0		4.0	4.0	mg/L			08/10/23 11:07	1
Phenolphthalein Alkalinity	<4.0		4.0	4.0	mg/L			08/10/23 11:07	1

Lab Sample ID: LCS 860-116666/4
Matrix: Water
Analysis Batch: 116666

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Alkalinity	250	252		mg/L		101	85 - 115

Lab Sample ID: LCSD 860-116666/5
Matrix: Water
Analysis Batch: 116666

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Alkalinity	250	260		mg/L		104	85 - 115	3	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 860-116371/1
Matrix: Water
Analysis Batch: 116371

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<5.0		5.0	5.0	mg/L			08/09/23 10:23	1

Lab Sample ID: LCS 860-116371/2
Matrix: Water
Analysis Batch: 116371

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	1010		mg/L		101	80 - 120

QC Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCSD 860-116371/3

Matrix: Water

Analysis Batch: 116371

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	1000	1010		mg/L		101	80 - 120	0	10

Lab Sample ID: LLCS 860-116371/4

Matrix: Water

Analysis Batch: 116371

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	5.00	<5.0		mg/L		90	50 - 150		

Method: SM 4500 Cl G - Chlorine, Residual

Lab Sample ID: MB 860-117073/3

Matrix: Water

Analysis Batch: 117073

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorine, Total Residual	<0.050		0.050	0.050	mg/L			08/14/23 13:20	1

Lab Sample ID: LCS 860-117073/4

Matrix: Water

Analysis Batch: 117073

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlorine, Total Residual	0.250	0.259		mg/L		104	85 - 115		

Lab Sample ID: LCSD 860-117073/5

Matrix: Water

Analysis Batch: 117073

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlorine, Total Residual	0.250	0.251		mg/L		101	85 - 115	3	20

Lab Sample ID: 860-54867-1 MS

Matrix: Water

Analysis Batch: 117073

Client Sample ID: POTABLE WATER

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlorine, Total Residual	3.6	HF	1.25	4.87		mg/L		104	90 - 110		

Lab Sample ID: 860-54867-1 MSD

Matrix: Water

Analysis Batch: 117073

Client Sample ID: POTABLE WATER

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlorine, Total Residual	3.6	HF	1.25	4.83		mg/L		100	90 - 110	1	20

Eurofins Houston

QC Sample Results

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Method: SM 5310C - TOC

Lab Sample ID: MB 860-116823/3

Matrix: Water

Analysis Batch: 116823

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	<0.50		1.0	0.50	mg/L			08/10/23 12:03	1

Lab Sample ID: LCS 860-116823/4

Matrix: Water

Analysis Batch: 116823

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Organic Carbon	5.00	5.22		mg/L		104	90 - 110

Lab Sample ID: LCSD 860-116823/5

Matrix: Water

Analysis Batch: 116823

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Organic Carbon	5.00	5.23		mg/L		105	90 - 110	0	20

Lab Sample ID: LLCS 860-116823/6

Matrix: Water

Analysis Batch: 116823

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Organic Carbon	1.00	1.30		mg/L		130	50 - 150

QC Association Summary

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

HPLC/IC

Analysis Batch: 116268

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	300.0	
MB 860-116268/3	Method Blank	Total/NA	Water	300.0	
MB 860-116268/41	Method Blank	Total/NA	Water	300.0	
LCS 860-116268/42	Lab Control Sample	Total/NA	Water	300.0	
LCSD 860-116268/43	Lab Control Sample Dup	Total/NA	Water	300.0	
LLCS 860-116268/7	Lab Control Sample	Total/NA	Water	300.0	

Analysis Batch: 116269

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	300.0	
MB 860-116269/3	Method Blank	Total/NA	Water	300.0	
MB 860-116269/41	Method Blank	Total/NA	Water	300.0	
LCS 860-116269/42	Lab Control Sample	Total/NA	Water	300.0	
LCSD 860-116269/43	Lab Control Sample Dup	Total/NA	Water	300.0	
LLCS 860-116269/6	Lab Control Sample	Total/NA	Water	300.0	

Metals

Prep Batch: 116819

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total Recoverable	Water	200.7	
MB 860-116819/1-A	Method Blank	Total Recoverable	Water	200.7	
LCS 860-116819/2-A	Lab Control Sample	Total Recoverable	Water	200.7	
LCSD 860-116819/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7	
LLCS 860-116819/4-A	Lab Control Sample	Total Recoverable	Water	200.7	

Analysis Batch: 117011

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total Recoverable	Water	200.7 Rev 4.4	116819
MB 860-116819/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	116819
LCS 860-116819/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	116819
LCSD 860-116819/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7 Rev 4.4	116819

Analysis Batch: 117096

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total Recoverable	Water	200.7 Rev 4.4	116819
MB 860-116819/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	116819
LCS 860-116819/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	116819
LCSD 860-116819/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7 Rev 4.4	116819
LLCS 860-116819/4-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	116819

Analysis Batch: 117413

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	SM 2340B	

General Chemistry

Analysis Batch: 116371

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	SM 2540C	
MB 860-116371/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 860-116371/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Eurofins Houston

QC Association Summary

Client: Electric Hydrogen

Job ID: 860-54867-1

Project/Site: Electric Hydrogen Potable Water 8-8-23

General Chemistry (Continued)

Analysis Batch: 116371 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 860-116371/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	
LLCS 860-116371/4	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 116468

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	180.1	
MB 860-116468/3	Method Blank	Total/NA	Water	180.1	
LCS 860-116468/4	Lab Control Sample	Total/NA	Water	180.1	
LCSD 860-116468/5	Lab Control Sample Dup	Total/NA	Water	180.1	
LLCS 860-116468/6	Lab Control Sample	Total/NA	Water	180.1	

Analysis Batch: 116666

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	SM 2320B	
MB 860-116666/3	Method Blank	Total/NA	Water	SM 2320B	
LCS 860-116666/4	Lab Control Sample	Total/NA	Water	SM 2320B	
LCSD 860-116666/5	Lab Control Sample Dup	Total/NA	Water	SM 2320B	

Analysis Batch: 116792

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	SM 4500 CO2 D	

Analysis Batch: 116823

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	SM 5310C	
MB 860-116823/3	Method Blank	Total/NA	Water	SM 5310C	
LCS 860-116823/4	Lab Control Sample	Total/NA	Water	SM 5310C	
LCSD 860-116823/5	Lab Control Sample Dup	Total/NA	Water	SM 5310C	
LLCS 860-116823/6	Lab Control Sample	Total/NA	Water	SM 5310C	

Analysis Batch: 116847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	9040C	
860-54867-1 DU	POTABLE WATER	Total/NA	Water	9040C	

Analysis Batch: 117073

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
860-54867-1	POTABLE WATER	Total/NA	Water	SM 4500 CI G	
MB 860-117073/3	Method Blank	Total/NA	Water	SM 4500 CI G	
LCS 860-117073/4	Lab Control Sample	Total/NA	Water	SM 4500 CI G	
LCSD 860-117073/5	Lab Control Sample Dup	Total/NA	Water	SM 4500 CI G	
860-54867-1 MS	POTABLE WATER	Total/NA	Water	SM 4500 CI G	
860-54867-1 MSD	POTABLE WATER	Total/NA	Water	SM 4500 CI G	

Lab Chronicle

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Client Sample ID: POTABLE WATER

Lab Sample ID: 860-54867-1

Date Collected: 08/08/23 07:00

Matrix: Water

Date Received: 08/08/23 15:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			116268	08/09/23 00:00	AK1	EET HOU
Total/NA	Analysis	300.0		1			116269	08/09/23 00:00	AK1	EET HOU
Total Recoverable	Prep	200.7			50 mL	50 mL	116819	08/11/23 12:00	MD	EET HOU
Total Recoverable	Analysis	200.7 Rev 4.4		1			117011	08/11/23 21:52	JDM	EET HOU
Total Recoverable	Prep	200.7			50 mL	50 mL	116819	08/11/23 12:00	MD	EET HOU
Total Recoverable	Analysis	200.7 Rev 4.4		1			117096	08/14/23 12:23	JDM	EET HOU
Total/NA	Analysis	SM 2340B		1			117413	08/16/23 10:38	DP	EET HOU
Total/NA	Analysis	180.1		1			116468	08/09/23 16:18	ADL	EET HOU
Total/NA	Analysis	9040C		1			116847	08/11/23 13:10	TL	EET HOU
Total/NA	Analysis	SM 2320B		1			116666	08/10/23 11:53	TL	EET HOU
Total/NA	Analysis	SM 2540C		1	200 mL	200 mL	116371	08/09/23 10:23	OH	EET HOU
Total/NA	Analysis	SM 4500 Cl G		5	10 mL	10 mL	117073	08/14/23 13:20	SCI	EET HOU
Total/NA	Analysis	SM 4500 CO2 D		1			116792	08/11/23 10:10	MC	EET HOU
Total/NA	Analysis	SM 5310C		1	40 mL	40 mL	116823	08/10/23 19:08	YG	EET HOU

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704215-23-50	06-30-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 2320B		Water	Bicarbonate Alkalinity
SM 2320B		Water	Carbonate Alkalinity as CaCO ₃
SM 2320B		Water	Hydroxide Alkalinity
SM 2320B		Water	Phenolphthalein Alkalinity
SM 2340B		Water	Calcium hardness as calcium carbonate
SM 2340B		Water	Magnesium hardness as calcium carbonate
SM 4500 CO ₂ D		Water	Carbon dioxide
SM 4500 CO ₂ D		Water	Carbon Dioxide, Free

Method Summary

Client: Electric Hydrogen
Project/Site: Electric Hydrogen Potable Water 8-8-23

Job ID: 860-54867-1

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	EPA	EET HOU
200.7 Rev 4.4	Metals (ICP)	EPA	EET HOU
SM 2340B	Total Hardness (as CaCO3) by calculation	SM	EET HOU
180.1	Turbidity, Nephelometric	EPA	EET HOU
9040C	pH	SW846	EET HOU
SM 2320B	Alkalinity	SM	EET HOU
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET HOU
SM 4500 Cl G	Chlorine, Residual	SM	EET HOU
SM 4500 CO2 D	Carbon Dioxide and Forms of Alkalinity by Calculation	SM	EET HOU
SM 5310C	TOC	SM	EET HOU
200.7	Preparation, Total Recoverable Metals	EPA	EET HOU

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: Electric Hydrogen

Job ID: 860-54867-1

Project/Site: Electric Hydrogen Potable Water 8-8-23

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
860-54867-1	POTABLE WATER	Water	08/08/23 07:00	08/08/23 15:15

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Chain of Custody Record



ENVIRONMENTAL TESTING

Client Information		Lab P#: 019671		Carrier Tracking No(s):		COC No: 860-21456-7515.1	
Client Contact: Yogesh Diwan		Phone: 281-240-4200		State of Origin:		Page: 1 of 1	
Company: Electric Hydrogen		PWSID:		Job #:			
Address: 835 E. San Carlos Ave.		Due Date Requested:		Analysis Requested			
City: San Carlos		TAT Requested (days):		☐ 300_ORGFM-28D-Chloride/Nitrate/Sulfate ☐ 300_ORGFM-Nitrate/Nitrite ☐ 4500_CL-G-Residual Chlorine ☐ 9040C-pH			
State, Zip: CA, 94070		Compliance Project: ☐ Yes ☒ No		☐ 2320B-ALKALINITY ☐ 5310C Total Organic Carbon (TOC) ☐ 2540C-Calcd TDS ☐ SM2340B-Hardness ☐ SM4500_CO2.D ☐ 200.7 (MDD) Custom List Metals ☐ 180.1-TURBIDITY			
Phone: 510-676-9780(Tel)		PO #:		Field Filtered Sample (Yes or No)			
Email: ydilwan@eh2.com		WO #:		☒ 180.1-TURBIDITY ☒ 200.7 (MDD) Custom List Metals ☒ SM4500_CO2.D ☒ SM2340B-Hardness ☒ 2540C-Calcd TDS ☒ 5310C Total Organic Carbon (TOC) ☒ 2320B-ALKALINITY ☒ 300_ORGFM-Nitrate/Nitrite ☒ 4500_CL-G-Residual Chlorine ☒ 9040C-pH			
Project Name: Electric Hydrogen		Project #:		Total Number of Containers			
Site: SSOWW		SSOWW:		☒ 180.1-TURBIDITY ☒ 200.7 (MDD) Custom List Metals ☒ SM4500_CO2.D ☒ SM2340B-Hardness ☒ 2540C-Calcd TDS ☒ 5310C Total Organic Carbon (TOC) ☒ 2320B-ALKALINITY ☒ 300_ORGFM-Nitrate/Nitrite ☒ 4500_CL-G-Residual Chlorine ☒ 9040C-pH			
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)	
POTABLE WATER		8-8-23		0700		G	
Matrix (Newwater, Special, Overdill)		Preservation Code:		Water			
Special Instructions/Note:		Temp: 24 IR ID: HOU-338		C/F: -0.3		Corrected Temp: 2.1	
Barcode		860-54867 Chain of Custody					
Possible Hazard Identification		☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
Deliverable Requested: I, II, III, IV Other (specify)		☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months		Special Instructions/QC Requirements:			
Empty Kit Relinquished by		Date:		Method of Shipment:			
Relinquished by: S. Gook		Date: 8-8-23 9:45		Received by: S. Gook			
Relinquished by:		Date: 8-8-23 15:15		Received by: J. YCDRS			
Relinquished by:		Date:		Received by:			
Custody Seals Intact: ☒ Yes ☐ No		Custody Seal No.		Cooler Temperature(s) °C and Other Remarks:			

Login Sample Receipt Checklist

Client: Electric Hydrogen

Job Number: 860-54867-1

Login Number: 54867

List Number: 1

Creator: Rubio, Yuri

List Source: Eurofins Houston

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

	NEW MAJOR FLOW LINES
	NEW MINOR FLOW LINES AND UTILITIES
	INSTRUMENTATION SYMBOLS AND BUBBLES
	FUTURE FLOW LINES
	EXISTING FLOW LINES
	PACKAGE UNIT/SKID LIMITS
	PNEUMATIC SIGNAL LINES
	ELECTRIC SIGNAL
	NETWORK COMM SIGNAL
	HYDRAULIC SIGNAL LINES
	BY OTHERS

LINE CONTINUATIONS

INDICATES A LINE GOING TO OR COMING FROM BATTERY LIMITS (CONTRACT LIMITS)

INDICATES A LINE GOING TO OR COMING FROM BATTERY LIMITS (CONTRACT LIMITS)



INDICATES CONTINUATION OF LINE IS ON SHEET NUMBER 5 (SAME DRAWING NUMBER) IN ZONE A-2.

A			INDICATES CONTINUATION OF LINE IS ON SHEET NUMBER 5 (SAME DRAWING NUMBER) IN ZONE A-2.
2			

480V/3PH/60Hz INDICATES SUPPLY SIGNAL.
SIGNAL CONTINUATIONS

480V SHT 5

SIGNAL CONTINUATIONS

INDICATES CONTINUATION OF A
SIGNAL IS ON SHEET NUMBER 5.

CPVC PVC

3" PVC SCH80

	-	DISCRETE PNEUMATIC
	-	PROPORTIONAL PNEUMATIC
	-	MOTOR
	-	SOLENOID
	-	FAIL CLOSED
	-	FAIL OPEN
	-	FAIL LAST
	-	FAIL LAST DRIFT CLOSED
	-	FAIL LAST DRIFT OPEN

MANUAL NORMALLY CLOSED	OPEN OR AUTO		
		-	BALL
		-	BUTTERFLY
		-	CHECK
		-	DIAPHRAGM
		-	GATE
		-	GLOBE
		-	NEEDLE
		-	PLUG
		-	3-WAY
		-	4-WAY
		-	PRESSURE REDUCING
		-	PRESSURE RELIEF
		-	VACUUM RELIEF
		-	CONSERVATION
		-	BLOCK & BLEED

	-	CENTRIFUGAL PUMP
	-	DIAPHRAGM PUMP
	-	DOUBLE SUCTION PUMP
	-	GEAR PUMP
	-	METERING PUMP
	-	PISTON PUMP
	-	PROGRESSIVE CAVITY PUMP
	-	ROTARY PUMP
	-	SUBMERSIBLE PUMP
	-	SUMP PUMP
	-	BLOWER
	-	COMPRESSOR
	-	AGITATOR
	-	SPARGE RING
	-	VARIABLE FREQUENCY DRIVE
	-	SOFT START
	-	DC DRIVE

	-	CALIBRATION COLUMN		-	INSULATED PIPE
	-	DRESSER COUPLING		-	PIPE W/ ELECTRICAL HEAT TRACE
	-	GROOVED COUPLING		-	PIPE W/ STEAM HEAT TRACE
	-	SANITARY COUPLING		-	PLUG
	-	DIAPHRAGM SEAL		-	PULSATION DAMPENER
	-	DRAIN		-	QUICK DISCONNECT
	-	EDUCTOR		-	REDUCER CONCENTRIC
	-	END CAP		-	REDUCER ECCENTRIC
	-	EXPANSION JOINT		-	REMOVABLE SPOOL
	-	AIR FILTER REGULATOR		-	RUPTURE DISK
	-	AIR FILTER		-	SIGHT FLOW INDICATOR
	-	AIR REGULATOR		-	SIGHT FLOW INDICATOR W/ STRAINER
	-	AIR LUBRICATOR		-	SPECTACLE BLIND OPEN
	-	FLANGE		-	SPECTACLE BLIND CLOSED
	-	BLIND FLANGE		-	SLOPE
	-	SPACER FLANGE		-	STATIC MIXER
	-	FLEXIBLE HOSE		-	STEAM TRAP
	-	HOSE CONNECTION		-	STRAINER
	-	INJECTION QUILL		-	STRAINER W/ PLUG
	-	INLINE DEVICE		-	STRAINER BASKET
	-	ORIFICE		-	TIE POINT
	-	PIGTAIL		-	UNION
	-	DOUBLE WALLED PIPE		-	VENT COVERED
				-	VENT CURVED
				-	VENT CURVED W/ FILTER

	FIELD MOUNTED (IE: PIPE MOUNTED)	MAIN PANEL ACCESSIBLE TO OPERATOR (IE: FRONT OF MAIN)	MAIN PANEL INACCESSIBLE TO OPERATOR (IE: INSIDE OF MAIN)	SECONDARY LOCATION ACCESSIBLE TO OPERATOR (IE: FRONT OF REMOTE)	SECONDARY LOCATION INACCESSIBLE TO OPERATOR (IE: INSIDE OF REMOTE)
DISCRETE INSTRUMENT	** ***				
BASIC PROCESS CONTROL SYSTEM (PLC/HMI/DCS)					
HIGH LEVEL CONTROL SYSTEM (PLANT CONTROL)					
SAFETY INSTRUMENTED SYSTEM (SIS)					

*** INSTRUMENT ALARMS OR SIGNALS ASSOCIATED WITH THIS DEVICE SUCH AS AHH, AH, AL, ALL, STRT, STOP, HOA, RUN, MID, S/S, R/L

XXXXX

- SEQUENTIAL NUMBER
- DRAWING/SHEET NUMBER
- TANK, PUMP, FILTER...

A	AGITATOR, AERATOR, MIXER
B	BLOWER
C	COMPRESSOR
CC	CALIBRATION COLUMN
CP	CONTROL PANEL
D	DRYER
DS	DIAPHRAGM SEAL
E	HEAT EXCHANGER
ED	EJECTOR/EDUCTOR
EJ	EXPANSION JOINT
F	FILTER
FP	FILTER PRESS
H	HOSE
HT	HEATER
HV	HAND VALVE
I	SOFTENER, DEMINERALIZER
IQ	INJECTION QUILL
JB	JUNCTION BOX
M	MOTOR
P	PUMP
PD	PULSATION DAMPENER
R	CLARIFIER, THICKENER, SEP.
RO	REVERSE OSMOSIS UNIT
SB	SPECTACLE BLIND
SK	SKID
SM	STATIC MIXER
SR	STRAINER
ST	STEAM TRAP
T	TOWER
TK	TANK
V	VESSEL
XV	AUTOMATIC VALVE
YV	AUTOMATIC PILOT VALVE

TK-101
TANK
SIZE: $X'-X''D \times X'-X''H$
TOTAL CAP: XXX GALLON
ORP CAP: XXX GALLON
MATERIAL:
NOTES:

P-101
PUMP
CAPACITY: XX GPM @ XX" TDH
DRIVER: XX HP / XX RPM
SP GR =
MATERIAL:
NOTES:

A-101
AGITATOR
IMPELLER: XX"DIA // XX RPM
DRIVER: XX HP / XX RPM
MATERIAL:
NOTES:

-101
EQUIPMENT
SIZE:
CAPACITY:
MATERIAL:
NOTES:

PRELIMINARY A
NOT FOR CONSTRUCTION

[illegible]

	- FLAT BOTTOM WITHOUT TOP
	- FLAT BOTTOM W/ ROUNDED TOP
	- CONE BOTTOM W/ FLAT TOP
	- CONE BOTTOM W/ REMOVEABLE COVER
	- HORIZONTAL VESSEL
	- VERTICAL VESSEL
	- TOTE
	- DRUM
	- BAFFLE
	- HEATER
	- INSULATION
	- MANWAY
	- SIGHT GLASS
	- SPRAY BALL
	- WATERLINE

	- AIR COMPRESSOR		- FLOCCULATING CLARIFIER
	- AIR DYER GENERIC		- SOLIDS CONTACT CLARIFIER
	- AIR DRYER		- BELT CONVEYOR
	- AIR DYER GENERIC		- SCREW CONVEYOR
	- BAG FEEDER		- COOLING TOWER
	- BELT PRESS		- CYCLONE
	- BELT SKIMMER		- DECARBONATOR
	- BIO GAS HOLDER		- EMERGENCY EYE WASH & SHOWER
	- CENTRIFUGE		- AUTO SELF CLEANING FILTER
	- CHLINATOR/EVAPORATOR		- BIO FILTER
	- CLARIFIER		

The image displays ten different types of industrial equipment used in chemical processing, specifically focusing on filtration and heat exchange. Each diagram is a simplified line drawing showing the basic structure and components of the equipment.

- CARTRIDGE FILTER:** A vertical cylindrical vessel with a central tube and multiple filter cartridges arranged around it.
- CONTINUOUS BACKWASH GRAVITY FILTER:** A complex system with a large conical bottom, multiple filter elements, and a backwash line for continuous cleaning.
- MULTI FILTER:** A cylindrical vessel containing several vertical filter elements.
- FILTER PRESS:** A horizontal cylindrical vessel with multiple filter plates and a central collection tube.
- FILTER PRESS DETAIL:** A detailed view of a filter press showing the arrangement of filter plates and the central collection tube.
- PRESSURE FILTER:** A vertical cylindrical vessel with a central tube and a filter element at the bottom.
- ROTARY VACUUM FILTER:** A complex rotating system with a central drum, filter elements, and a vacuum connection.
- FLARE:** A small vertical pipe with a flared top and a base connection.
- HEAT EXCHANGER:** A circular vessel with a central tube and multiple heat exchanger elements.
- PLATE & FRAME HEAT EXCHANGER:** A rectangular vessel with multiple vertical plates and a central tube.


- INCLINED PLATE SEPARATOR
- MAG DRUM
- RO VESSEL
- SAMPLER
- SHEAR MILL
- SHEAR MILL INLINE
- SPLITTER BOX
- THICKENER
- UV UNIT

STD:22x34 D v4.1

PRELIMINARY A
NOT FOR CONSTRUCTION

[illegible]

PRELIMINARY
NOT FOR CONSTRUCTION




STD 22x34 D V4.1
BAR = 1" AT PLOT SCALE

TAG / EQUIPMENT

REV	DESCRIPTION	DATE	DWN	CKD	APPD	ECN	COMPANY CONFIDENTIAL INFORMATION THIS DOCUMENT AND ALL INFORMATION CONTAINED HEREIN, INCLUDING THE DESIGN CONCEPTS AND THOSE ARISING THEREFROM, ARE THE PROPERTY OF EVOQUA AND/OR ITS AFFILIATES AND ARE SUBMITTED IN CONFIDENCE. THEY MAY BE USED ONLY FOR THE EXPRESS PURPOSE FOR WHICH THEY ARE PROVIDED AND MUST NOT BE DISCLOSED, REPRODUCED, OR COPIED IN ANY FORM, INCLUDING IN ELECTRONIC FORMAT, LOANED OR USED IN ANY OTHER MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF EVOQUA. ALL PATENT RIGHTS ARE RESERVED. THIS DOCUMENT AND DERIVATIVE WORKS THEREOF ARE PROTECTED UNDER APPLICABLE COPYRIGHT LAWS. UPON DEMAND OF EVOQUA, THIS DOCUMENT, ALONG WITH ALL COPIES AND EXTRACTS, AND ALL RELATED NOTES AND ANALYSES MUST BE RETURNED TO EVOQUA OR DESTROYED, AS INSTRUCTED BY EVOQUA. ACCEPTANCE OF THE DELIVERY OF THIS DOCUMENT CONSTITUTES AGREEMENT TO THESE TERMS.	DWN BY: PMM	DATE 2023-08-15	TITLE PIPING & INSTRUMENTATION DIAGRAM CONTAINERIZED 2-PASS RO WITH PRETREAT
								CKD BY: PMM	DATE 2023-08-15	CLIENT ELECTRIC HYDROGEN NATICK, MA
								APPD BY:	DATE	
								MGD BY:	SCALE NTS	
	SEE SHEET ONE							PART NUMBER N/A	PROJ/PROD NUMBER 00587118	FILE/DRAWING NUMBER V112053190 PM
								CODE D-DOS02	SHEET 5 OF 8	REV A

PRELIMINARY
NOT FOR CONSTRUCTION


evoqua WATER TECHNOLOGIES
COLORADO SPRINGS CO USA
719-570-9600



STD 22x34 D V4.1
BAR = 1" AT PLOT SCALE

TAG / EQUIPMENT

REV	DESCRIPTION	DATE	DWN	CKD	APPD	ECN	COMPANY CONFIDENTIAL INFORMATION THIS DOCUMENT AND ALL INFORMATION CONTAINED HEREIN, INCLUDING THE DESIGN CONCEPTS AND THOSE ARISING THEREFROM, ARE THE PROPERTY OF EVOQUA AND/OR ITS AFFILIATES AND ARE SUBMITTED IN CONFIDENCE. THEY MAY BE USED ONLY FOR THE EXPRESS PURPOSE FOR WHICH THEY ARE PROVIDED AND MUST NOT BE DISCLOSED, REPRODUCED, OR COPIED IN ANY FORM, INCLUDING IN ELECTRONIC FORMAT, LOANED OR USED IN ANY OTHER MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF EVOQUA. ALL PATENT RIGHTS ARE RESERVED. THIS DOCUMENT AND DERIVATIVE WORKS THEREOF ARE PROTECTED UNDER APPLICABLE COPYRIGHT LAWS. UPON DEMAND OF EVOQUA, THIS DOCUMENT, ALONG WITH ALL COPIES AND EXTRACTS, AND ALL RELATED NOTES AND ANALYSES MUST BE RETURNED TO EVOQUA OR DESTROYED, AS INSTRUCTED BY EVOQUA. ACCEPTANCE OF THE DELIVERY OF THIS DOCUMENT CONSTITUTES AGREEMENT TO THESE TERMS.	DWN BY: PMM	DATE 2023-08-15	TITLE PIPING & INSTRUMENTATION DIAGRAM CONTAINERIZED 2-PASS RO WITH PRETREAT	CLIENT ELECTRIC HYDROGEN NATICK, MA	EVOQUA WATER TECHNOLOGIES COLORADO SPRINGS CO USA 719-570-9600	FILE/DRAWING NUMBER V112053190 PM	SHEET 7 OF 8	REV A
	SEE SHEET ONE							CKD BY: PMM	DATE 2023-08-15						
								APPD BY: ----	DATE ----						
								MGD BY: ----	SCALE NTS						
								PART NUMBER N/A		PROJ/PROD NUMBER 00587118	CODE D-DOS02				



STD 22x34 D V4.1
BAR = 1" AT PLOT SCALE

TAG / EQUIPMENT

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

PRELIMINARY
NOT FOR CONSTRUCTION