






C95 exploratory sensitivity: paired question-cluster 95% intervals
G accuracy, verifiable
Percent
50
45
40
35
30
42.5%
38.6%
40.5%
G0
G1
G2
V0 false acceptance
Percent
65.0
62.5
60.0
57.5
55.0
52.5
50.0
47.5
45.0
54.8%
54.3%
54.3%
G0
G1
G2
V0 false rejection
Percent
25.0
22.5
20.0
17.5
15.0
12.5
10.0
7.5
14.9%
15.8%
14.7%
G0
G1
G2



C95: G2 - G0 midpoint decomposition (exploratory)
Change in FPR, percentage points
7.5
5.0
2.5
0.0
−2.5
−5.0
−7.5
−10.0
Response length
Final-answer gap
Question length
composition
within stratum
total



B200: G2 - G0 midpoint decomposition (exploratory)
Change in FPR, percentage points
6
4
2
0
−2
−4
−6
Response length
Final-answer gap
Question length
composition
within stratum
total


C95: composition of independently wrong answers
G0
G1
G2
Percent
0
10
20
30
40
50
60
70
<=512
513-1024
>1024
Response tokens
C95: FPR within length group (labels = wrong n)
G0
G1
G2
Percent
0
10
20
30
40
50
60
70
39
46
51
107
114
91
62
61
68
<=512
513-1024
>1024
Response tokens



Lower NLL means fitting these exact texts; correctness is a separate outcome
Selected A texts: 12 responses per outcome/update
Matched same-question alternatives: selected minus control
Delta mean response NLL, nats/token
0.000
−0.005
−0.010
−0.015
−0.020
−0.025
−0.030
G1-G0
G2-G1
correct
wrong
unknown



G1 feedback composition
correct
wrong
unknown
All responses, percent
100
80
60
40
20
0
60.0%
33.0%
46.7%
49.3%
51.8%
44.6%
All A candidates
V0 accepted
Actual SFT
G2 feedback composition
correct
wrong
unknown
All responses, percent
100
80
60
40
20
0
57.9%
35.2%
45.7%
50.7%
51.7%
45.7%
All A candidates
V0 accepted
Actual SFT



C95: unknown labels by reason
B200: unknown labels by reason
Unknown answers
G0
G1
G2
ambiguous boxes
conflicting explicit answers
conflicting trailing statement
equivalence unresolved
math after final answer
missing explicit answer
truncated


Reference-answer sensitivity (same frozen V0)
Original C96
Whole-question exclusion C95
Reference=1 overlay C96
FPR, percent
55.0
54.8
54.6
54.4
54.2
54.0
G0
G1
G2
C95: unknown-label bounds, NOT confidence intervals
Sharp identification range
Known-only FPR
FPR, percent
56
55
54
53
52
51
G0
G1
G2

Descriptive same-question/index pairs; different answers, not V forgetting on fixed texts






G2 - G0 question-support decomposition; at most 4 wrong observations per question
C95: common 64, new 7, lost 6 error questions
B200: common 132, new 12, lost 21 error questions
FPR change, percentage points
7.5
5.0
2.5
0.0
−2.5
−5.0
−7.5
−10.0
+0.12
-2.54
+3.33
-1.44
-0.52
+3.75
-1.28
+2.85
-4.95
+0.37
Common composition
Common within
New error questions
Lost error questions
Total