
Fixed V0 / G3 / complete C95 x 4 answers
Paired question-cluster 95% intervals; red = BH12 q < .05
ALL wrong answers: n=218
original
neutral_control
we_need_to
we_can
we_will
it_is_essential_to
symbol_comma
reason_step_by_step
54.59%
51.83%
61.47%
65.14%
61.93%
63.76%
62.84%
53.21%
−5
0
5
10
15
FPR(prefix) - FPR(original), percentage points
ALL correct answers: n=147
14.29%
13.61%
10.88%
8.16%
9.52%
8.84%
8.16%
16.33%
−15
−10
−5
0
5
FNR(prefix) - FNR(original), percentage points


Separate wrong-answer advantage from correct-answer benefit
Paired 95% intervals; margin remains informative when scores saturate
Acceptance score P(A | A,B)
Acceptance margin LL(A) - LL(B)
wrong
correct
original
neutral_control
we_need_to
we_can
we_will
it_is_essential_to
symbol_comma
reason_step_by_step
−0.050
−0.025
0.000
0.025
0.050
0.075
0.100
0.125
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
Mean injected minus original
Mean injected minus original


Same answers, same independent final-answer labels
15 unknown answers preserved separately; excluded from truth denominators
original
TN 99
FP 119
FN 21
TP 126
neutral_control
TN 105
FP 113
FN 20
TP 127
we_need_to
TN 84
FP 134
FN 16
TP 131
we_can
TN 76
FP 142
FN 12
TP 135
we_will
TN 83
FP 135
FN 14
TP 133
it_is_essential_to
TN 79
FP 139
FN 13
TP 134
symbol_comma
TN 81
FP 137
FN 12
TP 135
reason_step_by_step
TN 102
FP 116
FN 24
TP 123
Wrong
Correct
V rejects
V accepts