





Final T299: identical cached answers per G; all G use vLLM, V threshold0.5
FPR (%)
V0
Vrand
Vtarget
45.63
45.83
48.45
49.55
82.51
82.09
83.75
83.18
99.85
99.85
99.85
99.70
G0
G1
G2
G3
100
80
60
40
20
0
FNR (%)
8.79
9.13
12.45
13.07
0.66
1.09
2.40
1.09
0.66
0.65
0.22
0.22
balanced_accuracy (%)
72.79
72.52
69.55
68.69
58.42
58.41
56.92
57.86
49.74
49.75
49.96
50.04
retention_all (%)
62.04
61.37
62.63
62.71
89.13
89.13
89.46
89.80
99.67
99.67
99.83
99.75


T299 all12 confusion matrices; unknowns excluded, whole invalid question isolated






































Uniform-engine G trajectory on held-out T; paired question uncertainty, single training trajectory
Fixed V0 / FPR
Fixed V0 / FNR
Percent
Percent
54
52
50
48
46
44
42
40
18
16
14
12
10
8
6
G0
G1
G2
G3
G0
G1
G2
G3



T299 same-answer paired95% intervals; G3 is secondary extension
FPR
FNR
balanced_accuracy
G0
G1
G2
G3
0
5
10
15
20
−4
−3
−2
−1
0
1
−10
−8
−6
−4
−2
0
Target minus random (percentage points)
Target minus random (percentage points)
Target minus random (percentage points)



Final generator outcome quality; final answer correct does not certify process
Correct among verifiable
Correct / all (lower bound)
Unknown / all
Percent
0
10
20
30
40
1
2
3
4
5
6
7
8
G0
G1
G2
G3

Same-answer judgment correctness transitions; reference-unknown excluded











Week final: figure guide


Final-T results and prefix diagnostics, including the new complete panel


Section	Pages
Final T: original evaluation	1-6
Figure guide (this page)	7-7
EFP triggers and input strata	8-10
Prefix paraphrases and natural substitutions	11-14
AWL versus non-AWL matched words	15-18
Natural edits on originally correct judgments	19-19
Prefix length and score sensitivity	20-22
Training chain, symmetric edits and answer control	23-26
Same-prefix results across G0, G1, G2 and G3	27-29
Prefix effects on false rejections of correct G3 answers	30-32
Complete C95 panel: wrong advantage and correct benefit	33-35


New C95 panel: ALL four G3 answers per question, including FP and FN.
Six prefixes plus original and neutral control: 3,040 logical scores.
V0 fixed. Both FPR and FNR, continuous scores, and removal tradeoffs.
No new G generation or training; no new T interventions.



Prefix-only interventions on fixed wrong G3 answers; Wilson 95% intervals
A, 64 wrong/rejected answers
C, 48 wrong/rejected answers
Reject-to-accept flip rate (%)
0
5
10
15
20
25
30
35
Response text: (control)
To solve for
we need to
: + newline
. + newline
, + newline
Thought process:
Step by step



A: input slices, paired question 95% CI
math_density_high
prompt129-256
symbol:fraction
symbol:sqrt
topic:number_theory
topic:algebra
topic:combinatorics
topic:geometry
0
5
10
15
20
G3 minus G2 FPR, percentage points
C: input slices, paired question 95% CI
math_density_high
prompt129-256
symbol:fraction
topic:number_theory
topic:algebra
topic:combinatorics
topic:geometry
−20
−10
0
10
20
30
G3 minus G2 FPR, percentage points


A: exclusive keyword topic proxies; sparse groups affect variance
Conditional FPR (%)
G2
G3
0
10
20
30
40
50
60
70
geometry
q=149
probability
q=31
combinatorics
q=31
algebra
q=83
number_theory
q=198
rate_word_problem
q=10
other
q=96


A: injected prefix vs "we need to"
we_can
require
we_require_to
the_task_requires_us_to
it_is_necessary_to
we_must
we_have_to
we_should
−15
−10
−5
0
5
10
Paired difference, percentage points
C: injected prefix vs "we need to"
we_can
require
we_require_to
the_task_requires_us_to
it_is_necessary_to
we_must
we_have_to
we_should
−20
−15
−10
−5
0
5
10
15
Paired difference, percentage points


A: natural phrase replacement vs original FPR
we_can
require
we_require_to
the_task_requires_us_to
it_is_necessary_to
we_must
we_have_to
we_should
−4
−3
−2
−1
0
1
2
Paired difference, percentage points
C: natural phrase replacement vs original FPR
we_can
require
we_require_to
the_task_requires_us_to
it_is_necessary_to
we_must
we_have_to
we_should
−8
−6
−4
−2
0
2
4
6
8
Paired difference, percentage points


All 46 prespecified prefixes: reject-to-accept rate (%)
original 0.0 0.0
blank_control 0.0 0.0
neutral_control 3.1 0.0
we_need_to 12.5 18.8
we_have_to 15.6 10.4
we_must 18.8 22.9
we_are_required_to 7.8 6.2
it_is_necessary_to 12.5 14.6
it_is_essential_to 23.4 22.9
the_task_requires_us_to 4.7 8.3
this_requires_us_to 10.9 12.5
we_should 14.1 18.8
we_ought_to 17.2 20.8
we_are_supposed_to 6.2 6.2
we_are_expected_to 7.8 10.4
we_will 15.6 20.8
we_can 17.2 27.1
let_us 9.4 12.5
lets 12.5 12.5
require 10.9 16.7
required 10.9 14.6
require_to 18.8 18.8
we_require_to 12.5 12.5
this_requires 4.7 8.3
we_need 12.5 12.5
need_to 15.6 20.8
uppercase 4.7 10.4
title_colon 4.7 6.2
period 21.9 20.8
extra_space 14.1 16.7
double_newline 18.8 22.9
to_solve_for 9.4 12.5
to_find 12.5 12.5
to_determine 1.6 8.3
to_calculate 7.8 10.4
in_order_to_solve_for 14.1 8.3
to_work_out 3.1 8.3
to_obtain 9.4 8.3
solving_for 1.6 4.2
thought_process 3.1 4.2
reasoning 3.1 4.2
analysis 1.6 0.0
solution 0.0 0.0
original_step_by_step 0.0 4.2
reason_step_by_step 0.0 2.1
we_solve_step_by_step 1.6 4.2
A (64 originally rejected wrong)
C (48 originally rejected wrong)
30
25
20
15
10
5
0


A: natural correct answers; paired question 95% CI
we_can
require
we_require_to
the_task_requires_us_to
it_is_necessary_to
we_must
we_have_to
we_should
−4
−2
0
2
4
6
8
FNR change, percentage points
C: natural correct answers; paired question 95% CI
we_can
require
we_require_to
the_task_requires_us_to
it_is_necessary_to
we_must
we_have_to
we_should
0
2
4
6
8
10
12
14
FNR change, percentage points


AWL vs non-AWL matched verb headers
Same wrong, originally rejected answers: A n=64; C n=48
Prefix = Capitalized word + colon + newline


	A: AWL	A: non-AWL	C: AWL	C: non-AWL
analyse / examine	1.6%	4.7%	0.0%	0.0%
assess / check	4.7%	3.1%	8.3%	6.2%
compute / calculate	1.6%	1.6%	2.1%	2.1%
deduce / reason	1.6%	3.1%	2.1%	2.1%
demonstrate / show	0.0%	0.0%	0.0%	0.0%
establish / prove	0.0%	0.0%	2.1%	2.1%
obtain / get	0.0%	0.0%	0.0%	0.0%
require / need	6.2%	4.7%	2.1%	0.0%
identify / find	0.0%	0.0%	2.1%	2.1%
evaluate / judge	0.0%	10.9%	2.1%	20.8%
formulate / write	3.1%	3.1%	2.1%	2.1%
utilise / use	0.0%	3.1%	2.1%	4.2%
implement / do	0.0%	1.6%	2.1%	2.1%
conclude / finish	1.6%	0.0%	0.0%	2.1%
investigate / study	4.7%	3.1%	8.3%	2.1%
clarify / explain	6.2%	6.2%	6.2%	8.3%
commence / begin	0.0%	0.0%	0.0%	2.1%
proceed / continue	0.0%	0.0%	4.2%	2.1%
assist / help	4.7%	10.9%	6.2%	10.4%
retain / keep	6.2%	0.0%	4.2%	0.0%
Control: original	0.0%	0.0%	0.0%	0.0%
Control: colon_control	0.0%	0.0%	4.2%	4.2%
Control: neutral_control	3.1%	3.1%	0.0%	0.0%
Mean across 20 pairs	2.1%	2.8%	2.8%	3.5%

Wrong reject-to-accept flip rate (%)
0
5
10
15
20
25
30

All prespecified AWL / non-AWL headers
Wrong reject-to-accept flips; unchanged answer bodies

	A (64 answers)	C (48 answers)
[control] (unchanged)	0.0%	0.0%
[control] :	0.0%	4.2%
[control] Response text:	3.1%	0.0%
[AWL] Analyse:	1.6%	0.0%
[AWL] Assess:	4.7%	8.3%
[AWL] Compute:	1.6%	2.1%
[AWL] Deduce:	1.6%	2.1%
[AWL] Demonstrate:	0.0%	0.0%
[AWL] Establish:	0.0%	2.1%
[AWL] Obtain:	0.0%	0.0%
[AWL] Require:	6.2%	2.1%
[AWL] Identify:	0.0%	2.1%
[AWL] Evaluate:	0.0%	2.1%
[AWL] Formulate:	3.1%	2.1%
[AWL] Utilise:	0.0%	2.1%
[AWL] Implement:	0.0%	2.1%
[AWL] Conclude:	1.6%	0.0%
[AWL] Investigate:	4.7%	8.3%
[AWL] Clarify:	6.2%	6.2%
[AWL] Commence:	0.0%	0.0%
[AWL] Proceed:	0.0%	4.2%
[AWL] Assist:	4.7%	6.2%
[AWL] Retain:	6.2%	4.2%
[nonAWL] Examine:	4.7%	0.0%
[nonAWL] Check:	3.1%	6.2%
[nonAWL] Calculate:	1.6%	2.1%
[nonAWL] Reason:	3.1%	2.1%
[nonAWL] Show:	0.0%	0.0%
[nonAWL] Prove:	0.0%	2.1%
[nonAWL] Get:	0.0%	0.0%
[nonAWL] Need:	4.7%	0.0%
[nonAWL] Find:	0.0%	2.1%
[nonAWL] Judge:	10.9%	20.8%
[nonAWL] Write:	3.1%	2.1%
[nonAWL] Use:	3.1%	4.2%
[nonAWL] Do:	1.6%	2.1%
[nonAWL] Finish:	0.0%	2.1%
[nonAWL] Study:	3.1%	2.1%
[nonAWL] Explain:	6.2%	8.3%
[nonAWL] Begin:	0.0%	2.1%
[nonAWL] Continue:	0.0%	2.1%
[nonAWL] Help:	10.9%	10.4%
[nonAWL] Keep:	0.0%	0.0%





Group contrast: paired 95% bootstrap intervals
20 purposively selected lexical pairs; not all AWL vocabulary
-0.73 pp
-0.70 pp
C
A
Questions + lexical pairs
Questions, fixed vocabulary
−3
−2
−1
0
1
Mean flip-rate difference: AWL minus non-AWL (percentage points)


Earlier 46 prefixes annotated by AWL membership
Descriptive only: phrase length, syntax and punctuation differ


	A (64 answers)	C (48 answers)
[control] (unchanged)	0.0%	0.0%
[control] (unchanged)	0.0%	0.0%
[control] Response text:	3.1%	0.0%
[AWL_present] we are required to	7.8%	6.2%
[AWL_present] the task requires us to	4.7%	8.3%
[AWL_present] this requires us to	10.9%	12.5%
[AWL_present] require	10.9%	16.7%
[AWL_present] required	10.9%	14.6%
[AWL_present] require to	18.8%	18.8%
[AWL_present] we require to	12.5%	12.5%
[AWL_present] this requires	4.7%	8.3%
[AWL_present] To obtain	9.4%	8.3%
[AWL_present] Thought process:	3.1%	4.2%
[AWL_present] Analysis:	1.6%	0.0%
[AWL_absent] we need to	12.5%	18.8%
[AWL_absent] we have to	15.6%	10.4%
[AWL_absent] we must	18.8%	22.9%
[AWL_absent] it is necessary to	12.5%	14.6%
[AWL_absent] it is essential to	23.4%	22.9%
[AWL_absent] we should	14.1%	18.8%
[AWL_absent] we ought to	17.2%	20.8%
[AWL_absent] we are supposed to	6.2%	6.2%
[AWL_absent] we are expected to	7.8%	10.4%
[AWL_absent] we will	15.6%	20.8%
[AWL_absent] we can	17.2%	27.1%
[AWL_absent] let us	9.4%	12.5%
[AWL_absent] let's	12.5%	12.5%
[AWL_absent] we need	12.5%	12.5%
[AWL_absent] need to	15.6%	20.8%
[AWL_absent] WE NEED TO	4.7%	10.4%
[AWL_absent] We need to:	4.7%	6.2%
[AWL_absent] we need to.	21.9%	20.8%
[AWL_absent] we need to	14.1%	16.7%
[AWL_absent] we need to	18.8%	22.9%
[AWL_absent] To solve for	9.4%	12.5%
[AWL_absent] To find	12.5%	12.5%
[AWL_absent] To determine	1.6%	8.3%
[AWL_absent] To calculate	7.8%	10.4%
[AWL_absent] In order to solve for	14.1%	8.3%
[AWL_absent] To work out	3.1%	8.3%
[AWL_absent] Solving for	1.6%	4.2%
[AWL_absent] Reasoning:	3.1%	4.2%
[AWL_absent] Solution:	0.0%	0.0%
[AWL_absent] Let's solve this problem step by step.	0.0%	4.2%
[AWL_absent] Let's reason step by step.	0.0%	2.1%
[AWL_absent] We solve this problem step by step.	1.6%	4.2%


Wrong reject-to-accept flip rate (%)
0
5
10
15
20
25
30



Natural, initially correct V0 decisions: new errors after editing
Same answer, final label unchanged; baseline selected error = 0%
A
C
TP -> FN
TN -> FP
1.47%
5/340
1.76%
6/340
1.63%
5/306
0.00%
0/306
2.94%
1/34
0.00%
0/34
1.64%
1/61
1.64%
1/61
Delete
Near-synonym
Delete
Near-synonym
Conditional new-error rate (%)
0
2
4
6
8
10


Length vs flip rate: same 64 A / 48 C wrong, originally rejected answers
38 verbal prefixes; no new inference; associations, not isolated causal length effects



















Rate slopes: red = question-bootstrap 95%; grey = questions + prefixes
Exploratory intervals; no simultaneous coverage or random vocabulary sampling
Word count
Characters (trimmed)
V0 prefix token count
A raw
A category-adjusted
C raw
C category-adjusted
−2
−1
0
1
−0.6
−0.4
−0.2
0.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Slope: percentage points per unit length
Slope: percentage points per unit length
Slope: percentage points per unit length


All 43 noncontrol prefixes sorted by character length
W = words; C = trimmed characters; T = exact-prefix V0 tokens


	A (64 answers)	C (48 answers)
lets: "let's\n" | W1 C5 T3	12.5%	12.5%
let_us: 'let us\n' | W2 C6 T3	9.4%	12.5%
we_can: 'we can\n' | W2 C6 T3	17.2%	27.1%
require: 'require\n' | W1 C7 T2	10.9%	16.7%
need_to: 'need to\n' | W2 C7 T3	15.6%	20.8%
to_find: 'To find\n' | W2 C7 T3	12.5%	12.5%
we_must: 'we must\n' | W2 C7 T3	18.8%	22.9%
we_need: 'we need\n' | W2 C7 T3	12.5%	12.5%
we_will: 'we will\n' | W2 C7 T3	15.6%	20.8%
required: 'required\n' | W1 C8 T2	10.9%	14.6%
analysis: 'Analysis:\n' | W1 C9 T2	1.6%	0.0%
solution: 'Solution:\n' | W1 C9 T2	0.0%	0.0%
to_obtain: 'To obtain\n' | W2 C9 T3	9.4%	8.3%
we_should: 'we should\n' | W2 C9 T3	14.1%	18.8%
reasoning: 'Reasoning:\n' | W1 C10 T3	3.1%	4.2%
require_to: 'require to\n' | W2 C10 T3	18.8%	18.8%
double_newline: 'we need to\n\n' | W3 C10 T4	18.8%	22.9%
extra_space: 'we need to \n' | W3 C10 T4	14.1%	16.7%
uppercase: 'WE NEED TO\n' | W3 C10 T4	4.7%	10.4%
we_have_to: 'we have to\n' | W3 C10 T4	15.6%	10.4%
we_need_to: 'we need to\n' | W3 C10 T4	12.5%	18.8%
period: 'we need to.\n' | W3 C11 T4	21.9%	20.8%
solving_for: 'Solving for\n' | W2 C11 T4	1.6%	4.2%
title_colon: 'We need to:\n' | W3 C11 T4	4.7%	6.2%
to_work_out: 'To work out\n' | W3 C11 T4	3.1%	8.3%
we_ought_to: 'we ought to\n' | W3 C11 T4	17.2%	20.8%
to_calculate: 'To calculate\n' | W2 C12 T3	7.8%	10.4%
to_determine: 'To determine\n' | W2 C12 T3	1.6%	8.3%
to_solve_for: 'To solve for\n' | W3 C12 T4	9.4%	12.5%
this_requires: 'this requires\n' | W2 C13 T3	4.7%	8.3%
we_require_to: 'we require to\n' | W3 C13 T4	12.5%	12.5%
thought_process: 'Thought process:\n' | W2 C16 T3	3.1%	4.2%
it_is_essential_to: 'it is essential to\n' | W4 C18 T5	23.4%	22.9%
it_is_necessary_to: 'it is necessary to\n' | W4 C18 T5	12.5%	14.6%
we_are_expected_to: 'we are expected to\n' | W4 C18 T5	7.8%	10.4%
we_are_required_to: 'we are required to\n' | W4 C18 T5	7.8%	6.2%
we_are_supposed_to: 'we are supposed to\n' | W4 C18 T5	6.2%	6.2%
this_requires_us_to: 'this requires us to\n' | W4 C19 T5	10.9%	12.5%
in_order_to_solve_for: 'In order to solve for\n' | W5 C21 T6	14.1%	8.3%
the_task_requires_us_to: 'the task requires us to\n' | W5 C23 T6	4.7%	8.3%
reason_step_by_step: "Let's reason step by step.\n" | W5 C26 T7	0.0%	2.1%
we_solve_step_by_step: 'We solve this problem step by step.\n' | W7 C35 T8	1.6%	4.2%
original_step_by_step: "Let's solve this problem step by step.\n" | W7 C38 T9	0.0%	4.2%





Does the feedback chain enrich the expressions? Descriptive, not a causal learning test
All A questions (stage-specific denominators)
Same 511 training questions (question-equal means)
Natural opening prevalence (%)
Natural opening prevalence (%)
0.0
2.5
5.0
7.5
10.0
12.5
15.0
17.5
0
2
4
6
8
10
12
14
16
G2 candidates
V0 accepted
Actual SFT
G3 outputs
G2 candidates
V0 accepted
Actual SFT
G3 outputs
we need to
to solve for
we can
we will
AWL_word_any


Same text-edit rules for G2 and G3; fixed V0, same full-pool denominators
A
C
Full-pool FPR (%)
58
57
56
55
54
53
52
51
50
54.5
54.0
53.5
53.0
52.5
52.0
G2
G3
Original
Delete
Near-synonym


How much does editing reduce the G3-G2 FPR gap?
Paired question-bootstrap 95% intervals; descriptive counterfactual
A
C
Near-synonym
Delete
−0.25
0.00
0.25
0.50
0.75
1.00
1.25
−2
−1
0
1
2
3
Original round gap minus edited round gap (pp)
Original round gap minus edited round gap (pp)


Response to an actual final-answer error vs superficial edits
Rejecting still-correct answers is harmful; rejecting final+1 is appropriate
A (same 339 answers)
C (same 34 answers)
V0 rejection rate (%)
0
20
40
60
80
100
0/339
5/339
6/339
336/339
0/34
1/34
0/34
34/34
Original correct
Delete still correct
Synonym still correct
Final +1 now wrong


Fixed V0: same injected prefixes across G0/G1/G2/G3 outputs
Dotted G1->G2 links cross a generation-engine boundary
A: same 64 questions
C: same 29 questions
Wrong reject-to-accept flip rate (%)
Wrong reject-to-accept flip rate (%)
0.0
2.5
5.0
7.5
10.0
12.5
15.0
17.5
20.0
0
5
10
15
20
25
G0
G1
G2
G3
Transformers
vLLM
Transformers
vLLM
symbol_comma
we_can
we_will
we_need_to
to_solve_for
it_is_essential_to
original_step_by_step


All21 prespecified settings; all originals are verified wrong and V0-rejected
Dashed line = generation-engine boundary; controls first3 rows


A (matched n=64)

	G0	G1	G2	G3
original	0.0%	0.0%	0.0%	0.0%
blank_control	0.0%	0.0%	3.1%	0.0%
neutral_control	1.6%	1.6%	0.0%	1.6%
to_solve_for	4.7%	10.9%	10.9%	9.4%
we_need_to	7.8%	12.5%	15.6%	12.5%
we_can	10.9%	14.1%	15.6%	12.5%
we_will	9.4%	15.6%	14.1%	12.5%
we_have_to	6.2%	7.8%	12.5%	14.1%
we_should	7.8%	14.1%	12.5%	14.1%
we_must	10.9%	17.2%	17.2%	17.2%
it_is_essential_to	10.9%	17.2%	15.6%	20.3%
thought_process	1.6%	1.6%	1.6%	1.6%
reasoning	1.6%	0.0%	1.6%	0.0%
analysis	1.6%	0.0%	0.0%	0.0%
original_step_by_step	0.0%	0.0%	0.0%	0.0%
reason_step_by_step	0.0%	0.0%	0.0%	0.0%
solve_for_the	4.7%	12.5%	12.5%	7.8%
to_determine_probability	1.6%	3.1%	6.2%	4.7%
symbol_colon	1.6%	1.6%	4.7%	0.0%
symbol_period	9.4%	12.5%	9.4%	12.5%
symbol_comma	17.2%	18.8%	12.5%	17.2%

C (matched n=29)


	G0	G1	G2	G3
original	0.0%	0.0%	0.0%	0.0%
blank_control	0.0%	0.0%	0.0%	0.0%
neutral_control	0.0%	6.9%	0.0%	0.0%
to_solve_for	3.4%	10.3%	6.9%	17.2%
we_need_to	10.3%	20.7%	17.2%	20.7%
we_can	6.9%	20.7%	20.7%	27.6%
we_will	3.4%	24.1%	20.7%	13.8%
we_have_to	10.3%	20.7%	6.9%	13.8%
we_should	3.4%	20.7%	17.2%	17.2%
we_must	10.3%	24.1%	27.6%	20.7%
it_is_essential_to	10.3%	20.7%	24.1%	27.6%
thought_process	3.4%	0.0%	3.4%	3.4%
reasoning	0.0%	0.0%	3.4%	3.4%
analysis	0.0%	0.0%	0.0%	0.0%
original_step_by_step	0.0%	0.0%	0.0%	3.4%
reason_step_by_step	3.4%	0.0%	0.0%	0.0%
solve_for_the	3.4%	10.3%	10.3%	13.8%
to_determine_probability	3.4%	10.3%	6.9%	6.9%
symbol_colon	3.4%	6.9%	0.0%	3.4%
symbol_period	6.9%	17.2%	20.7%	17.2%
symbol_comma	13.8%	24.1%	20.7%	20.7%





Same-engine paired-question late-round changes
95% bootstrap intervals; red = exact McNemar BH q<0.05 across36 trigger/pool tests
A
C
to_solve_for
we_need_to
we_can
we_will
we_have_to
we_should
we_must
it_is_essential_to
thought_process
reasoning
analysis
original_step_by_step
reason_step_by_step
solve_for_the
to_determine_probability
symbol_colon
symbol_period
symbol_comma
−15
−10
−5
0
5
10
15
−30
−20
−10
0
10
20
30
G3 minus G2 flip rate (percentage points)
G3 minus G2 flip rate (percentage points)

G3 correct answers: fixed V0, unchanged full answer, same injected prefixes


A: n=839, questions=276




C: n=147, questions=51





Negative = fewer false rejections; paired question-cluster 95% intervals
Red = BH36 q<0.05; controls shown descriptively







Both directions counted: net added FN = damaged TP minus rescued FN






Fixed V0 / G3 / complete C95 x 4 answers
Paired question-cluster 95% intervals; red = BH12 q < .05
ALL wrong answers: n=218
ALL correct answers: n=147
original
neutral_control
we_need_to
we_can
we_will
it_is_essential_to
symbol_comma
reason_step_by_step
54.59%
51.83%
61.47%
65.14%
61.93%
63.76%
62.84%
53.21%
14.29%
13.61%
10.88%
8.16%
9.52%
8.84%
8.16%
16.33%
−5
0
5
10
15
−15
−10
−5
0
5
FPR(prefix) - FPR(original), percentage points
FNR(prefix) - FNR(original), percentage points


Separate wrong-answer advantage from correct-answer benefit
Paired 95% intervals; margin remains informative when scores saturate
Acceptance score P(A | A,B)
Acceptance margin LL(A) - LL(B)
wrong
correct
original
neutral_control
we_need_to
we_can
we_will
it_is_essential_to
symbol_comma
reason_step_by_step
−0.050
−0.025
0.000
0.025
0.050
0.075
0.100
0.125
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
Mean injected minus original
Mean injected minus original

Same answers, same independent final-answer labels
15 unknown answers preserved separately; excluded from truth denominators

