

Web Application Security – DVWA

1. Introduzione

In questo esercizio l'obiettivo è stato analizzare e sfruttare alcune vulnerabilità comuni presenti nelle web application, utilizzando **DVWA (Damn Vulnerable Web Application)** come ambiente di test controllato.

L'attività è stata svolta all'interno di un laboratorio isolato, utilizzando **Kali Linux** come macchina attaccante e **Metasploitable/DVWA** come target.

Lo scopo non è “bucare tutto a caso”, ma **capire cosa succede**, perché succede e quali sono le conseguenze reali di una cattiva gestione degli input e della sicurezza applicativa.


```
(pireddone@kali)-[~]
$ ping -c 4 192.168.50.101
PING 192.168.50.101 (192.168.50.101) 56(84) bytes of data.
64 bytes from 192.168.50.101: icmp_seq=1 ttl=64 time=3.86 ms
64 bytes from 192.168.50.101: icmp_seq=2 ttl=64 time=2.77 ms
64 bytes from 192.168.50.101: icmp_seq=3 ttl=64 time=1.55 ms
64 bytes from 192.168.50.101: icmp_seq=4 ttl=64 time=2.23 ms


— 192.168.50.101 ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3006ms
rtt min/avg/max/mdev = 1.552/2.601/3.861/0.845 ms
```

2. Accesso a DVWA e configurazione iniziale

Dopo aver verificato la connettività tra Kali e Metasploitable, si è effettuato l'accesso all'interfaccia web di DVWA tramite browser.

Una volta autenticati, è stato impostato il livello di sicurezza su **LOW**, in modo da rendere le vulnerabilità sfruttabili a scopo didattico.





3. Vulnerabilità XSS Reflected

La prima vulnerabilità analizzata è stata **XSS Reflected**, che si verifica quando un input fornito dall'utente viene riflesso nella pagina senza alcuna sanitizzazione.

Inserendo codice JavaScript all'interno di un campo di input, è stato possibile eseguire codice arbitrario nel browser della vittima, dimostrando come sia possibile:

- visualizzare popup,
- accedere a cookie di sessione,
- potenzialmente rubare credenziali o sessioni.
- 7 - popup PHPSESSID .png



Home
Instructions
Setup

Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored

DVWA Security
PHP Info
About

Logout

Username: admin
Security Level: low
PHPIDS: disabled

[View Source](#) [View Help](#)

Vulnerability: Reflected Cross Site Scripting (XSS)

What's your name?

Submit

More info

<http://hackers.org/xss.html>
http://en.wikipedia.org/wiki/Cross-site_scripting
<http://www.cgisecurity.com/xss-faq.html>

Damn Vulnerable Web Application (DVWA) v1.0.7



Home
Instructions
Setup

Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored

DVWA Security
PHP Info
About

Logout

Username: admin
Security Level: low
PHPIDS: disabled

[View Source](#) [View Help](#)

Vulnerability: Reflected Cross Site Scripting (XSS)

What's your name?


Submit

Hello *Piredd0ne*

More info

<http://hackers.org/xss.html>
http://en.wikipedia.org/wiki/Cross-site_scripting
<http://www.cgisecurity.com/xss-faq.html>

Damn Vulnerable Web Application (DVWA) v1.0.7



4. Vulnerabilità SQL Injection

Successivamente è stata analizzata la vulnerabilità di **SQL Injection**, che permette di manipolare le query SQL inviate al database tramite input non validati.

Attraverso vari test progressivi è stato possibile:

- bypassare controlli logici,
- estrarre informazioni sul database,
- enumerare tabelle e versioni del DBMS.

Questo dimostra quanto sia pericoloso costruire query SQL senza l'uso di prepared statements o controlli sugli input.



Home
Instructions
Setup

Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored

DVWA Security
PHP Info
About
Logout

Vulnerability: SQL Injection

User ID:

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection
<http://www.unixwiz.net/techtips/sql-injection.html>

Username: admin
Security Level: low
PHPIDS: disabled

[View Source](#) [View Help](#)

Damn Vulnerable Web Application (DVWA) v1.0.7



Home
Instructions
Setup

Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored

DVWA Security
PHP Info
About
Logout

Vulnerability: SQL Injection

User ID:

ID: 1
First name: admin
Surname: admin


More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection
<http://www.unixwiz.net/techtips/sql-injection.html>

Username: admin
Security Level: low
PHPIDS: disabled

[View Source](#) [View Help](#)

Damn Vulnerable Web Application (DVWA) v1.0.7



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: SQL Injection

User ID:

Submit

ID: 1' OR '1'='1

First name: admin

Surname: admin

ID: 1' OR '1'='1

First name: Gordon

Surname: Brown

ID: 1' OR '1'='1

First name: Hack

Surname: Me

ID: 1' OR '1'='1

First name: Pablo

Surname: Picasso

ID: 1' OR '1'='1

First name: Bob

Surname: Smith

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection
<http://www.unixwiz.net/techtips/sql-injection.html>

Username: admin

Security Level: low

PHPIDS: disabled

View Source

View Help

Damn Vulnerable Web Application (DVWA) v1.0.7



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: SQL Injection

User ID:

Submit

ID: 1' UNION SELECT 1, version()#

First name: admin

Surname: admin

ID: 1' UNION SELECT 1, version()#

First name: 1

Surname: 5.0.51a-3ubuntu5

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection
<http://www.unixwiz.net/techtips/sql-injection.html>

Username: admin


Security Level: low

PHPIDS: disabled

View Source

View Help

Damn Vulnerable Web Application (DVWA) v1.0.7




5. Vulnerabilità Command Injection

L'ultima vulnerabilità analizzata è stata **Command Injection**, che consente di eseguire comandi di sistema direttamente sul server attraverso input malevoli.

Partendo da un input apparentemente innocuo, è stato possibile concatenare comandi di sistema e ottenere:

- output del comando whoami,
- lista dei file presenti nel sistema (ls),
- conferma dell'esecuzione di comandi sul sistema operativo sottostante.



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

submit

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>


Username: admin

Security Level: low

PHPIDS: disabled

View SourceView Help

Damn Vulnerable Web Application (DVWA) v1.0.7



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

submit

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.135 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.173 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.084 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.084/0.130/0.173/0.038 ms
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>


Username: admin

Security Level: low

PHPIDS: disabled

View SourceView Help

Damn Vulnerable Web Application (DVWA) v1.0.7



[Home](#)
[Instructions](#)
[Setup](#)
[Brute Force](#)
[Command Execution](#)
[CSRF](#)
[File Inclusion](#)
[SQL Injection](#)
[SQL Injection \(Blind\)](#)
[Upload](#)
[XSS reflected](#)
[XSS stored](#)

[DVWA Security](#)
[PHP Info](#)
[About](#)

[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.222 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.088 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.122 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1999ms  
rtt min/avg/max/mdev = 0.088/0.144/0.222/0.056 ms  
www-data
```


More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/int/>

[View Source](#) [View Help](#)

Username: admin
Security Level: low
PHPIDS: disabled

Damn Vulnerable Web Application (DVWA) v1.0.7



[Home](#)
[Instructions](#)
[Setup](#)
[Brute Force](#)
[Command Execution](#)
[CSRF](#)
[File Inclusion](#)
[SQL Injection](#)
[SQL Injection \(Blind\)](#)
[Upload](#)
[XSS reflected](#)
[XSS stored](#)

[DVWA Security](#)
[PHP Info](#)
[About](#)

[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.217 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.090 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.131 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 2046ms  
rtt min/avg/max/mdev = 0.090/0.146/0.217/0.052 ms  
help  
index.php  
source
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/int/>

[View Source](#) [View Help](#)

Username: admin
Security Level: low
PHPIDS: disabled

Damn Vulnerable Web Application (DVWA) v1.0.7

6. Considerazioni finali

L'esercizio ha dimostrato in modo pratico come vulnerabilità apparentemente “banali” possano avere **impatti molto gravi** sulla sicurezza di un sistema.

XSS, SQL Injection e Command Injection sono tutte vulnerabilità note da anni, ma ancora oggi estremamente diffuse a causa di:

- mancata validazione degli input,
- assenza di controlli lato server,
- scarsa attenzione alla sicurezza nello sviluppo applicativo.

Questo laboratorio ha permesso di comprendere concretamente perché la **web application security** è un aspetto fondamentale della cybersecurity moderna.