# Pirento Blank

Deployment guide — server par live karne ke poore steps

| | |
|---|---|
| Kya milega | Aapka trading journal aapke apne domain par (https://aapka-domain.com), Zerodha se login, fills, live orders, GTT, paper trading, alerts aur reports ke saath. |
| Kitna samay | Pehli baar lagbhag 1–2 ghante (DNS update hone ka intezaar alag). |
| Kharcha (andaza) | VPS lagbhag ₹400–₹900/mahina, domain lagbhag ₹800–₹1,200/saal. Kite Connect "Personal" app free hai; "Connect" plan paid hai (500 credits / 30 din). OpenAI optional hai aur use ke hisaab se lagta hai. |
| Code | pirento-blank-ready.tar.xz: poora code, production dependencies (node_modules) aur built CSS — upload karke seedha chalne layak. pirento-blank-code.zip: sirf code. Shuruaat ke liye START-HERE.md padhiye; ye PDF docs/ folder mein bhi hai. |

> **Tip:** Prices aur website ke menu ke naam badalte rehte hain. Is guide mein jo commands aur settings likhi hain, wahi asli zaroori cheezein hain.

Is guide ko upar se neeche, step-by-step follow kariye. Har step ke end mein ek "check" hai — woh sahi ho tabhi aage badhiye.

## Is guide mein

- Step 0 — Zaroori cheezein (checklist)
- Step 1 — VPS kharidna (fixed IP ke saath)
- Step 2 — Domain ko VPS se jodna (DNS)
- Step 3 — Code ko server par bhejna
- Step 4 — Ek command se poora setup
- Step 5 — Pehla admin account banana
- Step 6 — Zerodha Kite app banana aur keys daalna
- Step 7 — Pehli baar login aur Settings
- Step 8 — Pehla asli order (chhote test se)
- Step 9 — Optional: Dhan, Telegram, push notifications, email, AI
- Roz ka kaam, update karna, backup, problems ka hal, security checklist, final checklist

## Step 0 · Zaroori cheezein

| Cheez | Kyun chahiye | Zaroori? |
|---|---|---|
| VPS (Ubuntu 24.04, fixed/static IP) | App 24×7 chalega. Zerodha 1 April 2026 se API orders sirf whitelisted static IP se leta hai, isliye shared hosting nahi chalegi. | Haan |
| Domain name | HTTPS ke liye (login cookies sirf HTTPS par chalti hain). | Haan |
| Zerodha account + Kite developer account | Login, portfolio, fills, live orders, GTT. | Haan (orders ke liye) |
| Ek email address | Admin login aur HTTPS certificate ke liye. | Haan |
| Authenticator app (Google Authenticator / Authy) | Live orders se pehle 2-step verification zaroori hai. | Haan (live orders ke liye) |
| OpenAI API key | AI chat, AI coach, research. | Optional |
| SMTP email (Gmail app password, Zoho, Brevo…) | Invitation, password reset, weekly report emails. | Optional |
| Telegram bot | Telegram se trade log karna aur alerts. | Optional |
| Dhan account | Dhan ke fills journal mein laana. | Optional |

## Step 1 · VPS kharidna

1. Hostinger (ya DigitalOcean, AWS Lightsail, Linode) par **VPS** lijiye — "KVM 1" ya "KVM 2" (1–2 vCPU, 4–8 GB RAM) kaafi hai.
2. Operating system: **Ubuntu 24.04** (ya 22.04). Location: **India (Mumbai)** ho to behtar.
3. Root password set kariye aur VPS ka **IP address** note kariye (jaise 203.0.113.25). VPS ka IP fixed hota hai — yahi Zerodha mein whitelist hoga.

Apne computer se server par login (Windows mein PowerShell, Mac/Linux mein Terminal):

```
ssh root@203.0.113.25
```

> **Tip:** Check: ssh se login ho gaya aur prompt dikh raha hai (root@...:~#).

## Step 2 · Domain ko VPS se jodna (DNS)

1. Domain provider (Hostinger, GoDaddy, Namecheap...) ke DNS settings kholiye.
2. Ek **A record** banaiye: Name/Host = **@** (ya subdomain jaise **journal**), Value/Points to = **VPS ka IP**, TTL = default.
3. Save kariye. Update hone mein 5 minute se kuch ghante lag sakte hain.

Check karne ke liye apne computer par:

```
ping aapka-domain.com      # reply mein VPS ka IP aana chahiye
```

> **Tip:** Agar subdomain use kar rahe hain (jaise journal.aapka-domain.com), to aage har jagah wahi poora naam likhiye.

## Step 3 · Code ko server par bhejna

**Tarika A (ready file se):** do files mein se koi ek server par copy karke kholiye:

```
# (a) sab ready, dependencies ke saath (26 MB):
scp pirento-blank-ready.tar.xz root@203.0.113.25:/root/      # apne computer se
apt-get update && apt-get install -y xz-utils                    # server par (.xz kholne ke liye)
cd /root && tar -xJf pirento-blank-ready.tar.xz && cd pirento-blank   # server par

# (b) sirf code (setup script dependencies download karegi):
scp pirento-blank-code.zip root@203.0.113.25:/root/
apt-get update && apt-get install -y unzip
cd /root && unzip pirento-blank-code.zip && cd pirento-blank
```

**Tarika B (GitHub se):** agar repo access hai:

```
apt-get update && apt-get install -y git
git clone https://github.com/pirento/Blank-2.0.git /root/pirento-blank
cd /root/pirento-blank
```

> **Tip:** Check: `ls` chalane par package.json, server.js aur deploy/ folder dikhne chahiye.

## Step 4 · Ek command se poora setup

Code folder ke andar se ye ek command chalaiye (apna domain aur email daaliye):

```
sudo bash deploy/setup-vps.sh aapka-domain.com aap@example.com
```

Ye script apne aap ye sab karti hai (10–15 minute lagte hain):

- Node.js 22, pnpm, PM2, Nginx, Certbot aur MongoDB 8 install (MongoDB sirf server ke andar, bahar se band).
- Firewall: sirf SSH aur web (80/443) khule; app aur database bahar se nahi dikhte.
- Code ko **/srv/blank** mein copy, **.env** file banana aur usmein naye random secrets bharna.
- App build karke PM2 se start karna (server restart hone par bhi apne aap chalega).
- Nginx + HTTPS certificate (Let's Encrypt) — apne aap renew hota rehta hai.

- Scheduled jobs: har 5 minute market time mein price alerts / paper trades, weekly report, voice-note cleanup, aur roz raat MongoDB backup (14 din tak rakha jaata hai).

> **Dhyaan dein:** Agar certbot fail ho, to matlab DNS abhi update nahi hua. Thodi der baad chalaiye: `sudo certbot --nginx -d aapka-domain.com`

Check:

```
curl https://aapka-domain.com/api/health     # {"status":"ok", ...} aana chahiye
```

# Step 5 · Pehla admin account banana

```
cd /srv/blank
ADMIN_EMAIL=aap@example.com ADMIN_PASSWORD='kam-se-kam-12-akshar-ka-password' \
  node scripts/create-admin.js
```

Ab browser mein **https://aapka-domain.com/login** kholkar isi email aur password se login kariye.

> **Tip:** Password lamba aur unique rakhiye. Ye app invite-only hai — aur log sirf aapke invite se judenge (Administration → Members).

# Step 6 · Zerodha Kite app banana aur keys daalna

**developers.kite.trade** par login → **My apps → Create new app**. Form aise bhariye:

| Field | Kya bharna hai |
|---|---|
| Type | **Personal (free)** — login, portfolio, fills, live orders aur GTT ke liye kaafi. Quotes/charts tab Yahoo se aayenge. Zerodha ke live quotes chahiye to **Connect** (paid) chuniye. |
| App name | Kuch bhi, jaise **Pirento Blank** |
| Zerodha Client ID | Aapka client ID (jaise AB1234). Personal app mein sirf yahi account login kar sakta hai. |
| App icon | Khaali chhod sakte hain |
| Redirect URL | **https://aapka-domain.com/api/kite/callback** (bilkul yahi, https ke saath) |
| Postback URL | Khaali chhodiye |
| Description | Kuch bhi, jaise "Personal trading journal" |

App banne ke baad **API key** aur **API secret** milenge. Inhe server ki .env mein daaliye:

```
nano /srv/blank/.env
#   KITE_API_KEY="yahan-api-key"
#   KITE_API_SECRET="yahan-api-secret"
#   KITE_REDIRECT_URI="https://aapka-domain.com/api/kite/callback"
# Save: Ctrl+O, Enter, phir Ctrl+X
pm2 reload pirento-blank
```

**Static IP whitelist:** Kite developer site par **Profile** (ya app settings) mein jaakar VPS ka IP address add kariye. Server ka IP dekhne ke liye:

```
curl https://api.ipify.org
```

**Dhyaan dein:** API secret kabhi chat, email, WhatsApp ya GitHub par mat bhejiye. Sirf server ki .env mein. .env file kabhi commit nahi honi chahiye (repo public hai).

## Step 7 · Pehli baar login aur Settings

1. **Settings → Authenticator security:** authenticator app se QR scan karke 6-digit code verify kariye. (Live orders iske bina nahi chalenge.)
2. **Settings → Trading connection:** "Connect Zerodha" — Kite login page khulega, login karke wapas aaiye. (Admin ho to yahin se NSE instrument list bhi reload kar sakte hain.)
3. **Settings → Capital preferences:** planning capital daaliye (ya "Read broker balance").
4. **Settings → Brokerage & statutory charges:** apne broker ke rates check kariye (equity, futures, options).
5. **Settings → Risk limits:** daily loss limit, ek din ke max trades, monthly goal. Daily limit lagte hi us din live orders apne aap ruk jaate hain.
6. Optional: **Notifications & app** (phone par install + alerts), **Email reports**, **Telegram**, **Dhan**.

**Tip:** Kite ka login token roz subah expire ho jaata hai. Har trading din Settings → Zerodha se ek baar Connect kariye.

## Step 8 · Pehla asli order — chhote test se

Shuru mein live orders **band** hain (LIVE_TRADING_ENABLED="false"). Pehle bina asli order ke sab check kariye:

1. Trade book → **Add today's fills to journal** — aaj ke Zerodha fills journal mein aate hain?
2. Paper trading page par ek paper trade chala kar dekhiye.
3. Calculator se ek plan banaiye → Order review page par dikhta hai?

Sab theek ho to live orders chalu kariye:

```
nano /srv/blank/.env
#   LIVE_TRADING_ENABLED="true"
#   LIVE_ORDER_MAX_VALUE="20000"      # ek order ki max value (₹) — shuru mein kam rakhiye
#   LIVE_ORDER_DAILY_LIMIT="5"
pm2 reload pirento-blank
```

1. Settings → **Live orders** ON kariye (authenticator verify hona zaroori).
2. Calculator mein **1 share** ka plan banaiye → Order review mein "Mark reviewed" → **Place live order** → symbol type karke confirm.
3. Kite app/website mein order dikhna chahiye. Order book aur journal dono match kariye.
4. CNC buy fill hone par Order review mein **Place stop & target (GTT)** try kariye — Kite ke GTT list mein dikhega.

**Dhyaan dein:** Market band ho to live order button kaam nahi karega — ye safety ke liye hai. Order sirf LIMIT, sirf NSE, sirf reviewed plan se, aur ek plan se ek hi baar jaata hai.

## Step 9 · Optional features

### Dhan

Kuch server setup nahi chahiye. web.dhan.co → My Profile → DhanHQ Trading APIs se access token banaiye aur app mein Settings → Dhan mein paste kariye. Token roz expire hota hai; expire hone par naya paste kariye.

### Telegram bot

```
# 1. Telegram par @BotFather → /newbot → token aur username copy
# 2. .env mein:  TELEGRAM_BOT_TOKEN="..."  TELEGRAM_BOT_USERNAME="..."
#    (TELEGRAM_WEBHOOK_SECRET setup script pehle hi bhar chuki hai)
pm2 reload pirento-blank
cd /srv/blank && set -a && . ./.env && set +a && node scripts/telegram-set-webhook.js
```

Phir Settings → Telegram → Link Telegram. Bot mein /log, /today, /week, /alerts chalenge.

**Server alert:** bot ko /chatid bhejiye, aaya number .env mein `ALERT_TELEGRAM_CHAT_ID` mein daaliye. Har 5 minute check hota hai: app/database band, disk 1 GB se kam, ya 26 ghante se backup nahi — to Telegram par message, aur theek hone par "OK again". Test: `pm2 stop pirento-blank`, 5 minute mein alert, phir `pm2 start pirento-blank`.

### Push notifications (price alerts phone par)

```
cd /srv/blank && node scripts/generate-vapid-keys.js
# jo VAPID_PUBLIC_KEY aur VAPID_PRIVATE_KEY aaye, .env mein daaliye, phir:
pm2 reload pirento-blank
```

### Email (SMTP)

SMTP_HOST, SMTP_PORT, SMTP_USER, SMTP_PASSWORD, SMTP_FROM .env mein bhariye (jaise Gmail ke liye smtp.gmail.com, port 587, aur Google account ka "App password"). Bina email ke bhi app chalta hai — invite aur password reset ke private links admin page se milte hain.

### AI (OpenAI)

.env mein OPENAI_API_KEY daaliye aur pm2 reload. AI chat, AI coach aur research chalu ho jaayenge. Har member ke liye ghante ki limit AI_REQUESTS_PER_HOUR se set hai.

## Roz ka kaam

| Kab | Kya karna hai |
|---|---|
| Subah (market se pehle) | Settings → Zerodha se Connect (token roz expire hota hai). Dashboard par risk limits dekhiye. |
| Trade lete waqt | Calculator se plan → Order review → live order (ya journal mein trade likhiye). |
| Market ke baad | Trade book → Add today's fills to journal (Zerodha/Dhan). Review: setup, mistakes, emotion, screenshot. |
| Hafte mein | Insights page, AI coach review, weekly email report. |

## Naya code aane par update karna

```
cd /srv/blank
git pull                                    # (ya naya zip unzip karke rsync)
corepack pnpm install --frozen-lockfile --prod
corepack pnpm run build
pm2 reload pirento-blank
curl https://aapka-domain.com/api/health
```

Zip se update: naya zip unzip kariye aur `sudo bash deploy/setup-vps.sh aapka-domain.com aap@example.com` dobara chalaiye — purani .env waise hi rehti hai.

## Backup aur restore

- Roz raat apne aap backup: **/srv/blank/backups/** (14 din tak).
- **Google Drive par bhi (zaroor):** ek baar `rclone config` se 'gdrive' (type drive) aur uske upar 'gdrive-secret' (type crypt, remote gdrive:pirento-backups, lamba password) banaiye. Phir .env mein BACKUP_REMOTE="`gdrive-secret:`". Har raat backup encrypted hokar Drive par jaata hai, 30 din tak. Poore steps START-HERE.md mein.
- Test: `bash /srv/blank/deploy/backup-mongo.sh && rclone ls gdrive-secret:`
- App ke andar bhi: Settings → Data backup → Download (JSON file).

```
# Drive se wapas laana:
rclone copy gdrive-secret:blank-2026-10-12.archive.gz /srv/blank/backups/
```

```
# restore (sab data us din par wapas):
cd /srv/blank && set -a && . ./.env && set +a
mongorestore --uri="$MONGODB_URI" --gzip --archive=backups/blank-2026-10-12.archive.gz --drop
```

> **Dhyaan dein:** .env file ka bhi ek copy surakshit jagah rakhiye (password manager). Isi mein encryption keys hain — kho gayi to Zerodha/Dhan dobara connect karne padenge.

## Problem aaye to

| Problem | Kya check karein |
|---|---|
| Site nahi khul rahi | `pm2 status` (online?), `pm2 logs pirento-blank`, `sudo nginx -t`, DNS A record sahi IP par? |
| 502 Bad Gateway | Disk full? `df -h /` — 500 MB se kam khaali ho to MongoDB likhna band karta hai. Purane logs/backups hataiye, phir `pm2 restart pirento-blank`. |
| Login ke baad wapas login page | HTTPS se khol rahe hain? .env mein TRUST_PROXY="true" aur APP_URL https wala? |
| /api/health 503 deta hai | MongoDB band: `sudo systemctl status mongod` → `sudo systemctl restart mongod` |
| Zerodha connect fail | Redirect URL Kite app aur .env dono mein bilkul same? API key/secret sahi? pm2 reload kiya? |
| Order: IP not allowed / permission | VPS ka IP Kite developer profile mein whitelist hai? Personal app mein orders allowed hain. |
| Quotes Yahoo se aa rahe hain | Personal app mein normal hai. Zerodha quotes ke liye Connect plan. |
| Live order button disabled | Market open? Authenticator verified? Settings → Live orders ON? Plan reviewed? Risk limit hit? |

| Problem | Kya check karein |
|---|---|
| Push notification nahi aata | VAPID keys .env mein? Phone par notifications allow? HTTPS? |
| Error message mein Request ID | Wo ID logs mein dhoondiye: `pm2 logs pirento-blank \| grep ID` |

## Security checklist

- .env file sirf server par, `chmod 600` (script ye khud karti hai). Kabhi share/commit nahi.
- Admin aur har member ka authenticator ON.
- LIVE_ORDER_MAX_VALUE aur daily limit shuru mein kam rakhiye; Settings → Risk limits bhi set kariye.
- Server update: mahine mein ek baar `sudo apt-get update && sudo apt-get upgrade -y`.
- Root password strong rakhiye; ho sake to SSH key login use kariye.
- BACKUP_REMOTE set hai aur Drive par backup dikh raha hai (rclone ls gdrive-secret:).

## Final checklist

| | |
|---|---|
| ☐ | VPS liya (Ubuntu 24.04), IP note kiya |
| ☐ | Domain ka A record VPS IP par |
| ☐ | Code server par, setup-vps.sh chalaya |
| ☐ | https://aapka-domain.com/api/health → ok |
| ☐ | Admin account banaya aur login kiya |
| ☐ | Kite app (Personal) banaya, API key/secret .env mein, pm2 reload |
| ☐ | VPS IP Kite developer profile mein whitelist |
| ☐ | Authenticator verify kiya |
| ☐ | Zerodha connect hua, fills journal mein aaye |
| ☐ | Capital, charges aur risk limits set kiye |
| ☐ | LIVE_TRADING_ENABLED=true, 1 share ka test order Kite mein dikha |
| ☐ | Backup folder mein file ban rahi hai (agle din check) |

Aur detail ke liye code ke andar **docs/DEPLOYMENT.md** dekhiye. Har file ka kaam **docs/CODE-MAP.md** mein likha hai.