


Published CT / germ-cell cancer sets
Mapped protein-coding nominations, before HPA filtering


Wang 2016

Bruggeman 2018




da Silva 2017 · CT


Complete publication intake plus prior nominations




Default-panel retention by source



Default-panel outcomes by source




HPA restriction gate across all coding candidates




4 candidates lack RNA fractions and are omitted here. HPA pass precedes final-panel curation.

HPA protein reliability and reproductive RNA





4 candidates lack RNA fractions and are omitted here. HPA pass precedes final-panel curation.

Historical resource memberships
Mapped coding candidates before HPA filtering



Expanded starting pool by source group



Unique mapped protein-coding genes before HPA filtering. Landscape union includes da Silva's broad testis-biased nominations.
Shared-probe members are nominations; source overlap does not establish independent validation.

Complete coding candidate pool


Wang 2016	994	122	489	550	101	864	82	10	9	2	138	107	81	2
Bruggeman 2018	122	692	57	58	68	122	15	2	4	3	19	23	24	0
da Silva 2017 · CT	489	57	726	726	62	443	73	11	9	1	137	108	109	2
da Silva 2017 · testis-biased	550	58	726	1066	76	543	81	12	13	1	187	138	134	4
Jamin 2021	101	68	62	76	481	96	16	9	3	2	41	39	26	1
Chang 2019 · TGCT	864	122	443	543	96	986	89	9	4	1	135	102	72	0
Carter 2023	82	15	73	81	16	89	103	6	2	0	42	38	19	0
Seager 2024 · panel	10	2	11	12	9	9	6	15	1	0	12	13	7	0
Gong 2021	9	4	9	13	3	4	2	1	70	7	14	2	2	16
Bradley 2020	2	3	1	1	2	1	0	0	7	10	1	0	0	2
CTpedia	138	19	137	187	41	135	42	12	14	1	209	77	35	0
CTexploreR	107	23	108	138	39	102	38	13	2	0	77	153	48	0
daSilva2017_protein	81	24	109	134	26	72	19	7	2	0	35	48	135	0
placental_antigen	2	0	2	4	1	0	0	0	16	2	0	0	0	19
Wang 2016 Bruggeman 2018 da Silva 2017 · CT da Silva 2017 · testis-biased Jamin 2021 Chang 2019 · TGCT Carter 2023 Seager 2024 · panel Gong 2021 Bradley 2020 CTpedia CTexploreR daSilva2017_protein placental_antigen														

Retained by current default rules

Wang 2016	408	29	304	349	36	367	67	10	7	1	126	93	51	2
Bruggeman 2018	29	40	27	27	12	29	12	2	1	0	17	15	11	0
da Silva 2017 · CT	304	27	375	375	35	300	63	10	7	0	125	89	53	0
da Silva 2017 · testis-biased	349	27	375	515	47	385	70	11	8	0	173	119	70	1
Jamin 2021	36	12	35	47	55	32	14	9	2	0	38	32	21	0
Chang 2019 · TGCT	367	29	300	385	32	449	75	9	3	0	125	87	46	0
Carter 2023	67	12	63	70	14	75	86	6	2	0	41	35	17	0
Seager 2024 · panel	10	2	10	11	9	9	6	13	1	0	12	12	6	0
Gong 2021	7	1	7	8	2	3	2	1	27	1	14	2	1	8
Bradley 2020	1	0	0	0	0	0	0	0	1	1	1	0	0	0
CTpedia	126	17	125	173	38	125	41	12	14	1	186	72	35	0
CTexploreR	93	15	89	119	32	87	35	12	2	0	72	132	33	0
daSilva2017_protein	51	11	53	70	21	46	17	6	1	0	35	33	70	0
placental_antigen	2	0	0	1	0	0	0	0	8	0	0	0	0	9
Wang 2016 Bruggeman 2018 da Silva 2017 · CT da Silva 2017 · testis-biased Jamin 2021 Chang 2019 · TGCT Carter 2023 Seager 2024 · panel Gong 2021 Bradley 2020 CTpedia CTexploreR daSilva2017_protein placental_antigen														

Cells count unique shared genes; diagonals are source totals. Nested and overlapping sources must not be summed.

Complete placental nomination lists
Mapped coding candidates before HPA filtering



Complete published lists through the curation funnel

Gong 2021 · S5 coding	71	70	69	68	31	26
Gong 2021 · S6 noncoding	74	65	1	1	1	1
Bradley 2020 · CPA	10	10	10	10	1	1
Wang 2016	1,019	1,018	994	987	449	408
Bruggeman 2018	756	734	692	692	42	40
da Silva 2017 · testis-biased	1,103	1,100	1,066	1,055	724	515
da Silva 2017 · CT	745	743	726	717	464	375
Jamin 2021	607	497	480	480	56	55
Jamin 2021 · core	125	125	125	125	45	45
Chang 2019 · TGCT	1,036	1,031	986	979	453	449
Carter 2023	103	103	103	102	86	86
Seager 2024 · panel	17	15	15	15	13	13
	Source entries	Unique IDs mapped	Protein coding	Family filter	HPA restriction	Default rules

Counts after each stage; shading is the fraction retained within that source

Source entries preserve historical identities and unresolved probes; mapped stages collapse aliases.
 Paper lists overlap. Jamin's probe annotations and core table have different counts from the article's headline gene totals.