WICED Studio

WICED™ SSDP (Simple Service Discovery Protocol)

Associated Part Family: BT CYW2070x

Doc. No.: 002-19004 Rev. *A

Cypress Semiconductor
198 Champion Court
San Jose, CA 95134-1709
www.cypress.com

Contents

About This Document

Purpose and Scope

This document provides instructions to use the WICED SSDP package and samples to provide SSDP functionality to your application. Using the sample Applications, API's and WICED SDK utilities, you will be able to add SSDP capability to your IoT device.

Note: This document applies to **WICED SDK 3.3.x** or higher.

Audience

This document is for software developers who are using the WICED Development System to create applications for secure embedded wireless networked devices.

Acronyms and Abbreviations

In most cases, acronyms and abbreviations are defined on first use.

For a comprehensive list of acronyms and other terms used in Cypress documents, go to www.cypress.com/glossary.

IoT Resources and Technical Support

Cypress provides a wealth of data at www.cypress.com/internet-things-iot to help you to select the right IoT device for your design, and quickly and effectively integrate the device into your design. Cypress provides customer access to a wide range of information, including technical documentation, schematic diagrams, product bill of materials, PCB layout information, and software updates. Customers can acquire technical documentation and software from the Cypress Support Community website (community.cypress.com/).

Terminology

HTTP - Hyper-Text Transfer Protocol

SSDP - Simple Service Discovery Protocol is a network protocol for advertisement and discovery of network services and presence.

SSDP Daemon Description & Overview

This document describes the system software, utilities, and reference application(s) and snippets which demonstrate SSDP capability along with how to enable SSDP in your WICED application. Using this documentation, the developer will learn how to use the WICED libraries for setting up and using SSDP to advertise the device's presence and services.

There are two basic operations for SSDP:

1) After initialization, register a callback for receiving notifications. This allows your application to receive and respond to SSDP Notifications.

2) After initialization, send an M-SEARCH message and wait for responses.

1 SSDP Daemon API

The OTA Extraction Library has functions to write data to the download staging area, check download status, verify, and extract downloaded OTA Images.

```
/** Callback for notifications
 *
 * Prototype for the user-defined function. Function is called when we recive a NOTIFY packet.
 *
 * @param nofity_info    : [in] ptr to info about the NOTIFY packet.
 * @param data           : [in] opaque app data
 *
 *      NOTES: The event_info structure is stored on the stack!
 *              It will not be around after the callback returns!
 *              Make a copy of info you want to keep the info!
 *
 */
typedef void (*wiced_ssdp_notify_callback_t)(wiced_ssdp_notify_info_t* nofity_info, void* data);

/** Start the SSDP daemon
 *  You must either
 *      set the start flags in the params (start_server, start_multicast)
 *  or
 *      call one of the start functions below
 *
 *
 * @param   params    : pointer to the parameter structure
 * @param   ssdp_info : pointer to store instance to use in subsequent calls

 * @return  WICED_SUCCESS
 *          WICED_ERROR
 *          WICED_BADARG
 */
extern wiced_result_t wiced_ssdp_init( wiced_ssdp_params_t *ssdp_params, void** ssdp_info );

/** Shut down the SSDP daemon
 *  This stops both the server and multicast messages
 *
 * @param   ssdp_info   : pointer info structure returned from wiced_ssdp_server_start()

 * @return  WICED_SUCCESS
 *          WICED_ERROR
```

```
 *          WICED_BADARG
 */
extern wiced_result_t wiced_ssdp_deinit( void* ssdp_info );


/** Register SSDP Notify callback
 *  Register a callback so the application can be notified when we receive a NOTIFY packet
 *
 *  NOTE: to disable the callback, use wiced_ssdp_notify_register_callback(ssdp_info, NULL, NULL);
 *
 * @param   ssdp_info   : pointer info structure returned from wiced_ssdp_init()
 * @param   callback    : callback to register (call with NULL to de-register)
 * @param   data        : returned in callback (opaque to ssdp support)
 *
 * @return  WICED_SUCCESS
 *          WICED_ERROR
 *          WICED_BADARG
 */
extern wiced_result_t wiced_ssdp_notify_register_callback( void *ssdp_info,
wiced_ssdp_notify_callback_t callback, void *data );



/** Send an M-Search message and wait for responses
 *
 *  NOTE: this is a blocking call
 *
 * @param   ssdp_info           : pointer info structure returned from wiced_ssdp_server_start()
 * @param   params              : pointer to m-search send parameters
 *
 * @return  WICED_SUCCESS
 *          WICED_ERROR
 *          WICED_BADARG
 */
wiced_result_t wiced_ssdp_send_msearch_wait_for_results(void *ssdp_info, wiced_ssdp_msearch_params_t
*params);
```

1.1 More information on SSDP

The SSDP message format is defined in the document “UPnP Device Architecture 1.1”.
http://www.upnp.org/specs/arch/UPnP-arch-DeviceArchitecture-v1.1.pdf

Document Revision History

Document Title: WICED™ SSDP (Simple Service Discovery Protocol)

Document Number:002-19004

Revision	ECN	Issue Date	Description of Change
**		09/17/2015	**WICED-SSDP-R 0.1** : Initial release
*A		03/21/2017	Converted to Cypress template format

Worldwide Sales and Design Support

Cypress maintains a worldwide network of offices, solution centers, manufacturer's representatives, and distributors. To find the office closest to you, visit us at Cypress Locations.

Products

ARM® Cortex® Microcontrollers	cypress.com/arm
Automotive	cypress.com/automotive
Clocks & Buffers	cypress.com/clocks
Interface	cypress.com/interface
Internet of Things	cypress.com/iot
Memory	cypress.com/memory
Microcontrollers	cypress.com/mcu
PSoC	cypress.com/psoc
Power Management ICs	cypress.com/pmic
Touch Sensing	cypress.com/touch
USB Controllers	cypress.com/usb
Wireless Connectivity	cypress.com/wireless

PSoC® Solutions

PSoC 1 | PSoC 3 | PSoC 4 | PSoC 5LP

Cypress Developer Community

Forums | WICED IOT Forums | Projects | Videos | Blogs | Training | Components

Technical Support

cypress.com/support

Cypress Semiconductor
198 Champion Court
San Jose, CA 95134-1709