AssetManagerPit

USER DOCUMENTATION

Asset Catalog Organizer + FBX/OBJ Texture Connector



DOCUMENT DETAILS	
Version	1.0.0
Blender compatibility	Blender 5.2 (declared in add-on metadata)
Author	Pit Bibiloni

Installation, feature reference, workflows and troubleshooting.

1. Installation

The add-on is distributed as a single Python file. Install it from Blender Preferences using the add-on installation workflow available in your Blender version.

- Open Blender 5.2.
- Go to Edit → Preferences.
- Open the add-on installation interface (Get Extensions / Install from Disk, depending on the Blender build).
- Select **assetmanagerpit.py**.
- Enable the add-on after installation if Blender does not enable it automatically.

Interface location: 3D Viewport → Sidebar (N) → AssetManagerPit; Asset Browser context menu

If the add-on does not appear, check the Blender version, confirm that the file is the actual .py add-on, and inspect the system console for registration errors.

2. Texture Connector

2.1 Importing FBX and OBJ models

Texture Connector imports FBX and OBJ models and records the source folders used for the import. Models can be imported through the add-on panel or by dragging supported files into the 3D Viewport.

- **Panel workflow:** open the 3D Viewport, press N, open AssetManagerPit, and choose Import FBX / OBJ.
- **Drag-and-drop workflow:** drag FBX or OBJ files into the 3D Viewport.
- Multiple files can be imported in one operation, including files located in different folders.

2.2 Texture search and connection

After import, a confirmation dialog asks whether associated textures should be imported. When confirmed, the add-on searches the source folder of each imported file and its subfolders. The Connect Textures button can repeat the process for the currently selected imported objects using the recorded source folders.

The tool identifies common texture-map types and connects them to the material's Principled BSDF shader.

Map type	Connection
Base Color / Albedo / Diffuse / Color	Principled BSDF · Base Color
Roughness / Metallic	Principled BSDF · Roughness / Metallic
Normal	Normal Map node → Principled BSDF · Normal
AO / Occlusion	Multiplied with Base Color when a Base Color texture is connected
Emission / Emissive	Principled BSDF emission input
Alpha / Opacity / Transparency	Principled BSDF · Alpha
Height / Bump / Displacement	Bump node connected to the shader normal input

Recognized image formats include PNG, JPG/JPEG, TIF/TIFF, TGA, BMP, EXR, HDR and WEBP. Color textures use sRGB; data maps use Non-Color where appropriate.

2.3 Filename recognition

The connector recognizes common names and abbreviations such as BaseColor, Albedo, Diffuse, Color, Roughness, Rough, Metallic, Metalness, Normal, NormalGL, NormalDX, NRM, AO, Occlusion, Emission, Emissive, Opacity, Alpha,

Height, Bump and Displacement. Matching also considers material names and, when needed, object names.

Recommended naming: SM_Rock_BaseColor.png, SM_Rock_Roughness.png, SM_Rock_Normal.png, SM_Rock_AO.png

3. Asset Catalog Organizer

Asset Catalog Organizer adds an Assign to command to the Asset Browser context menu. It assigns selected assets to an existing catalog in the asset library.

- Open the Asset Browser and select one or more assets.
- Right-click the selection and choose Assign to.
- Choose the destination catalog from the catalog paths displayed by the add-on.
- Allow the operation to finish; the library refresh is attempted afterward.

The operation updates the catalog assignment inside the source .blend files. It launches background Blender processes to edit and save those files.

Safety: this modifies original library files. Back up the affected .blend files before assigning assets in batches, and wait for processing to finish.

4. Limitations and Troubleshooting

Issue / limitation	What to check
No texture popup	Import using the add-on's FBX/OBJ operators or drag supported files into the 3D Viewport.
No maps connected	Keep imported objects selected; verify images are in the recorded source folders or subfolders and filenames include recognizable map identifiers.
Wrong or ambiguous texture	Use consistent, distinctive material and texture names. Multiple generic candidates can be ambiguous.
Texture search scope	The search uses source folders recorded for the most recent import batch and their subfolders.
Catalog list is empty	Check that the local asset library contains blender_assets.cats.txt and defined catalogs.
Catalog assignment fails	The source .blend must be local, identifiable and writable. Check Blender's console.
Catalog limitations	The destination catalog must already exist. The tool assigns assets to existing catalogs; it does not create catalogs. Online/remote assets are not supported.