

DALMIA CEMENT (B) LIMITED - DALMIAPURAM



MECHANCAL DEPARTMENT

Issue No. 02 Rev. No: 01 Effective Date: 22.05.2015 SOP/MECH/12

Issued By: S & P Approved By: Head – Mech

SOP for Mechanical Maintenance

SCOPE: Mechanical maintenance

RESPONSIBILITY: Section Engineers

Accountability: Section Heads – Mechanical maintenance

PPE:

1. Safety goggles,

2. Safety helmet,

3. Safety shoe,

4. Mask,

5. Cotton Gloves.

6. Safety harness(Full body)

TOOLS:

1. Spanners set.

2. Lifting tools & tackles.

Hazard:

Risks associated: Mitigating Measures

Fall from height, Use of safety harness

Fall of tools; Carry the tools in tool bags

Hit of Hammer in hand; trained to be engaged

Procedure:

Preventive Maintenance

- 1. Decide equipment to be taken for preventive maintenance based on schedule
- 2. Get clearance from production department
- 3. Prepare list of tools& tackles required for attending maintenance.
- 4. Check the condition of tools and tackles to be used for safe use
- 5. Ensure the lifting tools are tested and certified
- 6. Ensure trained employees or contractors are deployed for the job



DALMIA CEMENT (B) LIMITED - DALMIAPURAM



MECHANCAL DEPARTMENT

Issue No. 02 Rev. No: 01 Effective Date: 22.05.2015 SOP/MECH/12

Issued By: S & P Approved By: Head – Mech

SOP for Mechanical Maintenance

- 7. Ensure employees holding valid permit
- 8. Ensure relevant work permit is taken for the job
- 9. Ensure LOTO is taken for the equipment on which maintenance is taken
- 10. Ensure all other connected energy sources are isolated
- 11. Ensure scaffolding used is certified by competent/authorized person
- 12. Use only full body harness while working at height
- 13. Follow relevant SOP for the job.
- 14. Clear all scraps & debris in the area after completion of job
- 15. Use only 24V lamps in confined space
- 16. Clear work permits after completion of job
- 17. Ensure gas cylinders & cutting torches are equipped with flash back arrester
- 18. Ensure hand tools are in good condition
- 19. Ensure safe usage of hand tools

Emergency Shut- off:

- 1. In case of belt is moving, Emergency pull chord switch should be activated by the person.
- 2. If body injury is there, First aid will be given and inform to the Safety department or Call Emergency number 233/555/9865125176/9865177444.

Records/Annexure:

- 1. Refer Line clearance certificates.
- 2. JSA as enclosed below.



DALMIA CEMENT (B) LIMITED - DALMIAPURAM



MECHANCAL DEPARTMENT

Issue No. 02 Rev. No: 01 Effective Date: 22.05.2015 SOP/MECH/12

Issued By: S & P Approved By: Head – Mech

SOP for Mechanical Maintenance

Job Safety Analysis	Job: Belt Discharge chute cleaning	Date: 25 – 01 - 2013	Analysis by: Section Engineer	Reviewed by: Section Head
Title of employee doing job:	Supervisor: Sec.Engr	Department: Mechanical	Section: All equipments	Approved by: Department Head
Req'd/recommended PPE:				
Sequence of Basic Job Steps	Potential Hazards	Recommended Safe Job Procedure	What Could Go Wrong	Corrective Action
Working at Height	Fall from height	Follow work at height SOP	Not following procedure	Ensure SOP is followed before work is started
Working on electrical driven equipment	Electrical shock / accidental start of equipment	Follow LOTO	Not adhering to standard	Ensure LOTO before starting job.
Using lifting tools & tackles	Fall from height/ hit injury to body parts	Ensure certified tools & tackles are used. Don't over load	Overloading	Ensure lifting tools are nor overloaded
Usage of hand tools	Injury to fingers / hands	Follow SOP for safe usage of hand tools	Not following SOP	Ensure right tools are used right job in right method

HEAD MECHANICAL

HEAD TECHNICAL