

DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR

MECHANICAL DEPARTMENT

Issue No. 02 | Rev. No: 00 | Effective Date: 01.11.2019 | SOP/MECH/163

Issued By: M.R Approved By: HOD (MECHANICAL)

SOP FOR TABLE & ROLLER WEAR READING MEASURMENT

Scope : This SOP is applicable to Safe working for Mill Roller & Table wear reading

Responsibility: Section Engineer.

Accountability : Section Head – Mills

PPE:

1. Safety helmet,

- 2. Safety shoe,
- 3. Mask.
- 4. Gloves.
 - 1. Cotton knitted
 - 2. Leather
- 5. Ear Plug
- 6. Safety belt
- 7. Goggles
- 8. Welding Shield

Tools:

- 1. Hammer
- 2. Box Spanner set
- 3. Ring Spanner set

Auxiliaries

- 1. Welding Set
- 2. Cutting Set

Hazards:

Risks associated Mitigating Measures

Welding Gas Wear Goggle

Training needs:

- 1. Emergency preparedness
- 2. On job training



DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR MECHANICAL DEPARTMENT

MECHANICAL DEPARTMENT

Issue No. 02 | Rev. No: 00 | Effective Date: 01.11.2019 | SOP/MECH/163

Issued By: M.R Approved By: HOD (MECHANICAL)

SOP FOR TABLE & ROLLER WEAR READING MEASURMENT

Procedure:

- 1. Take shutdown for mill and Open the mill door, torque support doors, Scrapper chamber doors.
- 2. Start the mill fan to reduce the temperature by cooling the mill.
- 3. After getting outlet temperature to 40 deg. Stop the fan
- 4. Take all required Line clearance.
- 5. Take Confined permit from Safety and process department.
- 6. Put 24v Lighting inside the mill
- 7. Provide a watch person near the confined entry.
- 8. Allow the maintenance workmen inside the mill
- 9. By using templates wear reading has to be taken each roller
- 10. If roller wear reading above 15 mm we can plan for hard facing
- 11. Clean the table between R1 & R2, R2&R3 space for measure wear reading as per template
- 12. If TABLE wear reading above 20 mm we can plan for hard facing
- 13. Remove all machines tools and tackles.
- 14. Clear the mill table from scrap materials and metal pieces.
- 15. Close the door.
- 16. Clear the line clearance taken
- 17. Surrender the permits.

Emergency / Emergency Shut OFF:

Switch off all drives and welding panels.

Watch person should ensure all persons got exited

Bariguard the entry and assemble as per Emergency procedure

Records/Annexure:

1. JSA as enclosed below.



Issue No. 02

DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR MECHANICAL DEPARTMENT

Rev. No: 00 Effective Date: 01.11.2019 SOP/MECH/163

Issued By: M.R Approved By: HOD (MECHANICAL)

SOP FOR TABLE & ROLLER WEAR READING MEASURMENT

2. Isolation Matrix.

Emergency / Emergency Shut OFF:

3. If any injury takes place, provide First aid and inform to the Safety department or Call Emergency number 3108/9865152222.

JOB SAFETY ANALYSIS: (JSA)

Job Safety Analysis	Job: Hard facing Work	Date: 06 – 05 - 2019 Analysis by: Section Engineer		Reviewed by: Section Head						
Title of employee doing job: Section Engineer Supervisor: Section Head, Out Sourcing Supply Supervisor		Department: Mechanical	Section: Mills	Approved By; HOD- Mechanical						
Req'd/recommended PPE: Helmet, Shoe, Nose mask, Cotton Gloves, Leather gloves, Ear plug, Safety belt, Goggles, Shield										
Sequence of Basic Job Steps	Potential Hazards	Recommended Safe Job Procedure	What Could Go Wrong	Corrective Action						
Put on PPE	Exposure to fumes due to welding operation	Wear Goggles	Damaged goggle	Periodic replacement, Watch person should ensure						
	Exposure to noise generation	Wear Ear Plug	Damaged Plug							
	Dust inhalation	Wear Nose Mask	Damaged Mask							
Lightings	Electric Shock	Use only 24v lamps	Using 230 v lamps	Watcher should ensure the availability of 24v lamps						
Cleaning of TAble & Mill Table	Caught between	Should allow only trained person to clear	Giddiness may occur to workmen	t should take for workmen						
		After completing cleaning only table cleaning should start	Person can enter without intimation	Watcher should ensure pressure frame cleaning persons came out of the mill						
Closing of mill door	Hand injury	Trained person should involve in job.	Finger may crush between door	Supervisor should take care of working						



DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR

MECHANICAL DEPARTMENT

Issue No. 02 Rev. No: 00 Effective Date: 01.11.2019 SOP/MECH/163

Issued By: M.R Approved By: HOD (MECHANICAL)

SOP FOR TABLE & ROLLER WEAR READING MEASURMENT

S L N o	Activity		Tag / Name of the Equipment Isolation Type					
			Electrical Energy Other Energy				Energy	
	VERTICAL	Name and Tag for the Equipme nt	561 MD2 Mill Main Motor	561SR1 Classifi er	561FN4 Mill Fan			
	ROLLER				074 000			
1	MILL – Table & roller wear	Name and Tag for the Equipme nt	561RA1 Mill feed RAL	561FN1/ Booster fan	371 SD6 Hot gas damper (In closed Conditio n)			
	reading	Name and Tag for the Equipme nt	K21 RA 4 Dry flyash RAL	561 WP1,2,3 Water Pump				