DalmiaBHARAT CEMENT

DALMIA CEMENT (B) LIMITED - ARIYALUR



MECHANICAL

Issue No. 02 Rev. No: 00 Effective Date: 01.11.2019 SOP/MEC/174

Issued By: M.R Approved By: HOD-Mechanical

SOP-Circular reclaimer scrapper chain gear box output seal replacement work

Scope: Circular reclaimer scrapper Chain gear box Output seal replacement work

Responsibility: Section Engineer

Accountability: Mechanical-Section In charge

PPE:

- 1. Safety helmet.
- 2. Safety shoe.
- 3. Hand gloves.
- 4. Nose Mask.
- 5. Safety goggles.

TOOLS:

- 1. Box spanner set.
- 2. Ring spanner set.
- 3. Hammer.

Hazard Analysis:

<u>Risks associated</u>: : <u>Mitigating Measures</u>

Body injury : Safe and health tools and tackles

Cut injury : Safe and health tools and tackles

DalmiaBHARAT CEMENT

DALMIA CEMENT (B) LIMITED - ARIYALUR



MECHANICAL

Issue No. 02 Rev. No: 00 Effective Date: 01.11.2019 SOP/MEC/174

Issued By: M.R Approved By: HOD-Mechanical

SOP-Circular reclaimer scrapper chain gear box output seal replacement work

SOP FOR Circular reclaimer scrapper chain gear box output seal replacement work

- 1. Take the line clearance with LOTO system
- 2. The work Permit and line clearance paper should be with the person who is working in the site.
- 3. Ensure cleanliness of the equipment before taking the job
- 4. Use proper personal protective equipment's
- 5. Ensure proper tools and tackles
- 6. Check the condition of gearbox seal and Visual inspection for general physical condition for wear and tear.
- 7. The remove the oil from the gearbox.
- 8. The remove the motor from its existing location by using Hydra.
- 9. The gear box hold by using chain block
- 10. The shrink disk remove from its position
- 11. The gearbox removes from its position by using 50MT jockey puller and shifting the gear box by using hydra.
- 12. The gearbox flange remove then old oil seal remove its position.
- 13. The new oil seal fitting its position
- 14. The flange fitting in gear box its position.
- 15. The gear box and motor fix it position and shrink disk fixed.
- 16. The oil filling the gear box for Servo mesh 460 oil
- 17. Clear the work permit and the Line clearance and take trial.



DALMIA CEMENT (B) LIMITED - ARIYALUR



MECHANICAL

Issue No. 02 Rev. No: 00 Effective Date: 01.11.2019 SOP/MEC/174

Issued By: M.R Approved By: HOD-Mechanical

SOP-Circular reclaimer scrapper chain gear box output seal replacement work

Emergency / Emergency Shut OFF:

1. If body injury is there, First aid will be given and inform to the Safety department or Call Emergency number 3108/9865152222

Records/Annexure:

- 1. Refer Circular reclaimer scrapper chain gear box output seal replacement work
- 2. JSA is enclosed below.

Emergency / Emergency Shut OFF:

SL No	Activity		Isolation Matrix for Utility & General Equipment.							
			Isolation Type							
			Electrical Energy				Other Energy			
1	Circular reclaimer	Name and Tag for the Equipment	Drive for the Equipment							



oil seal

DALMIA CEMENT (B) LIMITED - ARIYALUR



MECHANICAL

Issue No. 02 Rev. No: 00 Effective Date: 01.11.2019 SOP/MEC/174

Issued By: M.R Approved By: HOD-Mechanical

SOP-Circular reclaimer scrapper chain gear box output seal replacement work

Job Safety Analysis	Job:	Date: 15.03.2016	Analysis by: Section Engineer	Reviewed by : Section Head								
Title of employee doing job: Engineer	Supervisor: Section Incharge	Department: Mechanical.	Section: RMH	Approved by: HOD Mech.								
Req'd/recommended PPE:												
Sequence of Basic Job Steps Potential Hazards		Recommended Safe Job Procedure	What Could Go Wrong	Corrective Action								
		11000000										

Body injury while Changing the avoid slip oil seal Material may slip Removing the old Body injury Use hand gloves & Use Correct PPE'S and chance to fall oil seal shoes to avoid the injuries Fixing the gear box Use proper Spanners may slip Use correct size and locking pin, motor spanners only to and chance to fall condition of spanner Body injury while Changing the avoid slip