DalmiaBHARAT CEMENT

DALMIA CEMENT (B) LIMITED - ARIYALUR



MECHANICAL SOP

Issue No. 01 Rev. No: 02 Effective Date: 17.10.2017 SOP/MEC/069

Issued By: M.R Approved By: HOD MECHANICAL

TRUCK TIPPLER MAINTENANCE

Scope: Truck Tippler Maintenance

Responsibility: Shift Fitter

Accountability: Mechanical-Section Engineer / Shift Engineer

PPE:

1. Safety helmet.

- 2. Safety shoe.
- 3. Nose Mask.
- 4. Hand Gloves.
- 5. Safety Goggles.

TOOLS:

- 1. Box spanner set
- 2. Ring spanner set
- 3. Oil can.
- 4. Sling & D Shackle.
- 5. Chain block 2 Ton

Hazard Analysis:

Risks associated

Body injury Cut injury

Mitigating Measures

Safe and health tools and tackles Safe and health tools and tackles

SOP for the Truck Tippler Maintenance

- 1. Take Line clearance for hydraulic pumps.
- 2. Use PPE's while working.
- 3. Provide the safety barrier.
- 4. Organize all required tools & tackles.
- 5. Take work permit from the section engineer.
- 6. Drain out oil from the pipe line & refill it into the tank to reduce the oil spill.

DalmiaBHARAT CEMENT

DALMIA CEMENT (B) LIMITED - ARIYALUR



MECHANICAL SOP

Issue No. 01	Rev. No: 02	Effe	ctive Date: 17.10.2017	SOP/MEC/069		
Issued By: M.R			Approved By: HOD MEC	HANICAL		
TDIICE TIDDI ED MAINTENANCE						

TRUCK TIPPLER MAINTENANCE

- 7. Lift the truck tippler by hydra or crane & make proper mechanical stopper.
- 8. Any material spillage is there clean & put it inside the circuit.
- 9. Inspect the hose line s & hydraulic cylinders.
- 10. While unscrewing the nut of hose pipe cares to be taken for avoid the oil spill.
- 11. If any damage is their replace the same.
- 12. After installation please check the tightness.
- 13. Clear the Line clearance, Return the work permit.
- 14. Check the truck tippler operation.

Emergency / Emergency Shut OFF:

1. If body injury is there, First aid will be given and inform to the Safety department or Call Emergency number 3108/9865152222

Records/Annexure:

- 1. Refer Line clearance in Process department.
- 2. JSA is enclosed below.

SL No	Activity		Tag / Name of the Equipment Isolation Type			
			Electrical Energy			Other Energy
1.	Coal Truck tippler	Name and Tag for the Equipment	L11 TP1			
2	Additive Truck tippler	Name and Tag for the Equipment	321 TP1			



DALMIA CEMENT (B) LIMITED – ARIYALUR



MECHANICAL SOP

Issue No. 01 Rev. No: 02 Effective Date: 17.10.2017 SOP/MEC/069
Issued By: M.R Approved By: HOD MECHANICAL

TRUCK TIPPLER MAINTENANCE

Job Safety Analysis	Job: Truck Tippler Maintenance	Date: 01 – 09 - 2014	Analysis by: Section Engineer	Reviewed by: Section Head
Title of employee doing job: Shift fitter	Supervisor: Shift Engineer / Section Engineer	Department: Operation / Mechanical	Section: Truck Tippler	Approved by: HOD MECH

Req'd/recommended PPE: Safety helmet, Safety shoe, Nose Mask, Safety goggles & Cotton hand Gloves.

Sequence of Basic Job Steps	Potential Hazards	Recommended Safe Job Procedure	What Could Go Wrong	Corrective Action
Loosening the Hyd. Pipeline	Hand injury	Use proper spanners only to avoid slip / shear of bolt and nut during tightening	Spanners may slip and chance to fall bolt may shear / cut during load	Use correct size and condition of spanner
While Changing the Hydraulic pipeline Hose/ nipple	Leg injury / Sprain	Put Oil can to collect the spillage oil	Due to oil spillage, person leg will slip	Clean the spillage oil
Positioning the chain block & sling, While replacing the cylinder	Leg and hand injury	Use correct lifting Tackles Teflon/wire rope slings	Chain block may slip and fall while removing and inserting the belt	1. Check the condition of the ropes and slings 2. Check the correct size of slings to operate/actual capacity and ensure
Tightening the Hyd. Pipeline	Hand injury	Use proper spanners only to avoid slip / shear of bolt and nut during tightening	Spanners may slip and chance to fall bolt may shear / cut during load.	certificate of clearance. Use correct size and condition of spanner