

## DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR



#### **CIVIL DEPARTMENT MANUAL**

Issue No. 02	Rev. No: 00	<b>Effective Date: 22.10.2021</b>	SOP/CIVIL/18

Issued By: M.R Approved By: HOD (Civil)

SOP FOR RO UNIT OPERATION

**Scope** : This SOP is applicable to Safe working for RO unit (operation)

**Responsibility** : Concern Operator

**Accountability** : Civil-Section In charges

PPE:

1. Safety helmet

2. Safety shoe

3. Safety goggles

**Tools: Nil** 

#### Hazards:

Risks associated Mitigating Measures

Electric shock Proper earthing to be ensured

Water slippery Ensure zero water leakage

#### **Training needs:**

- 1. Emergency preparedness
- 2. PPEs training



## DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR



### **CIVIL DEPARTMENT MANUAL**

Issue No. 02	Rev. No: 00	<b>Effective Date: 22.10.2021</b>	SOP/CIVIL/18	
Issued By: M.R		Approved By: HOD (Civil)		
SOP FOR RO UNIT OPERATION				

#### **Operating Procedure:**

- Wear required PPEs without fail
- > Switch ON the power switch
- > Avoid operating the power switch / panel switches with wet hands
- > Both pre-filter's back-washing & rinsing shall be done with raw water inlet & filter multimedia valve operation
- After finishing back-washing/rinsing, change the filter multimedia valve towards filtration process
- Switch 'ON' the main switch of RO panel
- > Check the required pressure level on all the pressure gauges like 2.5kg/sq.cm. for micron filter outlet line & 12 kg/sq.cm. for membrane outlet line
- ➤ Ensure the dosing pump in "ON" condition along with the availability of dozing chemical @ 50 ml / 25 litre of water & its dosing operation
- ➤ Ensure zero leakage in all pipeline joints
- > After RO treatment, treated water shall be stored separately in a tank
- Switch 'OFF' both the RO panel / power switch once the treated water tank full level reaches
- Reject water shall either stored in a separate tank or directed to any other usage directly

#### **Emergency / Emergency Shut OFF:**

- 1. If anybody met with accident, inform to the Safety department or Call Emergency number 3108/9865152222/9750963761.
- 2. If any injury is there, give First aid and inform to the Safety department or Call Emergency number 3108/9865152222/9750963761



# DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR



## **CIVIL DEPARTMENT MANUAL**

Issue No. 02	<b>Rev. No: 00</b>	<b>Effective Date: 22.10.2021</b>	SOP/CIVIL/18
Issued Bv: M.R		Approved By: HOD (Civil)	

## **SOP FOR RO UNIT OPERATION**

#### **Records/Annexure:**

1. JSA as enclosed below.

## **JOB SAFETY ANALYSIS: (JSA)**

Job Safety Analysis	Job: This SOP is applicable to Safe working for RO unit operation	Date: 22.10.2021	Analysis by: M.I. Shameem Sufiyan	Reviewed by: S.Chandra Bose
Title of employee doing job: concern operator.	Supervisor: Section In charge	Department: Civil	Section: plant area	Approved by: S.Chandra Bose

Req'd/recommended PPE: SAFETY HELMET, SAFETY SHOES & SAFETY GOGGLES.

Sequence of Basic Job Steps	Potential Hazards	Recommended Safe Job Procedure	What Could Go Wrong	Corrective Action
While operating power / panel switches	Electric Hazard	Avoid operating with wet hands	Electric shock may happen	Proper earthing shall be ensured during installation
While accessing the floor	Water slippery	Water leakage shall be arrested	Slip & fall on floor	Ensure zero water leakage