

Issue No. 01

DALMIA CEMENT (B) LIMITED – CEMENT PLANT ARIYALUR INSTRUMENTATION MANUAL



Rev. No: 02 Effective Date: 20.09.2017 INST/SOP/037

Issued By: M.R Approved By: HOD - INSTRUMENTATION

SOP for Online PSA System Startup and shutdown procedure

Startup Procedure

- Turn-On PC On Button
- Wait until Login window appeared
- Select the User Name: Malvern
- Enter the Password: malvern123#
- Double click the Malvern 14.0
- Wait until the Blue background Malvern Link screen
- Click the mouse at Blue background screen after click Main display page will be opened
- Automatically system will go to cleaning process and it will go to Measurement mode if Cement mill is running.
- If Cement mill is not running the system shall be idle mode. If not in idle mode check the alarms by selecting the Alarms button.
- If you want run in local mode, track the local/remote button to local.
- For start Select Control button and select Start.

Background Procedure

This only applicable after Cell window Clean/Cell window replacement / Instrument reconnecting.

- Track the Local/Remote button to Local.
- Select the Control button and Select the stop for Stop the process. If the system is already running.
- Select the log in button and enter the following user name and password for enable the Background authorization.
 - User Name : Supervisor
 - o Password : supervisor1
- Select the Control button and Select the Background for run the background process.
- Wait until completion of Background process.
- If Background is good the system will display Background OK else display as Background Error.
- Check the alarms in case of Background error.



Issue No. 01

DALMIA CEMENT (B) LIMITED - CEMENT PLANT ARIYALUR



Issued By: M.R Approved By: HOD - INSTRUMENTATION

SOP for Online PSA System Startup and shutdown procedure

Shutdown Procedure:

- Select the log in button and enter the following user name and password for enable the Exit Button
 - o User Name : Supervisor
 - Password : supervisor1
- Select the exit button and wait until complete close of Malvern Windows.
- Select Windows Start button and select Shutdown for shutdown the PC
 - Start->Shutdown