

Robotics in Healthcare: Surgical Robots and Rehabilitation Technologies

A Research Report on Applications, Impact, and Future Directions

Prepared September 2026

1. Introduction

Robotics has moved from an experimental curiosity in medicine to an established pillar of modern healthcare delivery. Two branches of medical robotics have advanced furthest: surgical robotics, which extends and refines a surgeon's capabilities inside the operating room, and rehabilitation robotics, which helps patients recover motor function after injury, stroke, or surgery. Both fields share a common motivation — using precise, repeatable, and programmable machines to improve clinical outcomes, reduce human error, and extend specialist expertise to more patients. This report examines the technology, clinical evidence, market landscape, benefits, limitations, and future trajectory of robotics in these two healthcare domains.

2. Surgical Robots

2.1 Overview and Core Technology

Surgical robots are computer-assisted systems that translate a surgeon's hand movements, made at a console, into precise, tremor-filtered motions of miniaturized instruments inside the patient's body. The most widely deployed platform is Intuitive Surgical's da Vinci Surgical System, which uses a master-slave architecture: the surgeon operates hand controllers and foot pedals at an ergonomic console while robotic arms holding a 3D endoscopic camera and interchangeable instruments perform the corresponding motions through small incisions. Competing systems, including Medtronic's Hugo RAS and CMR Surgical's Versius, have entered the market with modular designs intended to lower cost and improve portability between operating rooms.

These systems typically provide three technical advantages over unassisted laparoscopy: motion scaling (large hand movements are converted into small, precise instrument movements), tremor filtration, and a magnified, stable three-dimensional view of the surgical field. Newer platforms are increasingly incorporating artificial intelligence for intraoperative image analysis, automated suturing assistance, and surgical workflow analytics, moving the field gradually from tele-manipulation toward semi-autonomous assistance.

2.2 Clinical Applications

Robotic-assisted surgery has expanded well beyond its original urological applications. It is now routinely used in prostatectomy, hysterectomy and other gynecologic procedures, hernia repair, cardiac valve repair, and increasingly in general, bariatric, and orthopedic surgery such as

robotic-assisted knee and hip replacement. Industry data indicate that in the United States roughly 40 to 45 percent of urology procedures and 25 to 30 percent of gynecologic procedures are now performed robotically, while general surgery adoption sits at around 20 to 30 percent and continues to rise as instrumentation costs fall and surgeon training expands^[3].

A particularly significant emerging application is telesurgery, in which a surgeon operates on a patient in a different physical location using low-latency network connections. Advances in 5G and dedicated surgical telecommunication links are beginning to make remote robotic intervention feasible for underserved or rural regions that lack access to specialist surgeons^[6].

2.3 Market Growth and Adoption

The global surgical robotics market has grown rapidly and shows no sign of slowing. Market analyses place the sector's value at approximately USD 12 to 14 billion in 2025, with most forecasts projecting growth to somewhere between USD 27 billion and USD 54 billion by the early-to-mid 2030s, implying a compound annual growth rate in the range of 14 to 15 percent^[1,4,8]. Intuitive Surgical alone reported that da Vinci procedure volume rose roughly 18 percent globally in 2025, surpassing 3.1 million procedures^[9]. More than 2,000 hospitals in the United States now operate at least one robotic surgical system, and North America continues to account for roughly half of global market revenue thanks to advanced infrastructure and concentrated research investment^[2,6].

Growth is no longer driven solely by optimistic projections; it is increasingly grounded in real procedure volumes, expanding indications, and a new generation of lower-cost, modular systems that make robotic adoption economically viable for outpatient surgical centers rather than only large teaching hospitals^[9].

2.4 Benefits and Limitations

- **Benefits:** Reduced blood loss and post-operative pain, smaller incisions, shorter hospital stays, lower infection rates, greater surgical precision in confined anatomical spaces, and reduced surgeon fatigue during long procedures.
- **Limitations:** High upfront capital cost (often several million dollars per system), recurring costs for proprietary instruments, the need to redesign operating rooms, a steep training curve for surgical teams, and limited tactile (haptic) feedback compared with open surgery.
- **Access barriers:** Smaller hospitals with lower procedure volumes and constrained budgets frequently cannot justify the capital and training investment, creating disparities in access to robotic-assisted care between large teaching hospitals and community facilities.

3. Rehabilitation Robotics

3.1 Overview and Core Technology

Rehabilitation robots assist patients in regaining motor function after conditions such as stroke, spinal cord injury, or orthopedic surgery. Two broad categories dominate the field: powered exoskeletons, which are wearable devices that support and guide limb movement, and end-effector robots, which

interact with a patient's hand or foot at a single point to guide repetitive movement without following a fixed anatomical joint structure. Exoskeletons are further divided by target region — upper-limb devices for arm and hand rehabilitation, and lower-limb devices for gait and walking training.

Modern systems increasingly incorporate sensors and control algorithms that detect a patient's own movement intention from electromyographic or kinematic signals, then adapt the level of robotic assistance in real time. This 'assist-as-needed' approach is intended to encourage active patient participation rather than passive movement, which research suggests better promotes neuroplasticity — the brain and nervous system's capacity to reorganize and form new neural connections during recovery^[10,17].

3.2 Clinical Evidence

Stroke is the leading application area for rehabilitation robotics, reflecting its status as a major global cause of adult disability, with more than 12 million new cases occurring worldwide each year^[16]. A 2025 randomized controlled trial using a bilateral lower-limb exoskeleton (BEAR-H1) found that robotic gait training produced measurable improvements in lower-limb motor function and was associated with markers of favorable neuroplasticity compared with conventional walking therapy alone^[10].

A 2025 systematic review and meta-analysis pooling thirteen randomized controlled trials and 424 post-stroke patients found that robotic therapy produced a moderate but statistically significant improvement in motor recovery over conventional rehabilitation alone (standardized mean difference of 0.59), while noting that the size of the benefit varies with the stage of stroke recovery (acute, subacute, or chronic) and that more standardized trial protocols are needed to strengthen the evidence base^[11,18]. Complementary reviews of robot-assisted gait training report consistent, if moderate, gains in walking speed, balance, and independence for stroke survivors across both end-effector and exoskeleton device types^[12].

Ongoing clinical trials continue to refine how these devices are prescribed. For example, a Kessler Foundation study beginning in 2025 is evaluating structured prescription protocols for robotic exoskeletons in post-stroke ambulation recovery, while a University of Chile trial is testing an upper-limb exoskeleton (ExoDoF) specifically for arm and hand recovery after stroke^[13,14].

3.3 Benefits and Limitations

- **Benefits:** Enables high-repetition, consistent therapy sessions that would be physically exhausting for a human therapist to deliver manually; provides objective, quantifiable data on patient progress; supports early and intensive mobilization; and can extend therapy access in regions with a shortage of trained physiotherapists.
- **Limitations:** Device costs remain high relative to typical rehabilitation-clinic budgets; evidence quality is still limited by small trial sizes and heterogeneous protocols; benefits vary by stroke phase and patient-specific factors; and devices generally supplement rather than replace hands-on therapist assessment and motivation.

- **Research directions:** Combining robotic assistance with machine-learning-based intention detection, closed-loop neural feedback, and standardized outcome measures to make trial results more comparable across institutions^[16,17].

4. Comparative Perspective: Surgical vs. Rehabilitation Robotics

Although surgical and rehabilitation robots serve very different clinical purposes, they share structural similarities in how they are adopted and evaluated. Both categories require substantial capital investment, specialized staff training, and regulatory approval before widespread clinical use. Both also illustrate a common pattern in medical technology adoption: early deployment concentrates in large, well-resourced teaching hospitals, followed by gradual diffusion to community and outpatient settings as devices become smaller, cheaper, and easier to operate. Surgical robotics has already progressed further along this diffusion curve, with well over 2,000 U.S. hospitals now equipped with at least one system, while rehabilitation robotics adoption remains comparatively early-stage and concentrated in specialized rehabilitation centers and research hospitals.

Both fields are also converging on the same broader technological trend: the integration of artificial intelligence and sensor-driven adaptivity. In surgery this appears as AI-assisted image interpretation and workflow analytics; in rehabilitation it appears as movement-intention detection and assist-as-needed control. This convergence suggests that future medical robots across specialties will increasingly share common software and machine-learning infrastructure even as their mechanical designs remain highly specialized.

5. Challenges and Ethical Considerations

- **Cost and access equity:** High acquisition and maintenance costs risk concentrating advanced robotic care in wealthier hospitals and countries, widening existing healthcare disparities.
- **Training and human factors:** Surgeons and therapists require significant new training, and poorly designed human-robot interfaces can introduce new categories of error even as they reduce others.
- **Data and safety:** Increasing use of AI-assisted decision support and connected, telesurgery-capable systems raises new questions about cybersecurity, data privacy, and liability when outcomes are shared between human operators and autonomous software.
- **Evidence standardization:** Especially in rehabilitation robotics, small and heterogeneous clinical trials make it difficult to draw firm conclusions about which patients benefit most and under what training protocols.

6. Future Outlook

Both fields point toward greater autonomy, connectivity, and personalization over the next decade. In surgery, expect continued growth in AI-assisted decision support, expansion of telesurgery enabled by low-latency 5G and satellite connectivity, and a new generation of smaller, modular, lower-cost robotic platforms that make robotic-assisted procedures viable in outpatient and community settings.

rather than only major hospitals^[6,9]. In rehabilitation, the trend is toward adaptive, sensor-driven exoskeletons that personalize the level of assistance to each patient's real-time performance, combined with telerehabilitation platforms that allow remote monitoring of recovery outside the clinic. As clinical evidence accumulates and costs continue to decline, robotics is likely to shift from a differentiating technology available only at flagship institutions to a standard component of surgical and rehabilitative care worldwide.

7. Conclusion

Robotics has established itself as a transformative force in two very different but complementary areas of healthcare. Surgical robots have demonstrably improved precision and patient outcomes across an expanding range of procedures, and the market's rapid, procedure-volume-backed growth suggests this trend will continue. Rehabilitation robots offer measurable, if moderate, benefits over conventional therapy for stroke and other motor-impairment patients, with strong potential to expand access to consistent, high-quality therapy. In both domains, the central challenges are no longer purely technical — they concern cost, equitable access, workforce training, and the accumulation of robust clinical evidence needed to guide widespread, responsible adoption.

References

- [1] MarketsandMarkets. (2025). *Surgical Robots Market Report 2025-2030, By Product, Application, and Geography*. Retrieved from marketsandmarkets.com.
- [2] iData Research. (2025). *Hospital Adoption of Surgical Robotics in 2025: Key Drivers & Challenges*. Retrieved from idataresearch.com.
- [3] Life Science Intelligence. (2025). *2025 Surgical Robotics Market Trends and Key Innovators*. Retrieved from lifesciencemarketresearch.com.
- [4] Market Research Future. (2025). *Surgical Robots Market Size, Share & Growth Report, 2025–2035*. Retrieved from marketresearchfuture.com.
- [5] ElectroIQ. (2026). *Surgical Robotics Statistics and Facts (2025)*. Retrieved from electroi.com.
- [6] Grand View Research. (2026). *Surgical Robots Market Size & Share Report, 2026–2033*. Retrieved from grandviewresearch.com.
- [7] Coherent Market Insights. (2025). *Surgical Robots Market Share and Opportunities, 2025–2032*. Retrieved from coherentmarketinsights.com.
- [8] Precedence Research. (2026). *Surgical Robotics Market Size to Hit USD 50.29 Billion by 2035*. Retrieved from precedenceresearch.com.
- [9] Research Insights. (2026, September 10). *Surgical Robots Market: Why the U.S. Still Leads Global Adoption*. Express Press Release Distribution. Retrieved from express-press-release.net.
- [10] Fan, T., Zheng, P., Zhang, X., et al. (2025). Effects of exoskeleton rehabilitation robot training on neuroplasticity and lower limb motor function in patients with stroke. *BMC Neurology*, 25(1), 193. <https://doi.org/10.1186/s12883-025-04203-7>
- [11] Amirbekova, Kispayeva, Adomaviciene, et al. (2025). Systematic review and meta-analysis of effectiveness of robotic therapy in the recovery of motor functions after stroke. *Frontiers in Human Neuroscience*, 19. <https://doi.org/10.3389/fnhum.2025.1622661>
- [12] Park, Y.-H., Lee, D.-H., & Lee, J.-H. (2024). A comprehensive review: Robot-assisted treatments for gait rehabilitation in stroke patients. *Medicina*, 60(4), 620. <https://doi.org/10.3390/medicina60040620>
- [13] Kessler Foundation. (2025). *Post Stroke Ambulation Recovery Using Robotic Exoskeletons* (NCT06736171). [ClinicalTrials.gov](https://clinicaltrials.gov).
- [14] University of Chile. (2025). *ExoDoF: Robotic Exoskeleton for Upper Limb Motor Rehabilitation After Stroke* (NCT06496529). [ClinicalTrials.gov](https://clinicaltrials.gov).
- [15] PubMed. (2025). Effects of exoskeleton rehabilitation robot training on neuroplasticity and lower limb motor function in patients with stroke. Retrieved from pubmed.ncbi.nlm.nih.gov/40319228.
- [16] Wen, S., Huang, R., Liu, L., Zheng, Y., & Yu, H. (2024). Robotic exoskeleton-assisted walking rehabilitation for stroke patients: A bibliometric and visual analysis. *Frontiers in Bioengineering and Biotechnology*. <https://doi.org/10.3389/fbioe.2024.1391322>
- [17] Su, D., Hu, Z., Wu, J., Shang, P., & Luo, Z. (2023). Review of adaptive control for stroke lower limb exoskeleton rehabilitation robot based on motion intention recognition. *Frontiers in Neurorobotics*.

<https://doi.org/10.3389/fnbot.2023.1186175>

- [18] Amirbekova, Kispayeva, Adomaviciene, et al. (2025). Systematic review and meta-analysis of effectiveness of robotic therapy in the recovery of motor functions after stroke. *PMC*. Retrieved from [pmc.ncbi.nlm.nih.gov/articles/PMC12318999](https://pubmed.ncbi.nlm.nih.gov/articles/PMC12318999).