Statistics 501 final Project

Debabrata Halder, Piusha Gullapalli, Snehil Verma

2022-12-25

Contents

1	Introduction and data Background	2
	1.1 Attribute Information	2
	1.2 Loading the data	3
2	Testing realtionship between capital gain and sex	3
	2.1 Assumptions	3
	2.2 Hypothesis	4
	2.3 Conclusion	5
3	Testing relationship between capital gain and race	6
	3.1 Assumptions	6
	3.2 Hypothesis	6
	3.3 Conclusion	9
4	Testing relationship between capital gain and occupation	9
	4.1 Assumptions	9
	4.2 Hypothesis	9
	4.3 Conclusion	11
5	Testing relationship between capital gain and workclass	11
	5.1 Assumptions	11
	5.2 Hypothesis	11
	5.3 Conclusion	14
6	Testing relationship between capital gain and education level	14
	6.1 Assumptions	14
	6.2 Hypothesis	15
	6.3 Conclusion	18
7	Plotting capital gain on education and sex	18
8	Plotting capital gain on race and sex	19
9	Average capital gain vs earning greater than or less than or equal to 50k	20
5	9.1 Conclusion	21
10	Testing polationship between comital gain and monital status	22
ΤÛ	Testing relationship between capital gain and marital status 10.1 Conclusion	24
	10.1 Conclusion	24
11	Testing relationship between capital gain and native country	24
	11.1 Assumptions	
	11.2 Hypothesis	24

25
25
26
26
26
27
27
29
30
34
34
34
39
36

1 Introduction and data Background

This data was extracted by Barry Becker from the 1994 Census database.

The data was extracted to be used for a prediction task to determine whether a person makes over 50K a year.

Conversion of original data as follows:

- 1. Discretized agrossincome into two ranges with threshold 50,000.
- 2. Convert U.S. to US to avoid periods.
- 3. Convert Unknown to "?"
- 4. Run MLC++ GenCVFiles to generate data, test.

Description of fnlwgt (final weight):

The weights on the CPS files are controlled to independent estimates of the civilian non institutional population of the US. These are prepared monthly for us by Population Division here at the Census Bureau.

1.1 Attribute Information

Parameters -

age: the age of an individual

workclass: a general term to represent the employment status of an individual

fnlwgt: final weight. This is the number of people the census believes the entry represents.

education: the highest level of education achieved by an individual.

education_num: the highest level of education achieved in numerical form.

marital_status: marital status of an individual.

occupation: the general type of occupation of an individual

relationship: represents what this individual is relative to others.

race: Descriptions of an individual's race

sex: the sex of the individual

```
capital_gain: capital gains for an individual
capital_loss: capital loss for an individual
hours_per_week: the hours an individual has reported to work per week
native_country: country of origin for an individual
NOTE: Some values in the dataset is marked as "?". It means the value is unknown.
```

1.2 Loading the data

```
1st Qu.:28.00
                     Class : character
                                         1st Qu.: 117827
                                                            Class : character
   Median :37.00
                     Mode :character
                                         Median: 178356
                                                            Mode :character
           :38.58
##
  Mean
                                         Mean
                                                : 189778
    3rd Qu.:48.00
                                         3rd Qu.: 237051
##
##
   {\tt Max.}
           :90.00
                                         Max.
                                                :1484705
   education_num
                    marital_status
                                         occupation
                                                             relationship
                                                             Length: 32561
##
   Min.
           : 1.00
                     Length: 32561
                                         Length: 32561
##
  1st Qu.: 9.00
                     Class :character
                                         Class :character
                                                             Class : character
## Median :10.00
                     Mode :character
                                        Mode :character
                                                             Mode : character
  Mean
           :10.08
##
    3rd Qu.:12.00
##
   Max.
           :16.00
                                             capital_gain
##
                                                              capital_loss
        race
                            sex
##
  Length: 32561
                        Length: 32561
                                                             Min.
                                                                        0.0
                                            Min.
    Class : character
                        Class :character
                                            1st Qu.:
                                                             1st Qu.:
                                                                        0.0
   Mode :character
##
                        Mode :character
                                            Median :
                                                         0
                                                             Median :
                                                                        0.0
##
                                                   : 1078
                                                                       87.3
                                            Mean
                                                             Mean
##
                                                                        0.0
                                            3rd Qu.:
                                                             3rd Qu.:
##
                                                   :99999
                                                                    :4356.0
                                            Max.
                                                             Max.
##
   hours_per_week native_country
                                           fifty_k
           : 1.00
                     Length: 32561
                                         Length: 32561
##
   1st Qu.:40.00
                     Class : character
                                         Class : character
## Median:40.00
                     Mode :character
                                         Mode : character
## Mean
           :40.44
    3rd Qu.:45.00
##
   Max.
           :99.00
```

2 Testing realtionship between capital gain and sex

Motivation: we want to find out if the capital gain differs based on sex.

2.1 Assumptions

- 1. The dataset is a random sample of original population.
- 2. The data comes from a normal distribution.
- 3. The sample size is large enough to conduct any test.


4. And the final assumptions is homogeneity of variance.

2.2 Hypothesis

H0: capital gain is equal for both gender

Ha: capital gain is not equal.

```
# adult %>%
   group_by(sex) %>%
   summarise(record\_count = n())
female <- filter(adult, str_detect(sex, 'Female'))</pre>
male <- filter(adult, str_detect(sex, 'Male'))</pre>
t.test(capital_gain ~ sex, data=adult) # Unpooled
##
## Welch Two Sample t-test
##
## data: capital_gain by sex
## t = -10.324, df = 31563, p-value < 2.2e-16
## alternative hypothesis: true difference in means between group Female and group Male is not equal
## 95 percent confidence interval:
## -905.4303 -616.4888
## sample estimates:
## mean in group Female
                           mean in group Male
##
                568.4105
                                     1329.3701
t.test(capital_gain ~ sex, var.equal=TRUE, data=adult) # Pooled
##
##
   Two Sample t-test
##
## data: capital_gain by sex
## t = -8.758, df = 32559, p-value < 2.2e-16
## alternative hypothesis: true difference in means between group Female and group Male is not equal
## 95 percent confidence interval:
## -931.2616 -590.6575
## sample estimates:
## mean in group Female
                          mean in group Male
                568.4105
                                     1329.3701
gain_sex<-adult %>%
  group_by(sex) %>%
  summarize(avg_captital_gain=mean(capital_gain))
gain_sex %>%
  ggplot(aes(x=sex, y=avg_captital_gain,fill=avg_captital_gain))+
  geom_tile(color="white",size=0.3)+
  scale_fill_gradient(low="pink",high="purple")
```



data: capital_loss by sex

Looking at the p value which is close to 0, we can reject the null hypothesis.

We have evidence that suggests that the true difference in means between group Female and group Male is not equal to 0.

We have evidence to say that there is a difference in the average capital gain of Male and Female

```
t.test(capital_loss ~ sex, data=adult) # Unpooled
##
##
   Welch Two Sample t-test
##
## data: capital_loss by sex
## t = -8.8911, df = 26312, p-value < 2.2e-16
## alternative hypothesis: true difference in means between group Female and group Male is not equal
## 95 percent confidence interval:
  -47.62897 -30.42238
## sample estimates:
## mean in group Female
                           mean in group Male
                61.18763
                                     100.21331
t.test(capital_loss ~ sex, var.equal=TRUE, data=adult) # Pooled
##
##
   Two Sample t-test
```

```
## t = -8.2308, df = 32559, p-value < 2.2e-16
## alternative hypothesis: true difference in means between group Female and group Male is not equal
## 95 percent confidence interval:
## -48.31906 -29.73229
## sample estimates:
## mean in group Female mean in group Male
## 61.18763 100.21331</pre>
```

3 Testing relationship between capital gain and race

Motivation: we want to find out if the capital gain differs based on race.

3.1 Assumptions


- 1. The dataset is a random sample of original population.
- 2. The data comes from a normal distribution.
- 3. The sample size is large enough to conduct any test.
- 4. And the final assumptions is homogeneity of variance.

3.2 Hypothesis

H0: capital gain is equal for all race


Ha: there exist a pair of race for which capital gain is not equal.

```
# adult %>%
    group_by(race) %>%
   summarise(record\_count = n())
anov_race <- aov(capital_gain ~ race, data = adult)</pre>
summary(anov_race)
##
                                 Mean Sq F value Pr(>F)
                        Sum Sq
## race
                   4 9.733e+08 243318824
                                           4.463 0.00132 **
## Residuals 32556 1.775e+12 54519345
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
#TukeyHSD(anov_race)
gain_race<-adult %>%
  group_by(race) %>%
  summarize(avg_captital_gain=mean(capital_gain))
gain_race %>%
  ggplot(aes(x=race, y=avg_captital_gain,fill=avg_captital_gain))+
  geom_tile(color="white",size=0.3)+
  scale_fill_gradient(low="blue",high="red")
```



plot(TukeyHSD(aov(capital_gain ~ race, data = adult)))

95% family-wise confidence level



Since the p-value in our ANOVA table (0.00132) is less than .05, we have sufficient evidence to reject the null hypothesis.

This means we have sufficient evidence to say that the mean capital gain is not equal across different races.

From the Tukey Test, we can see that there is a significant difference between the means for Black-Asian-Pac-Islander and White-Black, and the p values are below the significance level.

From the plots, we can see that the maximum average capital gain is in the race Asian-Pac-Islander.

4 Testing relationship between capital gain and occupation

Motivation: we want to find out if the capital gain differs based on occupation.


4.1 Assumptions


- 1. The dataset is a random sample of original population.
- 2. The data comes from a normal distribution.
- 3. The sample size is large enough to conduct any test.
- 4. And the final assumptions is homogeneity of variance.

4.2 Hypothesis

H0: capital gain is equal for all occupation


Ha: there exist a pair of occupation for which capital gain is not equal.





```
gain_occupation<-adult %>%
  group_by(occupation) %>%
  summarize(avg_captital_gain=mean(capital_gain))

gain_occupation %>%
  ggplot(aes(x=occupation, y=avg_captital_gain))+
  geom_tile(color="red",size=1)
```



Since the p-value in our ANOVA table (10^-16) is less than .05, we have sufficient evidence to reject the null hypothesis.

This means we have sufficient evidence to say that the mean capital gain is not equal across different occupation.

From the Tukey test, we can see the p-values for different occupation pairs, and the difference in average capital gain.

From the plots, we can see that the maximum average capital gain is in the occupation of Exec-managerial.

5 Testing relationship between capital gain and workclass

Motivation: we want to find out if the capital gain differs based on workclass.

5.1 Assumptions

- 1. The dataset is a random sample of original population.
- 2. The data comes from a normal distribution.
- 3. The sample size is large enough to conduct any test.
- 4. And the final assumptions is homogeneity of variance.

5.2 Hypothesis


H0: capital gain is equal for all workclass


Ha: there exist a pair of workclass for which capital gain is not equal.

```
anov_wc <- aov(capital_gain ~ workclass, data = adult)
summary(anov_wc)</pre>
```

```
## Df Sum Sq Mean Sq F value Pr(>F)
## workclass 8 1.931e+10 2.413e+09 44.72 <2e-16 ***
## Residuals 32552 1.757e+12 5.396e+07
```


```
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
#TukeyHSD(anov_wc)
plot(TukeyHSD(aov(capital_gain ~ workclass, data = adult)))
```





```
gain_wc<-adult %>%
  group_by(workclass) %>%
  summarize(avg_captital_gain=mean(capital_gain))

gain_wc %>%
  ggplot(aes(x=workclass, y=avg_captital_gain))+
  geom_tile(color="red",size=1)
```



Since the p-value in our ANOVA table (10^-16) is less than .05, we have sufficient evidence to reject the null hypothesis.

This means we have sufficient evidence to say that the mean capital gain is not equal across different workclass.

From the Tukey test, we can see the p-values for different occupation pairs, and the difference in average capital gain.

From the plots, we can see that the maximum average capital gain is in the occupation of Self-emp-inc.

6 Testing relationship between capital gain and education level

Motivation: we want to find out if the capital gain differs based on education level.

6.1 Assumptions


- 1. The dataset is a random sample of original population.
- 2. The data comes from a normal distribution.
- 3. The sample size is large enough to conduct any test.
- 4. And the final assumptions is homogeneity of variance.

6.2 Hypothesis

H0: capital gain is equal for education level


Ha: there exist a pair of education level for which capital gain is not equal.

95% family-wise confidence level



```
gain_edu<-adult %>%
  group_by(education) %>%
  summarize(avg_captital_gain=mean(capital_gain))


gain_edu %>%
  ggplot(aes(x=education, y=avg_captital_gain))+
  geom_tile(color="purple",size=1)
```



```
#Checking for education number
anov_edu_num <- aov(capital_gain ~ education_num, data = adult)
# summary(anov_edu_num)
# anov_edu_num

gain_edu_num<-adult %>%
    group_by(education_num) %>%
    summarize(avg_captital_gain=mean(capital_gain))

gain_edu_num %>%
    ggplot(aes(x=education_num, y=avg_captital_gain))+
    geom_tile(color="blue", size=1)
```



Since the p-value in our ANOVA table is less than .05, we have sufficient evidence to reject the null hypothesis.

This means we have sufficient evidence to say that the mean capital gain is not equal across different education levels.

From the Tukey test, we can see the p-values for different education pairs, and the difference in average capital gain.


From the plots, we can see that the maximum average capital gain is with the education prof school.

7 Plotting capital gain on education and sex

```
education_sex<-adult %>%
  group_by(sex, education) %>%
  summarize(avg_captital_gain=mean(capital_gain))

## `summarise()` has grouped output by 'sex'. You can override using the `.groups`
## argument.

education_sex %>%
  ggplot(aes(x=sex,y=education,fill=avg_captital_gain))+
  geom_tile(color="white",size=0.3)+
  scale_fill_gradient(low="pink",high="purple")
```




8 Plotting capital gain on race and sex

```
race_sex<-adult %>%
  group_by(sex, race) %>%
  summarize(avg_captital_gain=mean(capital_gain))

## `summarise()` has grouped output by 'sex'. You can override using the `.groups`
## argument.

race_sex %>%
  ggplot(aes(x=sex,y=race,fill=avg_captital_gain))+
  geom_tile(color="white",size=0.3)+
  scale_fill_gradient(low="pink",high="purple")
```



9 Average capital gain vs earning greater than or less than or equal to 50k

```
# adult %>%
# group_by(fifty_k) %>%
  summarise(record\_count = n())
t.test(capital_gain ~ fifty_k, data=adult) # Unpooled
##
## Welch Two Sample t-test
## data: capital_gain by fifty_k
## t = -23.427, df = 7861.7, p-value < 2.2e-16
## alternative hypothesis: true difference in means between group <=50K and group >50K is not equal t
## 95 percent confidence interval:
## -4180.166 -3534.614
## sample estimates:
## mean in group <=50K mean in group >50K
##
               148.7525
                                  4006.1425
t.test(capital_gain ~ fifty_k, var.equal=TRUE, data=adult) # Pooled
##
## Two Sample t-test
```

```
##
## data: capital_gain by fifty_k
## t = -41.342, df = 32559, p-value < 2.2e-16
## alternative hypothesis: true difference in means between group <=50K and group >50K is not equal t
## 95 percent confidence interval:
   -4040.271 -3674.509
##
## sample estimates:
## mean in group <=50K mean in group >50K
                148.7525
                                     4006.1425
gain_fifty<-adult %>%
  group_by(fifty_k) %>%
  summarize(avg_captital_gain=mean(capital_gain))
gain_fifty %>%
  ggplot(aes(x=fifty_k, y=avg_captital_gain,fill=avg_captital_gain))+
  geom_tile(color="white",size=0.3)+
  scale_fill_gradient(low="pink",high="purple")
    6000 -
    4000 -
                                                                          avg_captital_gain
avg_captital_gain
                                                                              4000
                                                                              3000
    2000 -
                                                                              2000
                                                                              1000
      0 -
   -2000 -
```

Looking at the p value which is close to 0, we can reject the null hypothesis.

<=50K

We have evidence that suggests that the true difference in means between group that earns less than or equal to 50k and more than 50 is not equal to 0.


>50K

We have evidence to say that there is a significant difference in the average capital gain.

fifty_k


10 Testing relationship between capital gain and marital status

95% family-wise confidence level



```
gain_marital<-adult %>%
  group_by(marital_status) %>%
  summarize(avg_captital_gain=mean(capital_gain))

gain_marital %>%
  ggplot(aes(x=marital_status, y=avg_captital_gain,fill=avg_captital_gain))+
  geom_tile(color="white",size=0.3)+
  scale_fill_gradient(low="blue",high="red")
```



Since the p-value in our ANOVA table is less than .05, we have sufficient evidence to reject the null hypothesis.

This means we have sufficient evidence to say that the mean capital gain is not equal across different marital-status.

From the Tukey test, we can see the p-values for different marital status pairs, and the difference in average capital gain.

From the plots, we can see that the maximum average capital gain is with married-civ-spouse.

11 Testing relationship between capital gain and native country

Motivation: we want to find out if the capital gain differs based on native country.

11.1 Assumptions


- 1. The dataset is a random sample of original population.
- 2. The data comes from a normal distribution.
- 3. The sample size is large enough to conduct any test.
- 4. And the final assumptions is homogeneity of variance.

11.2 Hypothesis

H0: capital gain is equal for different native countries

Ha: there exist a pair of native countries for which capital gain is not equal.

```
# adult %>%
# group_by(native_country) %>%
# summarise(record_count = n())
```




Since the p-value in our ANOVA table is greater than .05, we do not have sufficient evidence to reject the null hypothesis.

This means we do not have sufficient evidence to say that the mean capital gain is not equal across different native countries.

From the plots, we can see that the maximum average capital gain is for native country India.

12 Linear Regression on Census Data



As from initial plot, we can see that capital gain and age not in linear relationship, there is no point to fit a linear model with the data.

We checked if linear regression can be used for any of the numerical attributes vs capital gain, but we noticed no significant information that points to a linear relationship, hence we did not use any linear models.

13 Summary

After analyzing the dataset, we concluded following points.

- 1. Capital gain is not equal and varies based on multiple factors.
- 2. On average a male has higher capital gain than a woman.
- 3. The capital gain differs based on race.
- 4. From hypothesis tests, we also observed that work class, occupation and education levels also play major role deciding the capital gain. Capital gain is not equal across all these attributes.

14 Real Estate data set

14.1 Introduction


We performed analysis on an additional real estate data set since we found it interesting. This dataset has various attributes which could potentially affect house prices such as number of convenience stores, distance from metro stations and we aim to analyze and find if a linear relationship exists between the house price (Y) and any of the other parameters. This dataset has 414 observations.

14.1.1 Attributes

- 1) X1.transaction.date Date of transaction
- 2) X2.house.age Age of the property
- 3) X3.distance.to.the.nearest.MRT.station Distance to nearest metro station
- 4) X4.number.of.convenience.stores Number of convenience stores
- 5) X5.latitude Latitude
- 6) X6.longitude Longitude
- 7) Y.house.price.of.unit.area Price of house per area (Response variable)

14.1.2 Loading the data

```
real_estate <- read.csv("Real_Estate.csv")</pre>
summary(real_estate)
##
         No
                    X1.transaction.date X2.house.age
##
         : 1.0
                    Min.
                           :2013
                                        Min. : 0.000
##
   1st Qu.:104.2
                   1st Qu.:2013
                                        1st Qu.: 9.025
                                        Median :16.100
## Median :207.5
                   Median :2013
##
  Mean
          :207.5
                          :2013
                                        Mean
                                              :17.713
                   Mean
##
   3rd Qu.:310.8
                   3rd Qu.:2013
                                        3rd Qu.:28.150
## Max.
           :414.0
                           :2014
                                               :43.800
                   Max.
                                        Max.
## X3.distance.to.the.nearest.MRT.station X4.number.of.convenience.stores
                                                 : 0.000
## Min.
          : 23.38
                                           Min.
##
   1st Qu.: 289.32
                                           1st Qu.: 1.000
## Median: 492.23
                                           Median : 4.000
## Mean
          :1083.89
                                           Mean
                                                 : 4.094
##
  3rd Qu.:1454.28
                                           3rd Qu.: 6.000
## Max.
           :6488.02
                                           Max.
                                                  :10.000
##
   X5.latitude
                    X6.longitude
                                    Y.house.price.of.unit.area
## Min.
           :24.93
                   Min.
                           :121.5
                                    Min.
                                          : 7.60
                                    1st Qu.: 27.70
## 1st Qu.:24.96
                   1st Qu.:121.5
## Median :24.97
                   Median :121.5
                                    Median: 38.45
## Mean
          :24.97
                   Mean
                          :121.5
                                    Mean
                                         : 37.98
## 3rd Qu.:24.98
                    3rd Qu.:121.5
                                    3rd Qu.: 46.60
           :25.01
                           :121.6
## Max.
                    Max.
                                    Max.
                                           :117.50
ls(real_estate)
## [1] "No"
## [2] "X1.transaction.date"
## [3] "X2.house.age"
## [4] "X3.distance.to.the.nearest.MRT.station"
## [5] "X4.number.of.convenience.stores"
## [6] "X5.latitude"
## [7] "X6.longitude"
## [8] "Y.house.price.of.unit.area"
pairs(real_estate[,2:8], pch=19)
```




 $\#xyplot(Y.house.price.of.unit.area \sim X4.number.of.convenience.stores, data=real_estate) \# positive tren \#xyplot(Y.house.price.of.unit.area \sim X3.distance.to.the.nearest.MRT.station, data=real_estate) \# negati$

study with distance to metro station.

#check value distribution.


histogram(~Y.house.price.of.unit.area, data=real_estate, nint=20)



14.2 Testing if house price varies with distance to metro station

```
#check correlation between house price and distance to metro station.
cor(Y.house.price.of.unit.area ~ X3.distance.to.the.nearest.MRT.station, data=real_estate) # -0.673
## [1] -0.6736129
#the least squares line regression line.
m1 <- lm(Y.house.price.of.unit.area ~ X3.distance.to.the.nearest.MRT.station, data=real_estate)
summary(m1)
##
## Call:
## lm(formula = Y.house.price.of.unit.area ~ X3.distance.to.the.nearest.MRT.station,
##
       data = real_estate)
##
## Residuals:
      Min
                10 Median
                                3Q
                                       Max
  -35.396 -6.007 -1.195
                                  73.483
##
                             4.831
##
## Coefficients:
                                            Estimate Std. Error t value Pr(>|t|)
##
                                          45.8514271 0.6526105
                                                                  70.26
## (Intercept)
                                                                          <2e-16
## X3.distance.to.the.nearest.MRT.station -0.0072621 0.0003925 -18.50
                                                                          <2e-16
##
## (Intercept)
## X3.distance.to.the.nearest.MRT.station ***
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
```

##




14.2.1 Assumptions


1. Residual are uniformly distributed around y=0 horizontal line.


Residual standard error: 10.07 on 412 degrees of freedom

- 2. Residual follows normal distribution.
- 3. The relationship between two variables should be linear.
- 4. The observation should be independent of each other.


```
#normalty check of errors/residual and assumptions check *
xyplot(resid(m1)~fitted(m1), data=real_estate, type=c("p","r"))
```









ladd(panel.qqmathline(resid(m1)))









plot(density(resid(m1)))

density.default(x = resid(m1))



qqnorm(resid(m1))
qqline(resid(m1))

Normal Q-Q Plot



14.2.2 Conclusion

##

Min

1Q Median

All assumptions holds here. From different graphs we can see that the conditions for linear model fitting holds.

14.3 Testing if house price varies with number of convenience stores

Max

```
m2 <- lm(Y.house.price.of.unit.area ~ X4.number.of.convenience.stores, data=real_estate)
summary(m2)

##
## Call:
## lm(formula = Y.house.price.of.unit.area ~ X4.number.of.convenience.stores,
## data = real_estate)
##
## Residuals:</pre>
```

```
## -35.407 -7.341 -1.788 5.984 87.681
##
## Coefficients:
##
Estimate Std. Error t value Pr(>|t|)
## (Intercept) 27.1811 0.9419 28.86 <2e-16 ***
## X4.number.of.convenience.stores 2.6377 0.1868 14.12 <2e-16 ***
```

30

```
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' ' 1 ##
```

Residual standard error: 11.18 on 412 degrees of freedom
Multiple R-squared: 0.326, Adjusted R-squared: 0.3244
F-statistic: 199.3 on 1 and 412 DF, p-value: < 2.2e-16</pre>


14.4 Testing if house price varies with house age.

```
m3 <- lm(Y.house.price.of.unit.area ~ X2.house.age, data=real_estate) summary(m3)
```

```
##
## lm(formula = Y.house.price.of.unit.area ~ X2.house.age, data = real_estate)
## Residuals:
##
      Min
               1Q Median
                               30
                                      Max
## -31.113 -10.738
                   1.626
                            8.199 77.781
## Coefficients:
               Estimate Std. Error t value Pr(>|t|)
## (Intercept) 42.43470
                           1.21098 35.042 < 2e-16 ***
                           0.05752 -4.372 1.56e-05 ***
## X2.house.age -0.25149
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 13.32 on 412 degrees of freedom
## Multiple R-squared: 0.04434,
                                   Adjusted R-squared: 0.04202
## F-statistic: 19.11 on 1 and 412 DF, p-value: 1.56e-05
```

ggplot(real_estate, aes(X2.house.age, Y.house.price.of.unit.area)) + geom_point() + stat_smooth(method


`geom_smooth()` using formula 'y ~ x'





Assumptions

- 1. Residual are uniformly distributed around y=0 horizontal line.
- 2. Residual follows normal distribution.
- 3. The relationship between two variables should be linear.
- 4. The observation should be independent of each other.


xyplot(resid(m1)~fitted(m3), data=real_estate, type=c("p","r"))









ladd(panel.qqmathline(resid(m3)))









plot(density(resid(m3)))

density.default(x = resid(m3))



qqnorm(resid(m3))
qqline(resid(m3))

Normal Q-Q Plot



14.4.1 Conclusion

From the above graphs, the relationship between house price and house age is not linear, and from Q_Q plot also, we can see that the residuals are not on a straight lines and uniform distribution of error around y=0 horizontal lines doesn't hold also, so we should not use linear model to predict the house price based on house age. And if we build the model, we can see that the R-squared value is around 4%, which also indicates linear model is not suitable to predict the house price based on house age.

14.5 Summary

After analyzing the the dataset we found following points:

- 1. The price of a house depends on house age, distance to the nearest metro stations, number of convenience stores nearby etc, but it need not to be they are linearly dependent.
- 2. For house price and distance to nearest metro station, there exist a liner relationship and for that reason, we are able to fit a linear model.
- 3. Whereas the number of convenience stores and house age is not linearly dependent, so we could not fit any linear model there. We checked the assumptions and reported where it failed to hold the conditions.