

Feedback — Quiz 4 - ****Please Note: No Grace Period****

You submitted this quiz on **Mon 11 May 2015 9:05 AM PDT**. You got a score of **15.00** out of **15.00**.

[Help Center](#)


Question 1

Load the vowel.train and vowel.test data sets:

```
library(ElemStatLearn)
data(vowel.train)
data(vowel.test)
```

Set the variable y to be a factor variable in both the training and test set. Then set the seed to 33833. Fit (1) a random forest predictor relating the factor variable y to the remaining variables and (2) a boosted predictor using the "gbm" method. Fit these both with the train() command in the caret package.

What are the accuracies for the two approaches on the test data set? What is the accuracy among the test set samples where the two methods agree?

Your Answer	Score	Explanation
<input type="radio"/> RF Accuracy = 0.9881 GBM Accuracy = 0.5325 Agreement Accuracy = 0.9973		
<input type="radio"/> RF Accuracy = 0.6061 GBM Accuracy = 0.6518 Agreement Accuracy = 0.5325		
<input checked="" type="radio"/> RF Accuracy = 0.6061 GBM Accuracy = 0.5325 Agreement Accuracy = 0.6518	 3.00	
<input type="radio"/> RF Accuracy = 0.3233 GBM Accuracy = 0.8371 Agreement Accuracy = 0.9983		
Total	3.00 / 3.00	

Question 2

Load the Alzheimer's data using the following commands

```
library(caret)
library(gbm)
set.seed(3433)
```

```
library(AppliedPredictiveModeling)
data(AlzheimerDisease)
adData = data.frame(diagnosis,predictors)
inTrain = createDataPartition(adData$diagnosis, p = 3/4)[[1]]
training = adData[ inTrain,]
testing = adData[-inTrain,]
```

Set the seed to 62433 and predict diagnosis with all the other variables using a random forest ("rf"), boosted trees ("gbm") and linear discriminant analysis ("lda") model. Stack the predictions together using random forests ("rf"). What is the resulting accuracy on the test set? Is it better or worse than each of the individual predictions?

Your Answer	Score	Explanation
<input type="radio"/> Stacked Accuracy: 0.69 is better than all three other methods		
<input type="radio"/> Stacked Accuracy: 0.79 is better than all three other methods		
<input type="radio"/> Stacked Accuracy: 0.79 is worse than all the other methods.		
<input checked="" type="radio"/> Stacked Accuracy: 0.79 is better than random forests and lda and the same as boosting.	3.00	
Total	3.00 / 3.00	

Question 3

Load the concrete data with the commands:

```
set.seed(3523)
library(AppliedPredictiveModeling)
data(concrete)
inTrain = createDataPartition(concrete$CompressiveStrength, p = 3/4)[[1]]
training = concrete[ inTrain,]
testing = concrete[-inTrain,]
```

Set the seed to 233 and fit a lasso model to predict Compressive Strength. Which variable is the last coefficient to be set to zero as the penalty increases? (Hint: it may be useful to look up ?plot.enet).

Your Answer	Score	Explanation
<input type="radio"/> Age		

☐ CoarseAggregate

☒ Cement ✓ 3.00

☐ Water

Total 3.00 / 3.00

Question 4

Load the data on the number of visitors to the instructors blog from here:

<https://d396qusza40orc.cloudfront.net/predmachlearn/gaData.csv>

Using the commands:

```
library(lubridate) # For year() function below
dat = read.csv("~/Desktop/gaData.csv")
training = dat[year(dat$date) < 2012,]
testing = dat[(year(dat$date)) > 2011,]
tstrain = ts(training$visitsTumblr)
```

Fit a model using the `bats()` function in the `forecast` package to the training time series. Then forecast this model for the remaining time points. For how many of the testing points is the true value within the 95% prediction interval bounds?

Your Answer	Score	Explanation
<input checked="" type="radio"/> 96% ✓	3.00	
<input type="radio"/> 92%		
<input type="radio"/> 98%		
<input type="radio"/> 100%		
Total	3.00 / 3.00	

Question 5

Load the concrete data with the commands:

```
set.seed(3523)
library(AppliedPredictiveModeling)
data(concrete)
inTrain = createDataPartition(concrete$CompressiveStrength, p = 3/4)[[1]]
training = concrete[ inTrain,]
testing = concrete[-inTrain,]
```

Set the seed to 325 and fit a support vector machine using the e1071 package to predict Compressive Strength using the default settings. Predict on the testing set. What is the RMSE?

Your Answer		Score	Explanation
<input checked="" type="radio"/> 6.72	✓	3.00	
<input type="radio"/> 107.44			
<input type="radio"/> 45.09			
<input type="radio"/> 35.59			
Total		3.00 / 3.00	

