

Pivotal Command Center

Version 2.2

Release Notes

Rev: 01

© 2014 GoPivotal, Inc.

Table of Contents

| 1 | What's New | 4 |
|---|------------------------------|---|
| | 1.1 User Management | 4 |
| | 1.2 Logging | 4 |
| | Resolved Issues | 5 |
| 3 | Known Issues | 6 |
| | Versioning and Compatibility | 8 |
| 5 | Documentation | Ç |



Copyright © 2014 GoPivotal, Inc. All rights reserved.

GoPivotal, Inc. believes the information in this publication is accurate as of its publication date. The information is subject to change without notice. THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS." GOPIVOTAL, INC. ("Pivotal") MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WITH RESPECT TO THE INFORMATION IN THIS PUBLICATION, AND SPECIFICALLY DISCLAIMS IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Use, copying, and distribution of any Pivotal software described in this publication requires an applicable software license.

All trademarks used herein are the property of Pivotal or their respective owners.

Use of Open Source

This product may be distributed with open source code, licensed to you in accordance with the applicable open source license. If you would like a copy of any such source code, Pivotal will provide a copy of the source code that is required to be made available in accordance with the applicable open source license. Pivotal may charge reasonable shipping and handling charges for such distribution. The page Pivotal CC Documentation could not be found.



Pivotal Command Center 2.2 has been tested with Pivotal HD Enterprise 2.0



1 What's New

As well as general performance enhancements and bug fixes, this release includes the following new features and functionality:

1.1 User Management

User management has been improved by the introduction of a new non-administrative user type.

Administrative users can create new users; during this process they specify whether the new user has administrative privileges or not. If not, the new user will only have read-only privileges and their actions and menu options will be limited.

Further details are provided in the Pivotal Command Center 2.2 User Guide .

1.2 Logging

You can now view system logs via the Command Center UI.

- Filters: You can filter the logs displayed by log level, host, or roles.
- **Search**: You can filter the logs displayed by performing a keyword search.
- Time Range: You can further filter your results by specifying a time range.
- **Details**: You can see summaries of log messages, or click to see more details.

Further details are provided in the Pivotal Command Center 2.2 User Guide



2 Resolved Issues

This section lists issues that have been resolved in Pivotal Command Center 2.2



For resolved issues relating to the installation and any non-UI functionality of Command Center, see the Pivotal HD Release Notes.

| Issue | Description | | |
|---------|--|--|--|
| CC-3274 | The installation will fail if the shell is using a non-UTF8 locale. | | |
| CC-3311 | The status of a running Command Center (commander status) was incorrectly shown as stopped. | | |
| CC-3540 | Due to permissions issues, during PCC installation, puppetmaster failed to start with the following error: "Could not prepare for execution: Invalid group: 0" | | |
| CC-3337 | Installation of PCC failed when "/usr/local/bin" was not specified in \$PATH. PCC installation appeared successful despite a hidden error reported during installation. Thin service was not started and commander database was not created post installation. | | |
| CC-3325 | Not all PCC (commander) services could not be stopped after attempt to commander start failed. Now the service commander stop will attempt to stop all services regardless of whether any of them are already running and will throw appropriate error messages after running the service commander status command | | |
| CC-3254 | PCC Cluster Status page: After being clicked, the label on the Start button turned into Uninstall . | | |
| CC-2987 | Web application vulnerabilities as a result of cross-site request forgery have been addressed. | | |



3 Known Issues

This section lists the known issues in Pivotal Command Center 2.2. A work-around is provided where applicable.



A For known issues relating to the installation and any non-UI functionality of Command Center, see the Pivotal HD Release Notes

| Issue | Description |
|---------------------|--|
| HD-9474, HD-9410 | PCC has the following known limitations when monitoring a secure cluster (where kerberos authentication is enabled): |
| | HD-9474: Unable to display Hive Metastore status |
| | HD-9410: Unable to perform HDFS rebalancing |
| HD-9504 | For larger clusters; PCC is unable to display HBase status. |
| CC-3420 | If the user does not define a secondary namenode during installation, an empty xml tag is added to the configuration file. |
| CC-3553 | As the <code>gpadmin</code> user; you can remove admin privileges for yourself. Workaround: On the admin node, use the <code>commander-user</code> command line utility with the admin option (make sure <code>/usr/local/bin</code> is in the path, the full path of the utility is <code>/usr/local/bin/commander-user</code>): <code>./commander-user</code> adminYou will receive the following two prompts:1. 'Please provide a username' (Valid input: any user in PCC)2. 'Allow the user to have administrative privileges' (Valid input: [y]es [n]o) |
| CC-3494 | Install/Upgrades: If the RHEL ssl certificate for subscription-manager plugin has expired, yum will fail. Workaround: If yum -list reports an error on any of the cluster nodes then check the yum configurations files, /etc/yum.repos.d/ and make sure all remote repositories are DNS resolvable. |
| CC-3339 | The ability to start/stop HAWQ via the PCC UI is non-functional. Workaround: Use the PCC CLI to start / stop HAWQ. See the <i>Pivotal HD Enterprise Installation and Administrator Guide</i> for specific commands. |
| HD-8493 | Unable to configure cluster if the root password contains certain special characters, for example: \$ |
| CC-3305 | If a running job is killed, the PCC UI MapReduce Slot Utilization Graph shows incorrect information. |



| Issue | Description |
|---------|--|
| CC-3083 | Command Center does not show any data for graphs related to DataNode due to hostname mismatch. |
| | Workaround: Change /etc/sysconfig/network on all cluster nodes to use Fully Qualified Domain Names (FQDN). |
| HD-6715 | After you upgrading PCC, you are unable to start/stop clusters with invalid hostnames. This is because there is now a check for invalid characters in cluster names. |
| | Workaround: Reconfigure the cluster with a different, valid name, then restart the cluster. |
| CC-3565 | Pivotal Command Center 2.2.n only supports Pivotal HD 2.0.n. It does not support Greenplum HD. |
| CC-3564 | Pivotal Command Center and Pivotal HD must have the same OS. |
| CC-3501 | Pivotal Command Center hostnames can only contain lower case letters. |
| CC-1972 | HBASE did not start after user stop/start HDFS and YARN. |
| | This is expected behavior, in this case, HBASE requires a manual restart. |
| CC-3565 | bundle: command not found error message appears after attempting to run the install script. |
| | Workaround : Check if /usr/local/bin/bundle exists, if it doesn't, build it by running the following command: |
| | gem install bundler |

4 Versioning and Compatibility

| Product | Version | OS/Browser |
|------------------------|---------|-----------------------------|
| Pivotal HD | 2.0 | RedHat 64-bit: 6.2, 6.4 |
| | | CentOS 64-bit: 6.2, 6.4 |
| Pivotal Command Center | 2.2 | RedHat 64-bit: 6.2, 6.4 |
| | | CentOS 64-bit: 6.2, 6.4 |
| | | Firefox 21, 22 |
| | | Chrome Version 28.0.1500.95 |
| | | IE 9, 10 |
| HAWQ * | 1.2 | RedHat 64-bit: 6.2, 6.4 |
| | | CentOS 64-bit: 6.2, 6.4 |
| PXF * | 2.2 | RedHat 64-bit: 6.2, 6.4 |
| | | CentOS 64-bit: 6.2, 6.4 |

^{*} Distributed with Pivotal ADS 1.2



5 Documentation

The following Pivotal Command Center and related documentation is available in PDF format on our website at www.gopivotal.com.

HTML versions of our documentation is available here: docs.gopivotal.com/pivotalhd/

Additionally, you can still access product documentation from EMC's Support Zone.

| Title | Revision |
|--|----------|
| Pivotal Command Center 2.2 Release Notes (this document) | A01 |
| Pivotal Command Center 2.2 User Guide | A01 |
| Pivotal HD Enterprise 2.0 Installation and Administrator Guide | A01 |
| Pivotal HD 2.0 Stack and Tool Reference Guide | A01 |
| Pivotal HAWQ 1.2 Administrator Guide | A01 |
| Pivotal HAWQ 1.2 Installation Guide | A01 |
| Pivotal Extension Framework Installation and User Guide | N/A |