

#	Section	Answers
4.7.26	SEO Meta	(head) (R7)
4.7.27	Empty / Edge States	(cross-cutting) (R7)
4.7.28	Performance	(cross-cutting) (R7)

Three deliberate departures from the brief's order:

1. Highlights before "What's included" — motivation precedes rationality.
2. Cancellation before "About your hosts" — close the "what if I change my mind?" loop before asking for emotional investment in the host.
3. FAQ near the bottom but not buried — paired with Reviews to create two consecutive structured-data-rich blocks for AEO crawlers.

5. Section specs

4.7.1 Breadcrumbs

Anchor the user in the IA hierarchy and feed `BreadcrumbList` structured data.

Wireframe

Home
›
Curaçao
›
Klein Curaçao
›
Miss Ann Boat Trips

- Mobile: visible, truncated middle if needed (e.g., `Klein C. ›`); last segment never truncates, wraps to second line if long
- Desktop: single line, above H1
- All items except last are linked
- Separator: `›` (U+203A)

Path format

Tour type	Path
Hub-anchored	Home › Destination › Hub › Tour
Category-anchored	Home › Destination › Category › Tour
Destination-only	Home › Destination › Tour

Last segment = H1 if H1 ≤35 chars; else `tour.breadcrumb_label`.

Note (LD8): breadcrumbs visible on mobile here; hidden on destination page (4.2). Deliberate divergence — deeper-funnel users benefit from explicit hierarchy. Both specs reference each other.

Schema: `BreadcrumbList` JSON-LD.

4.7.2 H1

The most important text element on the page for both human readers and AI crawlers.

Format: `{Destination or Hub} {Tour type} with {Host name}`

Examples:

- Klein Curaçao Day Trip with Miss Ann
- Klein Curaçao Powerboat Trip with Powerboat
- Curaçao Sunset Catamaran Cruise with BlueFinn

Rules

- 35-55 chars target, 65 hard max
- One H1 per page (all other section headings H2 or below)
- No emoji, no exclamation marks, no decorative adjectives ("ultimate," "luxury," "all-inclusive")
- Host suffix appears for branded operators. For awkward template results, use `tour.h1_override`

Why destination-first (not host-first, the legacy form): dominant search queries are destination-led; H1 first-token entity binding correlates with AI Overview citation rates. Host name still appears in the tail.

4.7.3 Rating row

Social proof above the fold + fast jump to reviews.

Wireframe

★ 4.8 · 412 reviews



- Below H1, above gallery (mobile) / alongside gallery start (desktop)
- Entire row is a tap-target → smooth-scrolls to Reviews section, URL updates with `#reviews`
- Keyboard: `tabindex` participation, Enter/Space activates

- Screen reader: "Rating: 4.8 stars out of 5, 412 reviews. Activate to read reviews."

Display states (LD11)

Condition	Display
3+ native reviews	★ 4.8 · 412 reviews
<3 native, operator has ≥10 reviews & avg ≥4.0 across all tours	★ 4.8 · From this host's 1,247 reviews across all tours
<3 native, operator below threshold	Row hidden
Mixed native + imported Tripadvisor reviews (where licensed)	Combined count, source note · from Tripadvisor

Format

- Rating to one decimal (4.84 → 4.8)
- Pluralisation per locale ("review" / "reviews")
- Number formatting per locale (1,738 / 1.738 / 1 738)

Don't show: descriptors ("Excellent," "Great"), percentage-recommended, "happy travelers" framing. Honest data, no inflation.


Schema: `AggregateRating`. For the Provider Rating fallback, the `AggregateRating` refers to the operator-aggregated stats with appropriate context.

4.7.4 Image gallery

Visual proof of the experience — emotional fuel for the rational booking decision below.


Wireframe — Desktop

Asymmetric grid. Hero ~60% width on the left + four 1:1 tiles on the right.



Wireframe — Mobile

Single swipeable carousel.



Tap any image → full-screen lightbox.

Image specs

Field	Value
Hero ratio	4:3
Hero native min	2400×1800
Tile ratio	1:1
Tile native min	1200×1200
Format priority	AVIF → WebP → JPEG fallback
Size budget	<200 KB per image after compression
Color profile	sRGB

Image count

- Min: 5 (cannot publish below)
- Recommended: 8-12
- Max: 24 (caps lightbox scroll-tax)

Editorial content priority (operators upload raw; Island Tours team curates and orders):

1. Hero — clearest representation of what the user does (not a sunset hero unless tour is sunset-specific)
2. Location detail (beach, reef, dock)
3. Real travelers anonymized (backs, wide shots, no eye contact — per video-editor briefing rules)
4. Equipment / vehicle / food
5. Atmospheric closing (sunset, dock arrival)

Lightbox

- Triggered by tapping any image or "See all N photos"
- Single-image view default; swipe (mobile) / arrow keys (desktop) navigate
- Counter "3 / 24" upper area
- Save (♥) and Share (↗) controls persist
- Close: tap X, tap outside (desktop), swipe down (mobile), or ESC
- Mobile grid view ("See all photos"): thumbnail grid → tap thumbnail enters single-image view
- Body scroll locked; ARIA `role="dialog"` `aria-modal="true"`, focus trapped

Save / Share controls

Position: overlaid on hero, top-right corner.

Control	Mobile	Desktop
Save (♥)	Toast: "Saved to your list." Session storage if unauth, wishlist if auth.	Same.
Share (↗)	Native share sheet (Web Share API)	Custom modal. WhatsApp, copy link, email, Facebook, X — in that order.

Share pre-fill: `Check this out — [Tour name] on Island Tours: [URL]`

No video on this page. Photos do the visual work; the video archive is used on the homepage carousel, hub pages, ads, and social.

No captions. Visuals self-explain.

LCP and loading

- Hero is LCP candidate; preloaded via `<link rel="preload">` with responsive `imagesrcset`
- Mobile: only hero eagerly loaded; others queued
- Desktop: hero + tiles 2–5 may load eagerly if LCP holds; tiles 6+ lazy-load
- Image URLs include content-hash for CDN caching

Edge cases

Case	Behavior
<5 images	Cannot publish; editorial flag
1 image	Hero only, no tiles, no "See all"; flagged for content-ops
Image fails to load	Blur placeholder; retry next page view
Full CDN outage	"Photos loading..." graceful state; booking widget unaffected
Vertical-orientation source	Cropped to 4:3 / 1:1; CMS supports manual focal-point

4.7.5 Quick-info badges

Per-tour comparative data at-a-glance.

Wireframe

 8 hours
 •
  Pickup available
 •
  EN, NL, ES, +1

- Below gallery, above tour overview
- Mobile: compact horizontal default; wraps to two lines if cramped
- Desktop: single line

Three badges, fixed order (LD7)

#	Badge	Display
1	Duration	 {duration} from formatter ("8 hours" / "1h 30m" / "4 to 5 hours")
2	Pickup	 Pickup available (model = included or paid_addon) /  Meeting point only (model = none)
3	Languages	 {lang1}, {lang2}, +N (first 2 + count of remaining)

Strict rules

- Maximum 3 badges. Universal facts (free cancellation, mobile ticketing, instant confirmation) go in the booking widget trust strip — not here.
- "Pickup" — no hyphen (LD3).
- No "Free cancellation" / "Best price" / "Bestseller" / "Likely to sell out" badges. The first lives in the trust strip; the others are listing-page concerns or honest-scarcity issues handled in the booking widget time-slot picker.

No ticket badge. Island Tours bookings are confirmed by email — the booking is the ticket. Reassurance copy lives in the booking confirmation screen and FAQ.

Edge cases

Case	Behavior
Variable duration	Range format ("4 to 8 hours")
No pickup field set	Defaults to "Meeting point only" (safe default)
1 language only	 EN (no comma, no "+0")
5+ languages	 EN, NL, +3
Duration unknown	Badge omitted; flagged as content-ops issue

4.7.6 Booking widget

The conversion mechanism. Two responsibilities: inventory check + funnel commitment.

State machine

State	Trigger	Visible
S1 Initial	Page load	Price-from, date prompt, party selector, "Check availability," trust strip
S2 Date picker	Tap date prompt	14-day chip view; "View all dates" expands to month overlay
S3 Date selected	Tap date chip	Time-slot chips (if applicable); date persists
S4 Ready	Date + (time slot) + party set	"Continue" replaces "Check availability"; total recalculates
S5 Edge	Various	Sold out, no availability, API failure, race condition

State persists in URL params (`(?date=2026-05-15&travelers=2)`) — refresh and share-link both work. All transitions reversible.

Wireframe — Desktop, S1 (initial)