

Island Tours — Tour Detail Page Specification

Section 4.7 of the Island Tours UI/UX briefing. This document is the design and engineering source-of-truth for the tour detail page — the conversion bottleneck of the platform. Sections 4.7.1-4.7.8 are spec'd below; 4.7.9-4.7.28 are referenced in the composite wireframe so the page-level layout is unambiguous.

All choices are 2025/2026 CRO and AEO research-backed (Bookeo, Baymard, ConvertCart, GetYourGuide product releases, Airbnb Q4 2025 results, Viator API). Citations available on request — they have been removed from the spec body to reduce noise.

1. Foundations

1.1 URL pattern

`/ {locale} / {destination} / {hub-slug?} / {tour-slug} /`

- Hub-anchored: `/en/curacao/klein-curacao/miss-ann/`
- Destination-only: `/en/curacao/sunset-cruise-bluefinn/`

Locale-prefix subdirectories with English slugs throughout (Viator pattern). Slug registry resolves URL → entity.

1.2 Rendering

- **Server-rendered:** page shell, above-the-fold content, structured data (for SEO, AEO, LCP)
- **Client-hydrated:** booking widget, deferred via `requestIdleCallback` after LCP
- **Live data:** availability fetched on date-picker open (not on page load)
- **ISR:** 300-second revalidation for static blocks; live data refreshed per page view

1.3 Performance budget

Metric	Target	Notes
LCP	<2.5s	Hero image is LCP candidate, preloaded via <code><link rel="preload"></code>
INP (page)	<200ms	Standard interactions
INP (booking widget)	<100ms	Date-picker, party-selector, time-slot — half the page target
CLS	<0.05	Stable heights everywhere; no layout shift on hydrate

Mobile-first. ~80% of traffic is mobile; mobile sessions average 2:20; one second of delay = ~7% conversion loss.

1.4 What this page does

Convert "I think I want this tour" → "I am booked." Three user states served:

State	Mindset	Primary need
Ready-to-book	"I know which tour I want."	Frictionless date + party + continue
Comparing	"One of several options."	Distinguishing details: host, beach access, group size, real reviews
Researching	"Not sure yet."	Trust signals, reviews, free-cancel reassurance, host credibility

Architecture: booking-first, editorial-supporting. The booking widget is always one tap away on mobile and always visible on desktop. Editorial content earns the user's attention without standing between the user and the CTA.

The single biggest architectural decision: kill the legacy 24-hour enquiry model and replace it with instant confirmation. Without this, every other improvement is theatre.

2. Decisions

2.1 Locked decisions

Binding for design and engineering. Override only by chat.

#	Decision
LD1	Cancellation default: 24h before tour, free cancellation. Per-tour overrides allowed.
LD2	CTA progression matched to mental state: discovery = Check availability · transitional = Continue · checkout = Secure your spot .
LD3	"Pickup" — no hyphen. Locked platform-wide. (Tour Card spec needs parallel update.)
LD4	Bookings deliver an email confirmation that doubles as the entry pass. No scannable mobile ticket, no QR, no app dependency. The booking IS the ticket.
LD5	Booking widget trust strip is exactly four lines, in order: (1) Free cancellation up to 24h · (2) Reserve from 20%, pay the rest later · (3) Confirmed in seconds · (4) Chat 24/7 · WhatsApp 08:00–22:00.
LD6	Closing trust block ends with the tagline as a sign-off in its closing form: Built by Islanders .
LD7	Quick-info row = exactly 3 badges (Duration, Pickup, Languages). Universal facts go in the trust strip, not here.
LD8	Mobile breadcrumbs visible on tour detail page (deliberate divergence from destination-page spec, which hides them on mobile). Cross-reference both specs.
LD9	All copy follows the Brand Voice Bible. Banned-words list applies platform-wide (paradise, luxury, exclusive, seamless, world-class, discover-as-verb, unlock, adventure-awaits, committed-to).
LD10	Real Curaçao operator names in spec examples only (Miss Ann, Powerboat, BlueFinn).
LD11	Provider Rating cold-start . When a tour has <3 native reviews AND its operator has ≥10 reviews + ≥4.0 average across all their tours, display the operator-aggregate rating with explicit attribution ("From this host's N reviews across all tours"). Otherwise hide the rating row entirely.
LD12	Total-price-before-checkout rule . The total the user will pay is always visible in the booking widget before they enter any payment information. All fees itemized. No surprises at checkout. Regulatory commitment, not a CRO choice.

2.2 Open decision (one)

RNPL pivot. Current default: "20% deposit at booking, balance due before tour." Industry direction (Airbnb 70% Q4 2025 adoption, GYG and Viator both shipped) is true Reserve Now Pay Later — €0 today, full payment 48h–7d before. Pivoting changes trust strip line 2 copy and the cancellation block. Currently spec'd at 20%; flip to RNPL by chat to update.

2.3 CMS data model — fields used in 4.7.1–4.7.8

Field	Type	Notes
<code>tour.h1_override</code>	string nullable	Override for awkward template-generated H1s
<code>tour.breadcrumb_label</code>	string	Short-form for breadcrumb last segment when H1 >35 chars
<code>tour.duration_minutes</code>	int	Drives duration badge formatter
<code>tour.pickup_model</code>	enum	<code>included</code> / <code>paid_addon</code> / <code>none</code>
<code>tour.languages[]</code>	string[]	Language codes; rendered via locale lookup
<code>tour.gallery_images[]</code>	array	Ordered; first marked <code>is_hero: true</code> ; supports manual focal-point per image
<code>tour.overview_{locale}</code>	markdown	Paragraph breaks only — no headings, lists, or bold
<code>tour.highlights_{locale}[]</code>	string[]	3–6 items, 5–15 words each
<code>tour.pricing_model</code>	enum	<code>per_person</code> / <code>unit</code>
<code>tour.unit_type</code>	enum nullable	If <code>unit</code> : <code>group</code> / <code>boat</code> / <code>vehicle</code> / <code>aircraft</code> / <code>package</code>
<code>tour.max_party_size</code>	int	Tour capacity ceiling
<code>tour.min_party_size</code>	int	Default 1; some tours require 4+
<code>tour.age_bands[]</code>	array nullable	When age-banded pricing applies
<code>tour.booking_cutoff_minutes</code>	int	Default 120; range 0–10080 (zero-minute to one week)
<code>tour.cancellation_hours</code>	int	Default 24; per-tour override
<code>tour.add_ons[]</code>	array nullable	Optional extras shown at booking step


Operator-level (parent entity):

Field	Type	Notes
<code>operator.aggregate_rating</code>	float (computed)	Used for Provider Rating fallback (LD11)
<code>operator.aggregate_review_count</code>	int (computed)	Provider Rating threshold check

3. Composite wireframes

3.1 Desktop (≥1280px)

Two-column. Left: content. Right: booking widget (in-flow → pinned-sticky → released above closing block).



3.2 Mobile (<768px)

Single-column. In-flow widget appears once, after Highlights. Sticky bottom CTA appears once user scrolls past the in-flow widget.

NAV (compact)
Breadcrumbs (truncated)
H1
★ rating · count ↗
IMAGE GALLERY (swipe carousel)
Quick-info badges (3)
— fold —
Tour Overview
Highlights
BOOKING WIDGET (in-flow)
Price · selectors · CTA · trust
— sticky bottom CTA appears —
What's Included / Not (4.7.9)
Itinerary (4.7.10)
Meeting + Pickup (4.7.11)
What to Bring (4.7.12)
Know Before You Go (4.7.13)
Accessibility (4.7.14)
Languages (4.7.15)
Cancellation Policy (4.7.16)
About Your Hosts (4.7.17)
Reviews (4.7.18)
FAQ (4.7.19)
Related Tours (4.7.20)
Closing Trust Block (4.7.21)
+ tagline sign-off
FOOTER

— STICKY BOTTOM CTA —
From €X · ✓ Free cancel
[Check availability →]

4. Section ordering

Order = question-funnel. Each section earns the next scroll by answering the next question.

#	Section	Answers
4.7.1	Breadcrumbs	"Where am I in the site?"
4.7.2	H1	"What is this tour?"
4.7.3	Rating row	"Is it any good?"
4.7.4	Image gallery	"What does it look like?"
4.7.5	Quick-info badges	"How long? Pickup? Languages?"
4.7.6	Booking widget	"Can I book it on my date?"
4.7.7	Tour overview	"What is this experience really?"
4.7.8	Highlights	"What will I do?"
4.7.9	Inclusions	"What do I get for the price?" (R3)
4.7.10	Itinerary	"What happens when?" (R3)
4.7.11	Meeting + Pickup	"Where do I go?" (R3)
4.7.12	What to Bring	"What do I need?" (R3)
4.7.13	Know Before You Go	"Anything I should know?" (R4)
4.7.14	Accessibility	"Is it for me?" (R4)
4.7.15	Languages	"Will I understand?" (R4)
4.7.16	Cancellation Policy	"What if plans change?" (R4)
4.7.17	About Your Hosts	"Who am I going with?" (R5)
4.7.18	Reviews	"What did real travelers say?" (R5)
4.7.19	FAQ	"My specific questions" (R5)
4.7.20	Related Tours	"Other options?" (R6)
4.7.21	Closing Trust Block	"Can I trust this?" (R6)
4.7.22	Mobile Sticky CTA	(cross-cutting) (R6)
4.7.23	Share + Save	(cross-cutting) (R6)
4.7.24	Schema.org	(server-rendered) (R7)
4.7.25	AEO/GEO	(embedded) (R7)

#	Section	Answers
4.7.26	SEO Meta	(head) (R7)
4.7.27	Empty / Edge States	(cross-cutting) (R7)
4.7.28	Performance	(cross-cutting) (R7)

Three deliberate departures from the brief's order:

1. Highlights before "What's included" — motivation precedes rationality.
2. Cancellation before "About your hosts" — close the "what if I change my mind?" loop before asking for emotional investment in the host.
3. FAQ near the bottom but not buried — paired with Reviews to create two consecutive structured-data-rich blocks for AEO crawlers.

5. Section specs

4.7.1 Breadcrumbs

Anchor the user in the IA hierarchy and feed `BreadcrumbList` structured data.

Wireframe

Home › Curaçao › Klein Curaçao › Miss Ann Boat Trips

- Mobile: visible, truncated middle if needed (e.g., `Klein C. ›`); last segment never truncates, wraps to second line if long
- Desktop: single line, above H1
- All items except last are linked
- Separator: `›` (U+203A)

Path format

Tour type	Path
Hub-anchored	Home › Destination › Hub › Tour
Category-anchored	Home › Destination › Category › Tour
Destination-only	Home › Destination › Tour

Last segment = H1 if H1 ≤35 chars; else `tour.breadcrumb_label`.

Note (LD8): breadcrumbs visible on mobile here; hidden on destination page (4.2). Deliberate divergence — deeper-funnel users benefit from explicit hierarchy. Both specs reference each other.

Schema: `BreadcrumbList` JSON-LD.

4.7.2 H1

The most important text element on the page for both human readers and AI crawlers.

Format: `{Destination or Hub} {Tour type} with {Host name}`

Examples:

- Klein Curaçao Day Trip with Miss Ann
- Klein Curaçao Powerboat Trip with Powerboat
- Curaçao Sunset Catamaran Cruise with BlueFinn

Rules

- 35-55 chars target, 65 hard max
- One H1 per page (all other section headings H2 or below)
- No emoji, no exclamation marks, no decorative adjectives ("ultimate," "luxury," "all-inclusive")
- Host suffix appears for branded operators. For awkward template results, use `tour.h1_override`

Why destination-first (not host-first, the legacy form): dominant search queries are destination-led; H1 first-token entity binding correlates with AI Overview citation rates. Host name still appears in the tail.

4.7.3 Rating row

Social proof above the fold + fast jump to reviews.

Wireframe

★ 4.8 · 412 reviews



- Below H1, above gallery (mobile) / alongside gallery start (desktop)
- Entire row is a tap-target → smooth-scrolls to Reviews section, URL updates with `#reviews`
- Keyboard: `tabindex` participation, Enter/Space activates

- Screen reader: "Rating: 4.8 stars out of 5, 412 reviews. Activate to read reviews."

Display states (LD11)

Condition	Display
3+ native reviews	★ 4.8 · 412 reviews
<3 native, operator has ≥10 reviews & avg ≥4.0 across all tours	★ 4.8 · From this host's 1,247 reviews across all tours
<3 native, operator below threshold	Row hidden
Mixed native + imported Tripadvisor reviews (where licensed)	Combined count, source note · from Tripadvisor

Format

- Rating to one decimal (4.84 → 4.8)
- Pluralisation per locale ("review" / "reviews")
- Number formatting per locale (1,738 / 1.738 / 1 738)

Don't show: descriptors ("Excellent," "Great"), percentage-recommended, "happy travelers" framing. Honest data, no inflation.


Schema: `AggregateRating`. For the Provider Rating fallback, the `AggregateRating` refers to the operator-aggregated stats with appropriate context.

4.7.4 Image gallery

Visual proof of the experience — emotional fuel for the rational booking decision below.

Wireframe — Desktop

Asymmetric grid. Hero ~60% width on the left + four 1:1 tiles on the right.



Wireframe — Mobile

Single swipeable carousel.



Tap any image → full-screen lightbox.

Image specs

Field	Value
Hero ratio	4:3
Hero native min	2400×1800
Tile ratio	1:1
Tile native min	1200×1200
Format priority	AVIF → WebP → JPEG fallback
Size budget	<200 KB per image after compression
Color profile	sRGB

Image count

- Min: 5 (cannot publish below)
- Recommended: 8-12
- Max: 24 (caps lightbox scroll-tax)

Editorial content priority (operators upload raw; Island Tours team curates and orders):

1. Hero — clearest representation of what the user does (not a sunset hero unless tour is sunset-specific)
2. Location detail (beach, reef, dock)
3. Real travelers anonymized (backs, wide shots, no eye contact — per video-editor briefing rules)
4. Equipment / vehicle / food
5. Atmospheric closing (sunset, dock arrival)

Lightbox

- Triggered by tapping any image or "See all N photos"
- Single-image view default; swipe (mobile) / arrow keys (desktop) navigate
- Counter "3 / 24" upper area
- Save (♥) and Share (↗) controls persist
- Close: tap X, tap outside (desktop), swipe down (mobile), or ESC
- Mobile grid view ("See all photos"): thumbnail grid → tap thumbnail enters single-image view
- Body scroll locked; ARIA `role="dialog"` `aria-modal="true"`, focus trapped

Save / Share controls

Position: overlaid on hero, top-right corner.

Control	Mobile	Desktop
Save (♥)	Toast: "Saved to your list." Session storage if unauth, wishlist if auth.	Same.
Share (↗)	Native share sheet (Web Share API)	Custom modal. WhatsApp, copy link, email, Facebook, X — in that order.

Share pre-fill: `Check this out — [Tour name] on Island Tours: [URL]`

No video on this page. Photos do the visual work; the video archive is used on the homepage carousel, hub pages, ads, and social.

No captions. Visuals self-explain.

LCP and loading

- Hero is LCP candidate; preloaded via `<link rel="preload">` with responsive `imagesrcset`
- Mobile: only hero eagerly loaded; others queued
- Desktop: hero + tiles 2–5 may load eagerly if LCP holds; tiles 6+ lazy-load
- Image URLs include content-hash for CDN caching

Edge cases

Case	Behavior
<5 images	Cannot publish; editorial flag
1 image	Hero only, no tiles, no "See all"; flagged for content-ops
Image fails to load	Blur placeholder; retry next page view
Full CDN outage	"Photos loading..." graceful state; booking widget unaffected
Vertical-orientation source	Cropped to 4:3 / 1:1; CMS supports manual focal-point

4.7.5 Quick-info badges

Per-tour comparative data at-a-glance.

Wireframe

 8 hours
 ·
  Pickup available
 ·
  EN, NL, ES, +1

- Below gallery, above tour overview
- Mobile: compact horizontal default; wraps to two lines if cramped
- Desktop: single line

Three badges, fixed order (LD7)

#	Badge	Display
1	Duration	 {duration} from formatter ("8 hours" / "1h 30m" / "4 to 5 hours")
2	Pickup	 Pickup available (model = <code>included</code> or <code>paid_addon</code>) /  Meeting point only (model = <code>none</code>)
3	Languages	 {lang1}, {lang2}, +N (first 2 + count of remaining)

Strict rules

- Maximum 3 badges. Universal facts (free cancellation, mobile ticketing, instant confirmation) go in the booking widget trust strip — not here.
- "Pickup" — no hyphen (LD3).
- No "Free cancellation" / "Best price" / "Bestseller" / "Likely to sell out" badges. The first lives in the trust strip; the others are listing-page concerns or honest-scarcity issues handled in the booking widget time-slot picker.

No ticket badge. Island Tours bookings are confirmed by email — the booking is the ticket. Reassurance copy lives in the booking confirmation screen and FAQ.

Edge cases

Case	Behavior
Variable duration	Range format ("4 to 8 hours")
No pickup field set	Defaults to "Meeting point only" (safe default)
1 language only	 EN (no comma, no "+0")
5+ languages	 EN, NL, +3
Duration unknown	Badge omitted; flagged as content-ops issue

4.7.6 Booking widget

The conversion mechanism. Two responsibilities: inventory check + funnel commitment.

State machine

State	Trigger	Visible
S1 Initial	Page load	Price-from, date prompt, party selector, "Check availability," trust strip
S2 Date picker	Tap date prompt	14-day chip view; "View all dates" expands to month overlay
S3 Date selected	Tap date chip	Time-slot chips (if applicable); date persists
S4 Ready	Date + (time slot) + party set	"Continue" replaces "Check availability"; total recalculates
S5 Edge	Various	Sold out, no availability, API failure, race condition

State persists in URL params (`(?date=2026-05-15&travelers=2)`) — refresh and share-link both work. All transitions reversible.

Wireframe — Desktop, S1 (initial)

From €120 per person

17

Select date

2 travelers

Check availability

✓ Free cancellation up to 24h

✓ Reserve from 20%, pay the rest later

✓ Confirmed in seconds

Chat 24/7 · WhatsApp 08-22h

Wireframe — Desktop, S2 (date picker compact)

Select date

Today

Tue

Wed

Thu

28

29

30

€120

€120

Sold

€130

←scroll

[View all dates]

Wireframe — Desktop, S3/S4 (date selected)

17

Tue 28 May

[Change]

Departure time

8:00 AM

1:00 PM

4:00 PM

Only 2

Sold

left

out

2 travelers

Total: €240 [See price breakdown]

Continue

Wireframe — Mobile

In-flow widget identical to desktop S1 in single-column. Sticky bottom bar appears once user scrolls past:



Tap sticky bar → smooth-scroll to in-flow widget AND open date picker.

Date picker — chip component

Custom component. Never native OS pickers (they underperform on conversion).

Aspect	Spec
Compact view	Horizontal-scrolling row of date chips, initial position = today
Chip content	day-of-week, date, price-from, availability indicator
Chip states	<code>available</code> / <code>sold_out</code> / <code>closed_day</code> / <code>cutoff_passed</code> / <code>selected</code>
Expanded view	"View all dates" → full-month calendar overlay; locale-aware day order; prev/next month controls
Forward window	12 months max (operator may limit per tour)
Live data	Compact view = cached availability; expanded view = live API call for the requested month; time slots fetched on date select
Loading UX	200ms skeleton; >1s timeout → error state with retry

Booking cutoff: per-tour CMS field `tour.booking_cutoff_minutes`. Default 120 (2 hours); accepts 0-10080 (zero-minute to one week). Operators with the logistics for it can offer zero-minute cutoffs (cruise-day-tripper segment is high-value on Curaçao). After cutoff, chip shows "Closed."

Time slot picker

Appears after date selected, only for tours with multiple departures per day.

State	Display
Normal	8:00 AM
Low capacity (<5 spots)	1:00 PM / Only 2 left (real, never fake)
Sold out	4:00 PM / Sold out (greyed)

Single-departure tours: time-slot picker doesn't render. Departure time surfaced in confirmation email.

Party size selector

Default: 2 travelers. +/- controls. Min/max from tour CMS.

Variant	Display
Standard	Single counter, min 1, max per <code>tour.max_party_size</code>
Age-banded	Sub-rows: Adults / Children / Infants — labels and ranges per tour, each with own +/- and price
Per-vessel / per-group	Counter informational only; price doesn't multiply

Constraints surfaced inline: "This tour needs at least N travelers — bring more, or try the smaller-group version" (with link to related smaller-group tour if one exists).

Pricing display (LD12)

- Initial: `From €X per person` (lowest all-in across configurations)
- After date + party: `Total: €X` (exact, all-in, taxes included)
- "See price breakdown" expands inline:
 - Adults × N × €X
 - Children × N × €X
 - Hotel pickup × N (if selected)
 - Subtotal · Total

Total-price-before-checkout rule (LD12): non-negotiable. Total visible before user enters payment. No fees revealed only at checkout.

Currency: EUR for EN/NL/DE/FR/ES/PT; USD for ZH.

Add-ons step

Appears after date + time + party, before "Continue" — only for tours with at least one configured add-on.

- Each add-on as opt-in card. **Never pre-checked** (EU Digital Fairness Act).
- Card content: name, brief description, price, +/- quantity, opt-in toggle
- Adding/removing updates total inline
- Examples: hotel pickup, snorkel mask rental, drinks package, photo package, towel rental
- Brand voice on add-on names: short, specific. "Hotel pickup" not "Transportation supplement." "We pick you up from your hotel" not "Round-trip ground transportation included."

CTA copy (LD2)

Stage	Mental state	CTA
Detail page in-flow + sticky	Browsing	Check availability
After date selected	Transitioning	Continue
Final checkout	Committed	Secure your spot

The neutral "Continue" mid-stage prevents the emotional jolt of jumping from low- to high-commitment in one click.

Trust strip (LD5)

Persists across all widget states. Does not appear inside date-picker overlay or modals — its job is to underwrite the booking decision and is most needed when the CTA is in view.

✓ Free cancellation up to 24h

✓ Reserve from 20%, pay the rest later

✓ Confirmed in seconds

 Chat 24/7 · WhatsApp 08:00-22:00

Sticky behavior

Surface	Behavior
Desktop in-flow → pinned	<code>position: sticky</code> triggered at gallery's bottom edge. Pin offset = top of viewport + nav-bar height.
Desktop pinned → release	Releases above closing trust block to avoid overlap
Mobile in-flow widget	Appears once, after Highlights
Mobile sticky bottom bar	Appears when in-flow widget passes above viewport; disappears when in-flow re-enters. Three elements only: price, free-cancel micro-copy, primary CTA

Edge cases

Case	Behavior
Sold-out date selected	Inline: "Sold out — try another date." Auto-suggest next available with one-tap apply
All visible dates sold out	"No spots open in next 30 days. Want us to message you when one opens?" + email-only "Email me when there's room" CTA
API failure on availability fetch	"We're having trouble loading dates. Refresh, or message us on WhatsApp." Retry button + WhatsApp deep link
Network offline	Widget greys, cached availability shown tagged "may be out of date." Continue disabled until network returns
Cutoff passes during user session	Today chip transitions live to "Closed." If today selected: "Today's bookings just closed. Pick another date."
Race condition (sells out between selection and continue)	Final availability check on "Continue" tap. If gone: "This time just sold out — try another?" with date kept and time slots refreshed
Min party not met	Constraint surfaced inline; brand-voice copy with link to smaller-group alternative
Unit-priced tour	Counter informational. Pricing: <code>From €450 per group</code> → <code>Total: €450 (up to 8 people)</code>
Multi-variant tour (shared vs. private)	Variant selector at top of widget. Selecting resets date + time selection (different inventory)

Hydration timing

- SSR'd shell with placeholder selectors
 - Hydration deferred via `requestIdleCallback` after LCP
 - All inputs have stable height — zero layout shift during hydration
-

4.7.7 Tour overview

The first piece of prose. Where the brand voice does meaningful work.

Wireframe

The boat trip locals tell their friends to book.
Eight hours on the water at the island we send our
own visitors to.

You'll sail the south coast on the original Klein
Curaçao yacht. A crew that's been running this route
for 40 years — they know exactly where the turtles
are and which reef has the best visibility this week.

Local tip: book the morning departure. Afternoon wind
picks up and the water gets choppier.

Length: 80–150 words ideal. 200 hard max (CMS blocks save above).

Structure (per Brand Voice Bible Tour Description Voice Guide):

1. **Hook** (1-2 sentences) — what makes this tour worth it. Not the category. Not "Enjoy a..."
2. **Experience** (2-4 sentences) — what actually happens. Specific places, real numbers.
3. **Local tip** (1 sentence, optional but encouraged) — only-a-local-knows insight.

Practical details (duration, what's included, what to bring) do not go here. They have dedicated sections. The overview stays atmospheric and motivational.

Required

- ≥ 1 specific named place
- ≥ 1 quantification (duration, year count, distance)
- "We" pronoun where natural
- Active voice, specific verbs

Banned

- Opening with "Enjoy a..." (Viator pattern)
- Opening with the tour category

- Banned-words list (LD9)
- Superlatives without specifics
- Stock-tour language ("create memories that last a lifetime")

Layout: no visible H2. Section landmark via `<section aria-label="Tour overview">` for screen readers and crawlers. Direct opening from the hook is part of the brand voice — adding a corporate "Overview" header softens it.

This is a deliberate divergence from Viator/GYG/Klook (all use a visible heading). At 80-150 words a heading is just chrome.

No "read more" expansion. Spec is short by design.

Edge cases

Case	Behavior
Empty	Section hidden; tour cannot publish
1 sentence only	Displays; flagged for editorial expansion
>200 words	CMS blocks save
Missing translation	English fallback + "Translated by Google" badge — but human translation is mandatory at launch, so should not happen at go-live

4.7.8 Highlights

Bullet answer to "what will I do?" Bridge between motivational (overview) and rational (inclusions).

Wireframe

Highlights

- ✓ Reach the island in 1h15
- ✓ Snorkel with sea turtles
- ✓ BBQ lunch and drinks
- ✓ Private beach house & shower
- ✓ Max 30 travelers — never crowded

Bullet count

- Min: 3
- Recommended: 5
- Max: 6

Per-bullet rules

- Length: 5-12 words. Hard max 15.
- Lead with verb or specific noun ("Reach the island" / "Private beach house")
- Quantify where possible ("1h15," "Max 30 travelers," "40 years")
- Avoid superlatives ("amazing," "stunning," "world-class")
- Avoid generic phrasings ("scenic views" → describe what you see)

Differentiator bullet: at least one bullet should be unique to this tour, not interchangeable with competitors. For Miss Ann: "Private beach house & shower" or "Crew running this route for 40 years."

No emojis in bullets. Checkmark prefix only.

Heading: "Highlights" — visible H2 (unlike the overview, which has no visible heading). The list format benefits from a clear label, and the H2 provides a useful page-anchor for scroll-to-section navigation.

Edge cases

Case	Behavior
<3 bullets	Section hidden; tour flagged as under-spec'd
>6 bullets	CMS blocks save
Single bullet >15 words	CMS blocks save
Empty bullet (whitespace only)	Ignored at render

6. Page-level rules cross-cutting all sections

6.1 Brand voice

All copy follows the **Island Tours Brand Voice Bible v1.0**. Banned-words list applies platform-wide. The Tour Description Voice Guide (Bible §4) is the source of truth for the overview. The Bible's Appendix six-question quick-check applies to every piece of copy on the page.

6.2 Translation

7 launch locales: EN (primary) + NL, ES, PT, DE, FR, ZH. Title, highlights, inclusions, important info, FAQ, itinerary headers — human-translated at launch. Itinerary body and host bio — human at launch (small operator set), AI-assisted with editorial review at scale. Auto-translated content is labelled "Translated."

Tagline `Built by Islanders.` stays in English across all locales (brand mark, like a logo).

6.3 Currency

Per locale, fixed at launch (no user selector):

- EN, NL, DE, FR, ES, PT → EUR
- ZH → USD

6.4 Mobile sticky CTA — full spec

Spec'd in detail in Section 4.7.22 (Round 6). Foundations here:

- Triggered when in-flow widget passes above viewport
- Disappears when in-flow widget re-enters viewport
- Three elements only: price, free-cancel micro-copy, primary CTA
- Tap opens the in-flow widget AND the date picker (single tap, double action)

6.5 Save / Share

Spec'd in detail in Section 4.7.23 (Round 6). Foundations here:

- Save: heart icon, session storage if unauth, wishlist if auth
- Share order: WhatsApp → copy link → email → Facebook → X
- WhatsApp pre-fill: `Check this out – [Tour name] on Island Tours: [URL]`
- WhatsApp help button pre-fill: `Hi! I'm looking at tours on Island Tours and could use some help. `

6.6 Schema (head)

Spec'd in detail in Section 4.7.24 (Round 7). Foundations here:

- `Product` with `Offer` (primary)
- `TouristTrip`
- `BreadcrumbList`
- `FAQPage`
- `AggregateRating` (with Provider Rating fallback per LD11)
- `Review`
- All combined via `@graph`

6.7 Accessibility baseline

- All interactive elements: keyboard accessible, focus visible
- Booking widget: full screen-reader announcements at each state transition

- ARIA on lightbox: `role="dialog"`, `aria-modal="true"`, focus trapped
- Color contrast: WCAG AA minimum on all text
- Touch targets: 44×44 CSS pixels minimum

6.8 Component inventory

Unique UI components needed for this page. Some are shared with other specs (Tour Card, Hub Page); flagged where applicable.

Component	States / variants	Shared with
Breadcrumb row	desktop full · mobile truncated	All pages
H1 typography	one variant	All pages
Rating row	3+ reviews · Provider Rating fallback · hidden	Tour Card (low-state rules)
Image gallery — desktop grid	5-image asymmetric · 1-image fallback	—
Image gallery — mobile carousel	hero + dot indicators · 1-image fallback	—
Lightbox	single-image · grid view (mobile only)	Could be shared with hub page
Save (♥) icon	empty · filled · hover · loading	Tour Card
Share (↗) control	desktop modal · mobile native	Tour Card
Quick-info badge row	3 badges · wrapping	—
Booking widget shell	S1-S5 states	—
Date chip	available · sold_out · closed_day · cutoff_passed · selected	—
Date picker overlay	full-month grid	—
Time slot chip	normal · low capacity · sold out · selected	—
Party-size stepper	standard +/- · age-banded sub-rows · informational (unit pricing)	—
Add-on opt-in card	unchecked · checked · with quantity	—
Pricing breakdown expansion	collapsed · expanded inline	—
Trust strip	4-line stack	Closing Trust Block (different copy, same visual pattern)
Sticky bottom CTA bar	visible · hidden	—
Section heading H2	with anchor link target	All long-form sections
Toast notification	save success · error	All pages

Component	States / variants	Shared with
Inline error / constraint message	brand-voiced, not red-banner	All forms
Loading skeleton	image · widget · date chips	All async surfaces

7. Cross-references

Spec	Used by
Section 1.6 Slug Registry	URL → entity resolution; breadcrumbs
Section 4.2 Destination Page	Mobile breadcrumb divergence (LD8)
Section 4.3 All Tours / Search Page	Tour Card pattern, hyphen alignment for "Pickup"
Section 4.4 Category Page	Breadcrumb 3-level pattern
Section 4.5 Activity Hub Page	Breadcrumb 3-level pattern; tour comparison patterns
Tour Card spec	Image library; duration formatter; rating <3 reviews rule; "Pickup" hyphen alignment needed
Brand Voice Bible v1.0	All copy rules; banned-words list; Tour Description Voice Guide
Video editor briefing (Dutch)	People-anonymization rules for gallery photos

8. Future rounds

Sections 4.7.9 through 4.7.28 follow in subsequent rounds:

- **Round 3:** Inclusions, Itinerary, Meeting + Pickup, What to Bring (4.7.9-4.7.12)
- **Round 4:** Know Before You Go, Accessibility, Languages, Cancellation Policy (4.7.13-4.7.16)
- **Round 5:** About Your Hosts, Reviews, FAQ (4.7.17-4.7.19)
- **Round 6:** Related Tours, Closing Trust Block, Mobile Sticky CTA, Share + Save (4.7.20-4.7.23)
- **Round 7:** Schema, AEO/GEO, SEO Meta, Empty/Edge States, Performance + Phase 4 competitive matrix (4.7.24-4.7.28)

All written with Locked Decisions LD1-LD12 baked in, in alignment with Brand Voice Bible v1.0.

End of Section 4.7 Round 1+2 specification. Source-of-truth for design and engineering.