AI_PHASE 5 IBM

TITLE: FAKE NEWS DETECTION USING NLP

Phase 5: Project documentation and submission



FAKE NEWS DETECTION USING NLP

Problem Statement:

Addressing this issue requires leveraging advanced technologies such as Natural Language Processing (NLP) and Artificial Intelligence (AI) to develop accurate and efficient fake news detection systems.

The problem at hand involves creating an innovative AI-based solution that can effectively identify and classify fake news articles from genuine ones, utilizing the power of NLP techniques.

Phases of development:

Phase 1:

We collected and explored a given dataset and explain about the project. Choose the fake news dataset available.

Phase 2:

we can explore innovative techniques such as ensemble methods and deep learning architectures to improve the prediction system's accuracy and robustness. Consider exploring advanced techniques like deep learning models (e.g., LSTM, BERT) for improved fake news detection accuracy.

Phase 3:

Begin building your project by loading and preprocessing the dataset.

Begin building the fake news detection model by loading and preprocessing the dataset.

Load the fake news dataset and preprocess the textual data.

Phase 4:

Continue building the fake news detection model by applying NLP techniques and training a classification Model. Text Preprocessing and Feature Extraction Model training and evaluation.

Dataset description:

Dataset: [Fake news detection]

| 1 title | text | subject | date |
|--|--|---------|-------------------|
| 2 Donald Trump Sends Out Embarrassing New Year's Eve Message; This is Disturbing | Donald Trump just couldn t wish all Americans a Happy | News | December 31, 2017 |
| 3 Drunk Bragging Trump Staffer Started Russian Collusion Investigation | House Intelligence Committee Chairman Devin Nunes is | News | December 31, 2017 |
| 4 sheriff David Clarke Becomes An Internet Joke For Threatening To Poke People â€~In The Eyeâ€ | On Friday, it was revealed that former Milwaukee Sheri | News | December 30, 2017 |
| Trump Is So Obsessed He Even Has Obama's Name Coded Into His Website (IMAGES) | On Christmas day, Donald Trump announced that he w | News | December 29, 2017 |
| 6 Pope Francis Just Called Out Donald Trump During His Christmas Speech | Pope Francis used his annual Christmas Day message to | News | December 25, 2017 |
| Racist Alabama Cops Brutalize Black Boy While He Is In Handcuffs (GRAPHIC IMAGES) | The number of cases of cops brutalizing and killing peop | News | December 25, 2017 |
| 8 Fresh Off The Golf Course, Trump Lashes Out At FBI Deputy Director And James Comey | Donald Trump spent a good portion of his day at his go | News | December 23, 2017 |
| 9 Trump Said Some INSANELY Racist Stuff Inside The Oval Office, And Witnesses Back It Up | In the wake of yet another court decision that derailed I | News | December 23, 2017 |
| 10 r CIA Director Slams Trump Over UN Bullying, Openly Suggests He's Acting Like A Dictator (| T Many people have raised the alarm regarding the fact t | News | December 22, 2017 |
| 11 WATCH: Brand-New Pro-Trump Ad Features So Much A** Kissing It Will Make You Sick | Just when you might have thought we d get a break from | News | December 21, 2017 |
| Papa John's Founder Retires, Figures Out Racism Is Bad For Business | A centerpiece of Donald Trump s campaign, and now hi | News | December 21, 2017 |
| 13 VATCH: Paul Ryan Just Told Us He Doesn't Care About Struggling Families Living In Blue Sta | ts that only someone who grew up in a wealthy family ca | News | December 21, 2017 |
| 14 Bad News For Trump â€" Mitch McConnell Says No To Repealing Obamacare In 2018 | r could have done that in order to eradicate former Pres | News | December 21, 2017 |
| 15 CH: Lindsey Graham Trashes Media For Portraying Trump As â€~Kooky,' Forgets His Own V | /e, and coverage of the tax scam is no different. Coverage | News | December 20, 2017 |
| 16 Heiress To Disney Empire Knows GOP Scammed Us – SHREDS Them For Tax Bill | natically and trickle down economics has turned out to | News | December 20, 2017 |
| 17 Tone Deaf Trump: Congrats Rep. Scalise On Losing Weight After You Almost Died | ed squatting in the White House almost a year ago. Than | News | December 20, 2017 |
| The Internet Brutally Mocks Disney's New Trump Robot At Hall Of Presidents | in the Hall of Presidents looks like a 71-year-old Chucky | News | December 19, 2017 |
| 19 Mueller Spokesman Just F-cked Up Donald Trump's Christmas | owners never received notification of the request and h | News | December 17, 2017 |
| 20 SNL Hilariously Mocks Accused Child Molester Roy Moore For Losing AL Senate Race (VIDEO) | oved as Chief Justice of the Alabama Supreme Court not | News | December 17, 2017 |
| 21 Republican Senator Gets Dragged For Going After Robert Mueller | will not be tolerated. Cornyn retweeted Holder to say, ' | News | December 16, 2017 |
| 22 In A Heartless Rebuke To Victims, Trump Invites NRA To Xmas Party On Sandy Hook Anniversa | worse than we had expected. After 11 months of Donald | News | December 16, 2017 |

Features: [List key features such as Title, text, subject, date]

Data Preprocessing:

There are a number of libraries available that can help with data preprocessing tasks, such as handling missing values, encoding categorical variables, and scaling the features.



[PREPROCESSING]



Outlier Detection and Treatment:

Explain the approach to identifying and addressing outliers.

Feature Selection

Unknown publishers is the text ,object Feature

Engineering;

Selecting a future direction for fake news detection using NLP involves considering emerging trends, challenges, and opportunities in the field of natural language processing and misinformation detection.

```
len(unknown_publishers)
  → 21415
[42] fake.iloc[unknown_publishers].text
                     Donald Trump just couldn t wish all Americans ...
                     House Intelligence Committee Chairman Devin Nu...
                    On Friday, it was revealed that former Milwauk...
On Christmas day, Donald Trump announced that ...
                    Pope Francis used his annual Christmas Day mes...
         21412 Meanwhile, most Americans can t afford to take...
         21413 B b but does this mean global climate change i...
21414 Event organizers are asking protesters to come...
21415 It s hard for millennials to escape the leftis...
21416 Meanwhile, a Muslim boy with a radical activis...
Name: text, Length: 21417, dtype: object
[43] fake.iloc[8970]
         title
                         This Anti-Government Oregon Terrorist Took Th...
         text
                        One of the ringleaders of the terror-minded mi...
         subject
         Name: 8970, dtype: object

    Connected to Python 3 Google Compute Engine backend
```

Machine Learning Algorithm:

Chosen algorithm; state the Machine learning algorithms used (eg., LSTM)

Machine learning algorithms used (eg., LSTM)

- First load in the data. The preprocessing only consist of normalization and the creation of windows.
- Creation of the LSTM model
- Training the LSTM model

```
In [14]: model = tf.keras.Sequential([
               tf.keras.layers.Embedding(max_vocab, 128),
tf.keras.layers.Bidirectional(tf.keras.layers.LSTM(64, return_sequences=True)),
tf.keras.layers.Bidirectional(tf.keras.layers.LSTM(16)),
               tf.keras.layers.Dense(64, activation='relu'),
tf.keras.layers.Dropout(0.5),
tf.keras.layers.Dense(1)
          model.summary()
           Model: "sequential"
                                            Output Shape
            Layer (type)
                                                                           Param #
           zajer (type) output shape haram n
            embedding (Embedding)
                                          (None, None, 128)
            bidirectional (Bidirection (None, None, 128)
                                                                           98816
            bidirectional_1 (Bidirecti (None, 32)
                                                                           18560
            onal)
            dense (Dense)
                                           (None, 64)
            dropout (Dropout)
                                          (None, 64)
                                          (None, 1)
            dense_1 (Dense)
                                                                           65
           Total params: 1399553 (5.34 MB)
```

Evaluation Metrics:

Metrics used: define evaluation metrics such as accuracy, recall, F1-score explain the choice of metrics and how project goals.

```
In [99]: loss, accuracy,recall= model.evaluate(X_tst, y_tst, verbose=0)
# Print metrics
print('Accuracy : {:.4f}'.format(accuracy))
print('Recall : {:.4f}'.format(recall))

Accuracy : 0.9915
Recall : 0.9787
```

Project Documentation and reporting:

Separate from the report, create documentation for your Fake news detection, including instructions for usage, system architecture, and any code-related documentation.

Remember to use clear and concise python language in your documentation and reporting.

Final outcome:

We showed our final outcome for this project:

```
[203] X_test
     array([[
                       0, 0, ...,
0, 0, ...,
0, 0, ...,
                                                  608, 2242],
714, 703],
                                          515,
                                0, ..., 2730, 9632, 109146],
                                                  1, 2585],
8, 260]]
                                            85,
                                                           260]], dtype=int32)
                                           620,
                                0, ...,
                                                                                                     ↑ ↓ ⊖ 目 ‡ 記 ⅰ ∶
    x = ['this is a news']
     x = tokenizer.texts_to_sequences(x)
     x I
 [; [[26, 11, 4, 93]]
    [210] x = ['this is a news']
         x = tokenizer.texts to sequences(x)
         x = pad_sequences(x, maxlen=maxlen)
    [212] (model.predict(x) >=0.5).astype(int)
         array([[0]])
                                                                                                       ↑ ↓ © □ ‡ □ :
     x = ['As many as 3,79,257 more people tested positive for Covid-19 in the last 24 hours, taking the cumulative caseload to 1,8
         x = tokenizer.texts_to_sequences(x)
```

FAKE NEWS:-

□ array([[1]])

x = pad_sequences(x, maxlen=maxlen)
(model.predict(x) >=0.5).astype(int)



THANK YOU!