

Student Report Plagcheck

4.5.2023_1

by Hardik Gupta

Submission date: 04-May-2023 01:59PM (UTC+0530)

Submission ID: 2083902595

File name: Final_Sem-Trading_Master_Report_to_Check.docx (1.76M)

Word count: 8936

Character count: 45995

CHAPTER 1

INTRODUCTION

1.1 RELEVANCE

- Time series data is a category of historical data that resembles a collection of data that has been made through time and is organised according to a continuous time period. It essentially depicts the value of a specific variable at several times in time. Any format, including daily, weekly, monthly, and yearly, can be used for the data. A time series data typically includes the following elements:

4 Level – It is the baseline value of the given time series.

Noise – It is defined as the data points that have some exceptional value that cannot fit in a model.

Trend – The trend is the linear escalation or contraction of the series over a specific period of time. Depending on the time series data, it might or might not be present.

Seasonality – It is defined as the repeating patterns or behavior of the series over time. It is also optional.




Fig 1. Time Series Decomposition

A variety of techniques can be employed for time series analysis, which is the study or analysis of time series data. Time series analysis is done to look for trends in the provided data and to look at the data's numerous other features. There are many uses for time series analysis, but cryptocurrency analysis is

Trading Master Using Python

one of the most promising.

Time series analysis has two main objectives:

To observe and understand the given data and find trends in it.

To anticipate or forecast the values of a series using data that has already been observed.

1.2 MOTIVATION OF THE PROJECT

- We undertook this project to illustrate the significance of Technology and Data Science in the currency market and how we can take leverage it. In the past decade, we have witnessed an unprecedented rise of Cryptocurrency in the currency market.

Cryptocurrency is backed by Blockchain Technology and has been recognized as one of the most efficient and safest way of making transactions.

In this project we have utilized Machine Learning Algorithms and Time-Series for analysis and predictions using Python Programming Language.

1.3 PROBLEM STATEMENT

- Time series data is a category of historical data that resembles a collection of data that has been made over time and is organised based on a continuous time period. It includes a variety of methods for studying and analysing the data. Additionally, it can assist us in determining the data set's trend.

It essentially depicts the value of a specific variable at several points in time.

The Time Series Data generally consists of the following components: Level, Noise, Trend and Seasonality.

1.4 OBJECTIVES

- In the present world we are witnessing technology growing at an unprecedented rate, however due to negative global cues the financial markets across

Trading Master Using Python

the globe are not keeping up since a couple of years. So in this project we intend to combine the technology and finance field and seek to create a meaningful product from our work. When analysing a time series, different forecasting techniques are used to isolate various models from the gathered historical data. Then, using the premise that the information gathered from the past data will remain true in the future, we can use this data to predict future events from the occurred data.

There are several methods that can be used for statistical forecasting such as regression analysis, decomposition method, neural networks etc. These techniques provide different forecasting models, each with varying accuracies. The main task is to base the accuracy of the predictions on the minimum obtained error of the forecast.




Fig 2. Statistical Model

In this project, our main objective is to analyze the cryptocurrency data using different algorithms and to use that data to get meaningful insights about the cryptocurrencies. We will then use the results to find the most suitable cryptocurrencies for trading that can yield high profits to the traders in the future.

The analysis of cryptocurrencies consists of two main parts:

Fundamental analysis examines a cryptocurrency's potential using its most recent financial results as a basis. Using the asset(s)' intrinsic value as a starting point, we attempt to evaluate all the significant financial-related factors, including profits, expenses, assets, liabilities, etc. Additionally, we investigate the general market and business environment in this.

Technical Analysis, which involves visualizing the cryptocurrency data using various graphs and charts to identify the trends in it. In this basically we

Trading Master Using Python

analyze the market indicators of the asset, such as market resistance, support, trend lines, momentum-based indicators etc. It helps us to develop charts and patterns of the cryptocurrency.




Fig 3. Types of Analysis

1.5 SCOPE

- Cryptocurrency price prediction has always been a notoriously difficult task and in order to carry it out using machines seems a little difficult because of various factors involved in the process. But it is rightly said that with escalation in technology nothing is impossible.

With the advancing time and technology, people are getting more inclined towards investing in the cryptocurrency market which because of the high potential of return but is extremely volatile. The Trading System application implements the various concepts and techniques of time series analysis. It makes the process of analysis and prediction of cryptocurrencies extremely easy and user-friendly. Also with the help of the automated trading bot, the investor can employ it to generate profit for themselves.

CHAPTER 2

LITERATURE SURVEY

2.1 RELATED WORK

- ²² A Comparison of ARIMA and LSTM for Time Series ^{Forecasting} Deep learning algorithms, in particular, have made fast strides in the development of sophisticated AI-based methods, and these techniques are growing in popularity among specialists in the field. The key question is then how accurate and potent these freshly developed procedures are in comparison to the traditional ¹ approaches. The accuracy of ARIMA and LSTM as representative systems for forecasting time series data is compared in this research. Models based on LSTM perform significantly better than models based on ARIMA. When these ³ two approaches were used to analyse a collection of financial data, the results revealed that LSTM was superior to ARIMA. In addition, the LSTM-based algorithm outperformed the ARIMA-based algorithm in terms of prediction accuracy by an average of 85. The research presented in this paper promotes the advantages of using deep learning-based algorithms and methodologies to analyse financial data. ARIMA Model in Predicting Banking This paper demonstrates a model that presents short-term prediction of the new high technological system. After collecting adequate real data to develop a stock market data, an ARIMA model are implemented over the dataset performed to improve prediction. Application of the method in the case of banking stock exchange data verified its accuracy and showed its presentation capabilities. Around couple of hundred observations were gathered to implement the forecasts of this and the best ARIMA model was chosen dependent on the most acclaimed criteria which is MSE. Another significant observation is that the forecasting accuracy and consistency of the ARIMA model reduces gradually at this phase of the development procedure, from period to period. This model can be applied and appropriate for instances of the high-technology market particularly for the banks since it gives a significant pointer for the future.

2.2 COMPARISON OF EXISTING WORK

¹¹ A typical data science work is forecasting, which supports organisations with goal-setting, capacity planning, and anomaly detection. Despite its significance, creating accurate and high-quality forecasts is difficult, especially when there are many different time series and analysts who are skilled in time series modelling are hard to come by.

Prophet is designed for Facebook's business forecasting tasks, which typically have one or more ⁵ of the following features: hourly, daily, or weekly observations with at least a few months (preferably a year) of history; strong multiple human-scale seasonalities day of the week and time of year; significant holidays that occur at irregular intervals and are known in advance (such as the Super Bowl); a reasonable number of missing observations; or significant outliers.

2.3 GAP IDENTIFICATION

- ²¹
- J. Taylor and Benjamin Letham add that because forecasting is a specialised skill needing extensive experience, analysts who can make high-quality forecasts are consequently relatively uncommon. To prepare data for time series analysis, Aykut Cayr, Isil Yenidogan, Ozan Kozan, Tugce Dag, and Cigdem Arslan suggest conducting operations on it like time stamp conversion and feature selection. Despite the univariate nature of time series analysis, it aims to add a few extra variables to each model to boost forecasting precision. These extra variables are chosen in accordance with various correlation research. Aykut Cayr also suggests that the threefold splitting technique be used to choose the model for both ARIMA and PROPHET while taking into account the dataset's time series properties. The best ratios for training, validation, and test sets can be obtained using the threefold splitting technique. Then, two distinct models are developed and their performance metrics are compared. According to the rigorous testing, PROPHET consistently outperforms ARIMA.

CHAPTER 3

SOFTWARE REQUIREMENT

SPECIFICATION

3.1 INTRODUCTION

Time series data is a category of historical data that resembles a collection of data that has been made through time and is organised according to a continuous time period. It essentially depicts the value of a specific variable at several times in time.
Any format, including daily, weekly, monthly, and yearly, can be used for the data.

A time series data typically includes the following elements:

Level – It is the baseline value of the given time series.

Noise – It is defined as the data points that have some exceptional value that cannot fit in a model.

Trend – It is the linear increasing or decreasing of the series in a particular interval of time. It may or may not be present in every time series data.

Seasonality – It is defined as the repeating patterns or behavior of the series over time. It is also optional.

3.2 PURPOSE AND SCOPE OF DOCUMENT

Cryptocurrency price prediction has always been a notoriously difficult task and in order to carry it out using machines seems a little difficult because of various factors involved in the process. But it is rightly said that with escalation in technology nothing is impossible.

With the advancing time and technology, people are getting more inclined towards investing in the cryptocurrency market which because of the high potential of return but is extremely volatile. The Trading System application implements the various concepts and techniques of time series analysis. It makes the process of analysis and prediction of cryptocurrencies extremely easy and user-friendly. Also with the help of the automated trading bot, the investor can employ it to generate profit for themselves.

3.3 GENERAL DESCRIPTION

Time Series Analysis comprises a number of methods that can be used to study or analyze a time series data. Time series analysis is carried out to find trends in the

Trading Master Using Python

given data and to examine the various other characteristics of the data. Time series analysis has various applications, out of which cryptocurrency analysis is among the most promising application.

Time series analysis has two main objectives:

To observe and understand the given data and find trends in it.

To use the previously observed data to predict or forecast the future values of the series.

3.4 FUNCTIONAL REQUIREMENTS

- PyCharm
- CoinMarketCap
- Binance
- Long Short Term Memory Model (LSTM)
- Time Series Analysis
- API

CHAPTER 4

PROJECT DESIGN AND

IMPLEMENTATION

4.1 METHODOLOGY

A form of predictive analytics approach called time series analysis is used to forecast future values of a variable based on its observed past values. It entails using automated machine learning algorithms, analytical queries, and statistical analysis approaches to develop predictive models that put a numerical value on the likelihood that a specific event will occur.

The software applications that carry out predictive analytics use different variables that are a part of the specified dataset to predict the future behavior of these variables with acceptable level of reliability.

Cryptocurrency data has a large number of attributes or variables that can be used to analyze the data and find trends in it. The number and type of variables that can be used for the analysis totally depends upon the user and the machine learning algorithms being used.

Generally, the data of cryptocurrencies has the following variables:

- Name: It is the registered name or symbol of the cryptocurrency. Some APIs provide data which does not contain the name of the cryptocurrencies. Instead, the cryptocurrency is provided with a unique ID.

Market Cap: Market Capitalization is basically the total market value of the cryptocurrency.

Price: It is the current price of the cryptocurrency. It is very dynamic and generally changes every second.

Volume (24h): Volume is the amount of a particular cryptocurrency that has been traded in the last 24 hours.

Circulating Supply: It is the amount of the cryptocurrency that is available at that moment for trading.

Change (24h): It provides us information about the change in the price of cryptocurrency in the last 24 hours.

Different APIs provide data in different formats. Some APIs can provide data in the form of some other attributes such as High, Low, Open, Close etc.

The data provided from different APIs can be merged together and used as per the requirements.

Predictive Analytics Process

Predictive analytics techniques use various tools such as statistics, data mining, machine learning and data modelling to use the current set of data and predict the events in the future.

The main advantage of using predictive analytics techniques with time series data is that it can be used to identify risks and explore ways to minimize those risks. Also, predictive analytics can be used to find out new business opportunities and use the data for their benefits.

The process of predictive analytics is carried out in a number of steps or stages. The output of each stage completely depends upon the results provided by the previous stage. The final results obtained from predictive analysis are very promising and can be used for efficient decision making and future planning.

Predictive analysis process:




Fig 4. Step of Predictive Analysis Process

Research – The research stage is the initial stage of the predictive analysis process. It involves defining the main objectives of the analysis, identifying the preferable outcomes and finding the different datasets that might be required during the analysis.

Data Collection – In this stage, the datasets that are gathered during the research are combined together depending upon the type of datasets and analysis that has to be carried out. This provides the data from various sources as a single dataset. After this the data is cleaned and transformed to fit in the chosen predictive model in the next step.

Model Selection – Firstly, various statistical tools are used to analyze the data and find out how the data is inter-related and find the various trends and seasonality in the data. The results obtained are then used to find the most appropriate predictive model. The best way is to carry out multi-model evaluation.

Trading Master Using Python

Results – The predictive models provide predictions based on previous/historic data and these predictions are then converted into effective decisions. The models can be trained multiple times to make them optimal and get the desired results with maximum accuracy.

Predictive Model techniques Predictive models build or train a model that may be applied to forecast values for various or new data using known findings. Based on estimated significance from a collection of input variables, modelling produces outcomes in the form of predictions that reflect a probability of the target variable (for example, the price of the cryptocurrency). This isn't like descriptive models that explain what happened or diagnostic models that explain crucial relationships and assist you figure out why something occurred.

²⁶ There are two types of predictive models:

Classification models predict class membership. When a category is the output variable, classification models are employed. A classification model tries to infer some meaning from the values that were seen. A categorization model will attempt to forecast the value of one or more outputs given one or more inputs. Classification is basically a problem of identifying that to which class of observation does the new observation belongs. There are plenty of models-based Classification which includes decision tree, random forest, gradient-boosted tree, KNN, etc.

Regression models is a technique which is used to predict range or series of numerous values, for a provided dataset. These regression estimates are used to explain the relationship between one dependent variable (predicted variable) and one or more independent variables (predictor variables). It is widely used almost in all the industry for business and financial planning, trend analysis and modeling, and forecasting. There are several types of regression, such as standard multiple regression, stepwise regression, hierarchical regression, etc.




Fig 5.Graphical Representation of Classification and Regression

There are a number of predictive modelling techniques that are widely used for time-series analysis. Some of these techniques include Moving Average, Regression and Neural Networks.

Moving Average: The Moving Average (MA) is a type of technical analysis tool that is used to smooth out time series data by constantly updating the average price.

The most recent set of values for each prediction are used in the moving average method. The oldest observed value is subtracted from the set for each succeeding step while the anticipated values are taken into account.




Fig 6. Graphical Representation Moving Average

Since the average can be calculated over any time period that the trader selects, the moving average technique is frequently used for cryptocurrency analysis. The trading goals are the lone determinant of the moving average's length.

Longer moving averages are employed by long-term investors in the stock market whereas shorter moving averages are used for short-term trading.

Moving averages also offer crucial trading insight. A cryptocurrency is in an uptrend if its moving average is increasing, whereas a downtrend is indicated by a

moving average that is decreasing.

Regression Analysis: The most popular statistical technique for determining the relationship between two or more variables is regression analysis. There are many different types of regression, but the one that is most frequently employed is the one where one or more independent variables depend on a dependent variable.

Regression analysis is one of the most reliable techniques of finding the impact of variables. It plays an important role in attribute sub-selection. Regression determines the variables that can be ignored, the variables that are the most important and how all these variables influence each other.

The variables used in regression can be of the following two types:

Dependent Variable: Dependent variable is the main variable/factor that is taken under consideration while making a prediction. There are many other variables that impact the dependent variable.

Independent Variable: Independent variables are the variables/factors that tend to have an impact on the variable under consideration (dependent variable).

Regression analysis is carried out by simply plotting all the data points first. Once all the data points are plotted, one can see some correlations among them. After plotting, a line of regression is plotted which is calculated using some statistical formulas. The relationship between the dependent and independent variables is revealed by this line of regression.




Fig 7. Regression Analysis

Neural Networks: A sophisticated algorithm used in predictive analysis is

called a neural network. It functions much like how the human brain does. To predict future values and uncover any complicated correlations concealed in the data, neural networks process both historical and current data.

On time series data, neural networks can be used to make predictions. A neural network can be created to recognise patterns in incoming data and generate noise-free output.

A neural-network algorithm is composed of three layers:

The following (hidden) layer receives past data values from the input layer. The neural network's nodes are shown by the black circles.

A number of intricate functions that build predictors are contained in the hidden layer; frequently, the user is not aware of these functions. At the hidden layer, a set of nodes represents mathematical operations that change the input data; these operations are referred to as neurons.

The hidden layer's predictions are gathered in the output layer, which then creates the model prediction as the end result.

The neurons in most neural networks are activated via mathematical operations. In mathematics, a function is a relationship between a set of inputs and a set of outputs, where each input must equal one output.




Fig 8. Neural Networks

1. Models

Time Series Analysis have been around us for quite a long time, however it still remains as one of the biggest challenge in the field of Data Science. There are numerous models available for the time series analysis, but we have to find an optimal model on the basis of our need. A good model gives us a

strong foundation for analyzing and prediction of the data. While looking for a perfect model, we focus on achieving maximum efficiency and effectiveness. We have compared among several models which are as follows;

19

1.1 Auto-Regressive Integrated Moving Average(ARIMA)

ARIMA is a statistical model for analysing and forecasting time series data and this approach combines two different parts into one equation; they are the Autoregressive(A R) process and Moving Average(MA) process, and build a composite model for the time series.

The A R part of ARIMA indicates that the evolving variable of interest is regressed on its own lagged (i.e., prior) values. The MA part indicates that the regression error is actually a linear combination of error terms whose values occurred contemporaneously and at various times in the past.

The I (for "integrated") indicates that the data values have been replaced with the difference between their values and the previous values (and this differencing process may have been performed more than once). The proposed BJ methodology for this research involves iterative three-stage cycles. The first step requires model identification.

This stage finds the order of autoregressive, integration and moving average (p,d,q) of the ARIMA model :

$$\underline{x_t = c + \sum_{i=1}^p \phi_i x_{t-i} + \epsilon_t}$$

An MA model of order q, i.e., MA(q), can be written in the form:

$$x_t = \mu + \sum_{i=0}^q \theta_i \epsilon_{t-i}$$

An MA model of order q, i.e., MA(q), can be written in the form:

$$\underline{x_t = c + \sum_{i=1}^p \phi_i x_{t-i} + \epsilon_t + \sum_{i=0}^q \theta_i \epsilon_{t-i}}$$

In this we have three steps, the first step requires model identification. This stage finds the order of autoregressive, integration and moving average (p,d,q) of the ARIMA model where p is the quantity of slack perceptions used in preparing the model (i.e., slack request) d is the occasions differencing is applied (i.e., level of differencing) and q is known as the size of the moving normal window (i.e., request of moving normal). Having identified the values of ARIMA model, the second step will be diagnostic checking. A simple test to ensure the chosen model best fitted is to test the residuals estimated from this model and check whether or not they are white noise.

And if the residuals turned out to be white noise, then the model is accepted to have the particular fit; otherwise, the research process should restart over the selection process. The third step is the estimation of the parameters of the selected autoregressive and moving average forms included in the model. This step also involves forecasting the series based on the ARIMA model.

A number of statistical measures will be used for this purpose. They are mean error (ME), mean absolute error (MAE), mean square error (MSE), mean percentage error (MPE).

1.2 **Long Short Term Memory Model (LSTM):**

LSTM, also known as Long Short-Term Memory network, is the most commonly used Recurrent Neural Network for the analysis of time-series data. A simple RNN works fine with short-term dependencies. But while working with time series data, we require a neural network that is capable of dealing with long series of data. A LSTM network solves this problem by providing a long-term memory.

LSTM networks can solve a large number of problems that cannot be solved by any other neural network. It has a unique ability to selectively forget or memorize certain data points. The data in a LSTM moves through different cell states. There are 3 different cell states in a common LSTM network:

Previous cell state: The previous cell state is the data of the previous time-step.

Previous hidden state: It is the output of the processed data of the previous cell

state.

Current cell state: It is the new data provided at that particular moment. While working with cryptocurrency data, the neural network should be capable enough to memorize the trend in the price of the cryptocurrency for the previous few days and use that information to forecast its future.




Fig 9. LSTM Network

The data in the LSTM moves through different cell states with the help of a simple mechanism of gates. Each gate is responsible for controlling the flow of data from one cell state to another.

Each memory cell of a LSTM network has an input gate that controls the data that is being added to the memory cell. It uses mathematical functions to filter the data before it is stored in a memory cell. These functions make sure that redundant data is not stored.

The Forget Gate ensures that the less important data is removed from the memory cell. Removing the less-important data from the cell improves the performance of the neural network and it provides better results.

¹⁷ The main use of the output gate is to select useful data available from the current state and provide it as the input to the next memory cell. The data provided by the output gate of one memory cell acts as the input to the another memory cell.

2. Equations

$$x_t = c + \sum_{i=1}^p \phi_i x_{t-i} + \epsilon_t$$

$$x_t = \mu + \sum_{i=0}^q \theta_i \epsilon_{t-i}$$

$$x_t = c + \sum_{i=1}^p \phi_i x_{t-i} + \epsilon_t + \sum_{i=0}^q \theta_i \epsilon_{t-i}$$

Fig 10. LSTM Gates

3. Solving procedure

Time series analysis is a set of techniques that uses statistics to analyse and understand time-stamped data. Time series data consists of long chains of data that is broken down into small intervals of time. Analysis of data is carried out to find trends in the data and get useful insights about the data.

Cryptocurrency data is a perfect example of time series data. The price of a cryptocurrency changes every second. This generates a large amount of time-stamped data in real-time. Each cryptocurrency generates approximately 60 new data points every second and each data point further contains a number of different data attributes. To manage this amount of massive data, we require various techniques of time-series analysis.

Time series analysis is carried out in different stages or steps. Some most commonly used steps in the process of time series analysis are:

ETS Decomposition

Exploratory Data Analysis (EDA)

Data Smoothing

Experimental methodology deals with

1. Approach used for solving the problem

Long-Short Term Memory Model (LSTM)

There has been time series analysis for a very long time. In the field of data science, they are regarded as among the most challenging issues to resolve.

Long short Term Memory networks (LSTMs) have been shown to be one of

the most efficient solutions for practically all time series problems as a result of recent advancements in data science. In many ways, **LSTMs** are superior to **RNN** and traditional feed-forward neural networks. They have the ability to selectively remember patterns for extended periods of time, which explains this. The volume of the cryptocurrency, the initial price, and other factors may help a simple machine learning model or an Artificial Neural Network learn to anticipate cryptocurrency prices. While these characteristics influence the price of the cryptocurrency, it also has a significant impact on the price of the cryptocurrency in the previous days. In fact, one of the main determining factors for predictions for a trader is these data from the prior days (or the trend).




Fig 11 LSTM Model

We can now more easily see how these networks take the price trend of cryptocurrencies into account before making predictions about the current cryptocurrency price. It turns out that long-term dependencies have a negative impact on an RNN's performance. It totally modifies the existing information by applying a function in order to add new information. As a result, the information is altered overall; critical information and less significant information are not taken into account.

On the other hand, LSTMs only make minor adds and multiplications to the data. With LSTMs, the information travels via a system called cell states. LSTMs are able to selectively recall or forget things in this way. Three separate dependencies exist between the information at a specific cell state. Any problem can be generalised to include these dependencies as:

Structure of LSTM

2

Recurrent neural networks include long short-term memory. The output from the previous phase is sent into the current step of an RNN as input. As the gap length grows, RNN's performance becomes less effective. By default, LSTM may store information for a long time. The chain structure of the LSTM contains several memory "cells," or building pieces. Cells and gates both play a role in memory modification and information retention.




Fig 12. Structure of LSTM

2

Forget Gate: The forget gate eliminates data that is no longer relevant to the condition of the cell. The gate receives two inputs, x_t (input at the current time), and h_{t-1} (prior cell output), which are multiplied by weight matrices. If the output for a given cell state is 0, the information is lost, however if the output is 1, the information is saved for later use.

Input gate: The input gate adds useful information to the cell state. With inputs h_{t-1} and x_t , the information is first controlled using the sigmoid function, which filters the values to be remembered in a manner akin to the forget gate. Then, using the tanh function, which outputs values ranging from -1 to +1, a vector is created that contains all possible values for h_{t-1} and x_t .

Output gate: The function of output gate is to collect meaningful information from the current cell state and show it as an output. The tanh function is first used to the cell to create a vector. After then, the data is controlled by the sigmoid function, which filters the values to be retained using the inputs $t-1$ and x_t . The vector's values and the controlled values are finally multiplied and supplied as input and output to the following cell, respectively.

Trading Master Using Python

2. Dataset details

Cryptocurrency data has a large number of attributes or variables that can be used to analyze and find trends in it:

Name: It is the registered name or symbol of the cryptocurrency.

Market Cap: Market Capitalization is basically the total market value of the cryptocurrency.

Price: It is the current price of the cryptocurrency. It is very dynamic and generally changes every second.

Volume (24h): Volume is the amount of a particular cryptocurrency that has been traded in the last 24 hours.

Circulating Supply: It is the amount of the cryptocurrency that is available at that moment for trading.

Change (24h): The change in the price of cryptocurrency in the last 24 hours.

3. Algorithms etc.

Algorithm of LSTM:

In contrast to modelling with regressions, there is a sequential dependence among the input variables in time series datasets. The dependencies between the input variables can be handled very effectively by recurrent neural networks. Recurrent neural networks (RNNs) of the LSTM variety can store and learn from lengthy sequences of observations.

The Keras library is used to put the algorithm into practise. The dataset is first divided into 70 training and 30 testing sets, respectively, by the method (Lines 1-3).

The LSTM model is trained and constructed by the algorithm's "fit lstm" function. The training dataset, number of epochs (the number of times a particular dataset is fitted to the model), and number of neurons (the number of memory units or blocks) are all inputs to the function. An LSTM hidden layer is created in line 8. The network needs to be built, then it needs to be compiled and parsed to match the mathematical notations. A loss function and an opti-

misation strategy must be given when building a model. The loss function and optimisation technique, respectively, are "mean squared error" and "ADAM".

```

# Rolling LSTM
Inputs: Time series
Outputs: RMSE of the forecasted data
# Split data into:
# 70\% training and 30\% testing data
1. size ← length(series) * 0.70
2. train ← series[0...size]
3. test ← series[size...length(series)]
# Set the random seed to a fixed value
4. set random.seed(7)

# Fit an LSTM model to training data
Procedure fit_lstm(train, epoch, neurons)
5. X ← train
6. y ← train - X
7. model = Sequential()
8. model.add(LSTM(neurons), stateful=True)
9. model.compile(loss='mean_squared_error',
                  optimizer='adam')
10. for each i in range(epoch) do
11.     model.fit(X, y, epochs=1, shuffle=False)
12.     model.reset_states()
13. end for
return model

# Make a one-step forecast
Procedure forecast_lstm(model, X)
14. yhat ← model.predict(X)
return yhat

15. epoch ← 1
16. neurons ← 4
17. predictions ← empty
# Fit the lstm model
18. lstm_model = fit_lstm(train, epoch, neurons)
# Forecast the training dataset
19. lstm_model.predict(train)

# Walk-forward validation on the test data
20. for each i in range(length(test)) do
21.     # make one-step forecast
22.     X ← test[i]
23.     yhat ← forecast_lstm(lstm_model, X)
24.     # record forecast
25.     predictions.append(yhat)
26.     expected ← test[i]
27. end for

```

Fig 13. LSTM Algorithm

4.2 USAGE SCENARIO

1. Price Alert Application

This application alerts the investor about any change in the prices of cryptocurrencies.

This application can also run in background allowing the user to get continues price alerts and will make a Beep(Alert) sound whenever the prices fluctuate or cross limits.

2. Simple Data Analyzer

It is a statistical application that helps the investor to understand the cryptocurrencies better, the trends of change between them so that he/she can make appropriate calculations before investing their money in these digital currencies.

Trading Master Using Python

The data in this application is sorted and displayed at every iteration in the output of application.

4.2.1 User profiles

1. CoinMarketCap Application

This application allows an investor to view this data with ease.

It uses the listings API to get the latest data from the website.

To make the data more understandable, the data is filtered based on the several conditions and the data of the top 100 cryptocurrencies is only displayed to the user at a time.

2. Portfolio Calculator

This application tells the current value of the cryptocurrency in our portfolio in US Dollars

The Current value of the entire portfolio will also be displayed to help the investor in keeping a track of his investments.

4.2.2 Use-cases

1. Predictor and Price Forecasting Application

The data fetched using the API is put to train a Neural Network model using LSTM layers.

When the price forecasting application is running, it first extracts the historical data of the chosen cryptocurrency before attempting to forecast its future value.

It informs the user whether the selected cryptocurrency will return profit or loss in the future.

2. Advanced Data Analyzer

It starts to analyze the data of these cryptocurrencies and calculates a number of parameters that are essential to monitor the performance of the cryptocurrency.

The analyzer also runs a ranking algorithm which assigns a score to each and every cryptocurrency.

4.3 DATA MODEL AND DESCRIPTION

4.3.1 Data Description

Data Smoothning

Data smoothing is a technique that is used to make a time series smooth. This is carried out to make a series of data stationary. A stationary series is type of time series without a trend or seasonality. Stationary data can be easily compared with other data and makes the process of analysis more efficient.

By smoothing the data, we scale the values in a predefined range. This reduces the error or noise in the data.

Exponential Smoothing is the most common type of data smoothing for time series data. The basic idea of exponential smoothing is to convert every data point in a time series into a weighted sum of its past values in a linear form. Exponential smoothing is used when carrying out short-term predictions.

Exponential Smoothing is categorized as single, double or triple smoothing.

CHAPTER 5

SYSTEM TESTING

5.1 WORKING OF THE TRADING SYSTEM

5.1.1 Application User Interface

The User Interface (UI) of the Trading System is created using the Tkinter toolkit available for python. Tkinter is very intuitive and simple to use. There are many widgets available, including Buttons, Canvas, CheckButtons, Frame, Label, and List-Box.

Tkinter toolkit also includes inbuilt configurations for the layout of the above-mentioned widgets. We have used the pack and place layout configurations in the trading system.



Fig 14. Application User Interface

5.1.2 Features offered by Trading Master

1. CoinMarketCap Application

CoinMarketCap has more than 5000 listed cryptocurrencies on its website with new data being added every second. The CoinMarketCap clone application allows an

Trading Master Using Python

investor to view this data with ease. The application uses the listings API to get the latest data from the website.

The data on the listings api is refreshed every 60 seconds. The application gets the data of all the cryptocurrencies and presents it in a simple and easy-to-understand tabular form. To make the data more presentable, we filter the data based on our preset conditions and display only the top 100 cryptocurrencies to the user. Further, to understand the data even better, we have provided some options to manipulate the data. These options are:

- Sort by Name of the Cryptocurrency
- Sort by Symbol of the Cryptocurrency
- Rank by Price of the Cryptocurrency
- Rank by Volume of the Cryptocurrency
- Rank by MarketCap of the Cryptocurrency
- Rank by change in the last 1 hour
- Rank by change in the last 24 hours
- Rank by change in the last 7 days

Sort by name/symbol options can be used to sort the data based on the names or symbols of the cryptocurrencies.

The user also has the option to rank the cryptocurrencies based on their current price, volume or marketcap. Rank by price option ranks the top 100 cryptocurrencies based on their current price. Along with this, it also displays the data of the highest and lowest priced cryptocurrency at that moment.

Similarly, the rank by volume and marketcap option ranks the data based on their volume/ marketcap at that second and display the cryptocurrencies with the maximum and minimum volumes.

Lastly, the user can also view the data based on the change in the price of cryptocurrency. Data can be viewed in terms of last 1 hour, last 24 hours and even the last 7 days.

The CoinMarketCap clone application makes it easier for an investor to get meaningful insights from the data and understand it better.

The application is able to fetch the data of all the available cryptocurrencies.

Trading Master Using Python

But generally, a trader is not interested to go through the data of all the cryptocurrencies as it can be time consuming. So, to save time and effort of the user, we filter the data and display the data of only the top 100 cryptocurrencies.

The screenshot shows a terminal window with the following text:

```
"D:\Personal Documents\TradingSystem\Scripts\python.exe" C:/Users/gupta/PycharmProjects/TradingSystem/Gui.py
Press:
1. Sort by Name of the CryptoCurrency
2. Sort by Symbol of the CryptoCurrency
3. Rank by Price of the CryptoCurrency
4. Rank by Volume of the CryptoCurrency
5. Rank by MarketCap of the CryptoCurrency
6. Rank by Change in the last 1 hour
7. Rank by Change in the last 24 hours
8. Rank by change in the last 7 days

Choose option: 7

+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|      Name       |   Symbol   |   Price    |   Volume   |   MarketCap |   Change 1h  |   Change 24h |   Change 7d  |
+-----+-----+-----+-----+-----+-----+-----+-----+
| Thingschain     | TIC        | 0.0        | 0          | 4186.608576 | -0.140457  | 98.332258  | -0.460733  |
| FUZE Token      | FUZE       | 6.364969  | 36042.513803 | 4769.999041 | -20.431823 | 97.834256  | -17.740751  |
| Friendz         | FDZ        | 0.000182  | 34462.537837 | 93779.285261 | -0.142901  | 97.018142  | 99.862991  |
| NestEGG Coin    | EGG        | 5.6e-05   | 0.197792   | 2369.360651  | -0.418581  | 96.195603  | 104.976324  |
| ReddCoin        | ROD        | 0.00014   | 52570.838111 | 4256252.740547 | 0.014932  | 94.429337  | 66.69859   |
| Areon Network   | AREA       | 0.039284  | 4776108.753556 | 0            | -5.468587  | 93.979761  | 138.204993  |
| PigsCanFly      | PORK       | 0.844674  | 195938.587185 | 0            | -0.069054  | 98.431916  | 91.881851  |
| Smartshare      | SSP         | 1.e-05    | 551.505678   | 110016.394128 | 0.014932  | 9.991454  | 0.014354   |
| CoinX           | CNX        | 0.004385  | 170258.042844 | 0            | -1.578844  | 9.988943  | 45.892358  |
| CONUN          | CON        | 0.08663   | 365688.094829 | 19208982.479154 | 4.970484  | 9.936478  | 6.097722   |
| AnimalFam       | TOTOF0     | 0.0        | 18429.043872 | 0            | -0.053618  | 9.899013  | -30.372336  |
| Planet NFT      | PNFT       | 0.000283  | 56545.335478 | 0            | -2.761931  | 9.894059  | -41.053641  |
+-----+-----+-----+-----+-----+-----+-----+-----+
```

Fig 15. CoinMarketCap

2. Portfolio Calculator

We have created a Portfolio tracking Application. This application tells the current value of the cryptocurrency in our portfolio in US Dollars. The cryptocurrencies in our portfolio is the one that we have purchased at certain point of time at a certain day.

For example, we have purchased Bitcoin, Litecoin etc. So all these currencies appear in our portfolio along with the price at which we purchased it and the quantity.

This tracking application also displays the current profit in US Dollars and the percentage of profit. Current profit is the profit that we have earned till date from the date of purchase. If there is a loss, then the profit is shown with a Negative sign in its value. The application displays current price, 1 hour change, 1 day change and 7 days change for each cryptocurrency in our portfolio.

The Profit is indicated in Green color whereas loss in Red color with a negative sign. The Current value of the entire portfolio will also be displayed to help the investor in keeping a track of his investments. We have used Dummy Transactions in our portfolio and have written the transactions that we have made separately in a

Trading Master Using Python

.csv file. Rest of the operation will be performed by the python file code. The data from the .csv file is read by using a particular syntax. After reading from the file, we have written an appropriate python code in PyCharm. PyCharm provides an environment for python files to execute. After completing the code we have added design elements to our portfolio calculator project like pretty table to make it presentable. On successfully running the application we got the desired output.

Thus the portfolio tracking application has been successfully built. Further we added another column that displays the current price of the cryptocurrencies in our portfolio as a part of Improvement to our application.

Name	Quantity	Buy Price	Current price	Profit %	Change 1h	Change 1d	Change 7d
Bitcoin	500.0	8400.567	28092.9658916028	234.42	0.07346832	-1.67892658	2.97952506
Neo	1000.0	10.456	10.193739888946475	-2.51	-1.51316088	-2.7992021	-2.78731775
Bitshares	5000.0	0.035	0.09999160442669456	-71.72	-0.15025496	-1.52791549	-2.15798788
Jetcoin	500.0	0.00724	0.0028048568000886643	-61.26	66.44766528	63.7905802	290.38937817
ShineChain	25.0	0.0004567	7.974564407550109e-06	-98.25	0.0	0.0	-3.41932559
ROAD	800.0	0.02234	4.9806701837474446e-05	-99.78	0.0	0.0	-27.5338813

PORFTOLIO VALUE : \$ 14056727.62
TOTAL PROFIT : 233.81 %
TOTAL PROFIT (USD) : \$ 9845791.62

Fig 16. Portfolio Calculator

3. Price Alert

We have created a Price Alert Application as well. This application alerts the investor about any change in the prices of cryptocurrencies. Price alerts are really useful as sometimes it becomes difficult for an investor to notice some price changes. So we have also added a sound or tune which will ping like a notification every time there is a change in price of the digital currency. Thus, helping the investor by alerting about the price change. We have set particular limits in this application, both lower and upper for all cryptocurrencies for which we need an alert in case the price goes beyond the set limits.

This application can run in background without distracting you and will make a beep sound whenever the prices fluctuate or cross limits. As we are working on dummy transactions, therefore we have created a .csv file from which the required data is read in the python code. In this .csv file, we have specified the particular currencies for which we need the alerts, their upper price limit and their lower price

Trading Master Using Python

limit. The coinmarketcap APIs used in this application are Listings and Ticker.

```
Bitcoin price WENT UP. Current Price is $ 28404.453843
Neo price DROPPED. Current Price is $ 10.220601
JetCoin price DROPPED. Current Price is $ 0.002834
ShineChain price DROPPED. Current Price is $ 8e-06
ROAD price DROPPED. Current Price is $ 5e-05
```

Fig 17. Price Alert

4. Simple Data Analyzer

We have developed a Simple Data Analyzer application as a part of our project. It uses the APIs from Binance that gives the possibility of calculating the change between the current price and the price from one year ago, six months ago etc. Basically, it is used to calculate the change between the current price and historical price.

Again, it's a statistical application that helps the investor to understand the cryptocurrencies better, the trends of change between them so that he/she can make appropriate calculations before investing their money in these digital currencies.

There are many different columns/parameters that we have added in this application for better results and accuracy. These columns are: -

2mch: This represents the change between the current price and the price that was 2 minutes ago.

6hch: This represents the change between the current price and the price that was 6 hours ago.

12hch: This represents the difference in price between the present and the price that was 12 hours ago.

30dch: This represents the difference in price between the present and the price that was 30 days ago.

1ych: This represents the difference in price between the present and the price that was 1 year ago.

Similarly, other columns added are *30mMA* and *30dMA*. We have further added a 'score' column in the application. This score is calculated by taking into consideration all the other parameters included in this application.

The data in this application is sorted and displayed at every iteration in the

Trading Master Using Python

output of application. The Binance APIs used are Binance Prices API and Binance Candlestick API. After applying the appropriate coding, the application has been successfully compiled and executed in PyCharm.

Symbol	Score	2m_ch	6h_ch	12h_ch	30d_ch	1y_ch	30m_MA	30d_MA	Price
RADBTC	4.25	-2.86	20.26	38.81	-5.1	20.16	-5.4	-5.57	0.0001377
IDEXBTC	2.5	0.0	0.85	2.9	-1.11	-0.28	-0.75	-0.79	3.55e-06
LTCBTC	3.5	-0.06	0.19	1.65	-0.06	0.38	-0.11	-0.11	0.003138
BTCPUSDT	6.0	0.26	0.69	1.12	1.1	0.57	1.17	1.17	5.873
BTCGBP	7.25	-0.1	0.4	0.96	0.5	0.38	0.5	0.52	22688.0
BTCBRL	7.5	-0.06	0.51	0.87	0.46	0.47	0.53	0.54	142443.0
BTCTUSD	8.25	0.13	0.33	0.77	0.6	0.32	0.58	0.58	28156.36
BTCEUR	8.25	0.1	0.22	0.66	0.5	0.15	0.52	0.52	25744.8
BTCSUSDC	8.25	0.15	0.21	0.58	0.59	0.25	0.57	0.57	28178.17
BTCDAI	7.5	0.0	0.53	0.57	0.6	0.53	0.56	0.58	28192.69
QLCBTC	2.5	5.0	-16.0	-30.0	5.0	-16.0	2.94	3.11	2.1e-07
BTCPUSDT	6.0	0.26	0.69	1.12	1.1	0.57	1.17	1.17	5.873
BTCAUH	7.25	0.0	0.23	0.52	1.0	0.23	0.65	0.68	1054441.0
BTCZAR	8.25	0.18	0.57	0.17	0.91	0.76	0.71	0.71	536890.0
BTCTRY	5.5	-0.15	0.27	-0.08	0.72	0.25	0.42	0.41	581053.0
BTCAUD	7.25	-0.08	0.62	0.19	0.67	0.62	0.56	0.59	42216.22
BTCDAI	7.5	0.0	0.53	0.57	0.6	0.53	0.56	0.58	28192.69
BTCTUSD	8.25	0.13	0.32	0.77	0.59	0.31	0.57	0.57	28148.66
BTCSUSDC	8.25	0.13	0.19	0.56	0.57	0.23	0.55	0.55	28172.55
BTCBUSD	8.0	0.11	0.19	0.49	0.56	0.18	0.54	0.54	28171.49

Fig 18. Simple Data Analyzer

5. Advanced Data Analyzer

The Binance Data Analyzer application is the advanced version of the simple data analyzer. The Binance data analyzer can be used by traders for advanced trading with a lot more features. The application gets its data from the Binance website using the klines API.

We request the data in two intervals; 1 minute and 15 minutes interval. First, the analyzer filters the data received via the website and finds the most traded cryptocurrencies on based on the preset conditions.

Then the application starts to analyze the data of these cryptocurrencies and calculates a number of parameters that are essential to monitor the performance of the cryptocurrency. Some of these factors are:

2-min change: change in price in the last 2 minutes.

Trading Master Using Python

5-min change: change in price in the last 5 minutes.

15-min change: change in price in the last 15 minutes.

30-min change: change in price in the last 30 minutes.

1-hour change: change in price in the last 1 hour.

8-hour change: change in price in the last 8 hours.

10-min Moving Average: the moving average of price in the last 10 minutes.

20-min Moving Average: the moving average of price in the last 20 minutes.

50-min Moving Average: the moving average of price in the last 50 minutes.

100-min Moving Average: the moving average of price in the last 100 minutes.

1-day change: change in price in the last 1 day.

3-day change: change in price in the last 3 days.

5-day change: change in price in the last 5 days.

7-day change: change in price in the last 7 days.

10-day change: change in price in the last 10 days.

These factors play a vital role in analyzing the performance of any cryptocurrency. After calculating all these factors, the analyzer runs a ranking algorithm which starts to assign a score to each and every cryptocurrency. The score is calculated simply by combining the results of the above-mentioned factors. The application constantly runs in the background, scoring the cryptocurrencies every second. The user is also notified by a sound alert that is played when some cryptocurrency is scoring good and seems profitable.

Trading Master Using Python

Found 35 CryptoCurrencies that are worth Investing																
Getting the Data.....																
Running Analyzer.....																
Tue May 2 20:06:10 2023																
Symbol Score 2_m_ch 5_m_ch 15_m_ch 30_m_ch 1_hr_ch 10_m_MA 20_m_MA 50_m_MA 100_m_MA 8_hr_ch 1_day_ch 3_day_ch 5_day_ch 7_day_ch																
RAD 6.45 0.68 -0.22 -2.69 -7.9 -9.83 -0.62 -2.94 -6.23 -8.02 41.95 -9.9 -1.3 15.5 33.1																
BTCDOWNNU 5.8 -0.14 0.86 -1.59 -3.02 -2.62 0.15 -0.75 -1.89 -2.02 -2.22 -1.8 -2.6 -2.6 -2.8																
XMR 5.7 0.04 0.35 -0.75 -1.0 -1.13 0.06 -0.36 -0.81 -0.96 -0.18 -1.1 -1.9 -1.0 -1.0 -1.3																
ARB 5.1 0.04 0.21 -0.32 -0.23 -0.74 -0.02 -0.19 -0.34 -0.45 -0.47 -0.5 -0.6 -0.4 -0.3 -0.3 -0.3																
SOL 5.1 0.14 0.21 -0.26 -0.19 -0.57 0.06 -0.06 -0.26 -0.48 -0.17 -0.8 -0.3 -0.2 -0.1 -0.1 -0.1																
BNB 5.0 -0.13 0.18 -0.71 -1.19 -1.52 -0.06 -0.4 -0.92 -1.15 -2.78 -1.4 -1.5 -1.6 -2.2																
WBTC 4.8 0.01 0.01 -0.01 -0.02 -0.02 0.01 0.0 -0.01 -0.01 -0.06 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0																
XRP 4.7 0.0 0.31 -0.61 -0.91 -1.21 0.12 -0.25 -0.79 -0.91 -1.63 -1.0 -1.8 -1.9 -1.2																
EDU 4.45 0.05 -0.14 -0.38 -0.18 -1.23 -0.14 -0.18 -0.32 -0.79 -1.7 -1.5 -3.5 -1.4 0.0																
MATIC 4.4 -0.06 0.18 -0.18 -0.26 -0.44 0.09 -0.06 -0.23 -0.32 -0.64 -0.4 -0.6 -0.5 -0.4																
Tue May 2 20:06:12 2023																
Symbol Score 2_m_ch 5_m_ch 15_m_ch 30_m_ch 1_hr_ch 10_m_MA 20_m_MA 50_m_MA 100_m_MA 8_hr_ch 1_day_ch 3_day_ch 5_day_ch 7_day_ch																
RAD 6.45 -0.07 0.98 -3.6 -8.22 -10.31 -0.4 -2.58 -6.13 -8.0 41.84 -10.0 -1.4 15.4 33.0																
BTCDOWNNU 5.6 0.0 0.81 -1.77 -3.02 -2.48 0.2 -0.63 -1.84 -2.01 -2.22 -1.8 -2.6 -2.6 -2.8																
SOL 5.1 0.01 0.21 -0.21 -0.24 -0.69 0.07 -0.07 -0.23 -0.46 -0.15 -0.7 -0.3 -0.1 -0.1 -0.1																
BNB 4.9 0.0 0.07 -0.74 -1.22 -1.49 -0.03 -0.35 -0.89 -1.14 -2.78 -1.4 -1.5 -1.6 -2.2																

Fig 19. Advanced Data Analyzer

6. Future Prediction

The predictor application is the project's last component. It is the crucial element of the trading system. The historical-klines API provides statistics on certain cryptocurrencies, like Bitcoin, Ethereum, and Litecoin, to the prediction application. The data is subsequently utilised to train an LSTM and dropout layer-based neural network model. Four LSTM layers, four Dropout layers, and one Dense layer make up the trained model. For each cryptocurrency, a brand-new model is created and saved.

The model trained in the predictor is then loaded in the future-price application. When the future-price application runs, it first gets the historical data of the selected cryptocurrency. It also gets the current price of the cryptocurrency. The application then prompts the user to select the amount/quantity of the cryptocurrency ¹⁹ that the user intends to buy. Finally, the application tries to predict the future value of the cryptocurrency based on the provided data. It informs the user whether the selected cryptocurrency will yield profit or loss in the future of upto 1 month. The

Trading Master Using Python

application always works on real-time data and tries to provide results with maximum accuracy and least error in the predictions.

```
HISTORY OF BITCOIN ($)
+-----+-----+-----+-----+-----+
| Symbol | Price 1 Day Ago | Price 10 Days Ago | Price 15 Days Ago | Price 20 Days Ago | Price 30 Days Ago |
+-----+-----+-----+-----+-----+
|       | 01/05/2023 | 22/04/2023 | 17/04/2023 | 12/04/2023 | 02/04/2023 |
|       |           |           |           |           |           |
| BTCUSDT | 28868.26 | 27816.85 | 29438.27 | 29888.07 | 28171.87 |
+-----+-----+-----+-----+-----+
Current Price: $ 28276.25

Enter the Amount of BITCOIN :
5

Current Value: $ 141381.25

Predicting the Future Value of BITCOIN .....
Fetching Results ......

Future Predictions for your Investment in BITCOIN
+-----+-----+-----+-----+-----+
| Date | Duration | Predicted Price | Profit/Loss | Profit/Loss % | Predicted Value |
+-----+-----+-----+-----+-----+
| 03/05/2023 | After 1 Day | 27928.738 | Loss | 1.23 | 139643.691 |
| 12/05/2023 | After 10 Days | 28108.582 | Loss | 0.59 | 140542.91 |
| 17/05/2023 | After 15 Days | 29447.535 | Profit | 4.14 | 147237.676 |
| 22/05/2023 | After 20 Days | 28507.941 | Profit | 0.82 | 142539.787 |
| 01/06/2023 | After 30 Days | 28274.678 | Loss | 0.01 | 141373.389 |
+-----+-----+-----+-----+-----+
```

Fig 20. Future Prediction

7. Candlestick(s) Application

A candlestick graph is the most commonly used technique to visualize time series data or more importantly financial data such as cryptocurrency data. It is used by traders or investors to understand the change/movement of price of the cryptocurrency over the past few days.




Fig 21. Representation of Candlesticks

The candlesticks application can be used to understand the data with visualization. The viewer can view the data as an interactive candlestick graph rather than having it presented as integers. The user can select the name of any cryptocurrency

Trading Master Using Python

and visualize the performance of that particular cryptocurrency over the past years.

A single candlestick graph provides a ton of information to the user such as the daily open, close, high and low price of the cryptocurrency. As it is an interactive graph, the user can easily select any particular time-frame to view the data in a more detailed form.

Also, a single graph can display the data of the past many years, thus giving the user the opportunity to understand the trends in the price movements more efficiently.

The candlesticks in the graph can either be red or green. A red candlestick indicates that the cryptocurrency's closing price on that specific day was lower than its initial price.. Which means that the cryptocurrency's price moved down during the day. Similarly, a green candlestick shows that the closing price of the cryptocurrency was higher than the opening price at that particular day or an upward price movement.




Fig 22. Candlestick(s) Application

8. Pump and Dump Trading Bot

We have also created a Pump and Dump trading bot. It is an automatic buying and selling bot that reduces the efforts of investors and trades the digital currency automatically as per the instructions. We just need to set the certain parameters like the time for which the bot has to observe the price, particular cryptocurrency, the

Trading Master Using Python

buying price, the buying quantity, the price at which we want to sell.

Train the application with all these parameters and it will automatically buy the set quantity of the set cryptocurrency and will sell that quantity when the specified criteria are satisfied. Trading bot is a very useful application for such buying and selling operations as manually buying and selling at a very particular moment of time is a tedious task and requires a lot of accuracy. Trading bot saves all this time and enhances the overall experience.

We can also check the order status in this application. Order status is the status or description of the orders placed. It gives information about how much quantity has been purchased at what price and how much quantity is still in process to be purchased. Similarly it also gives information about the selling orders that have been placed.

We can also view all our previous buying and selling orders in this application. But we need to be very careful while setting the parameters as a little mistake can cost you a good amount of money. The APIs used in this application are Binance Prices and Binance Exchange Info API. After applying the appropriate coding, the application has been successfully compiled and executed in PyCharm and the bot has been able to buy and sell certain quantities automatically in accordance with the parameters set by us.

Trading Master Using Python

```
Tue May  2 19:58:59 2023
Buy Order: ETHBTC at: 0.06826 from 0.06500900
Order Placed
Filling Order...
Order Filled

Buying 0.8075 Quantity on Tue May  2 19:59:08 2023
Buying 0.457 Quantity on Tue May  2 19:59:09 2023
Buying 0.8631 Quantity on Tue May  2 19:59:09 2023
Selling 0.0933 Quantity on Tue May  2 19:59:10 2023
Selling 0.5827 Quantity on Tue May  2 19:59:10 2023
Buying 0.2488 Quantity on Tue May  2 19:59:11 2023
Buying 0.0863 Quantity on Tue May  2 19:59:12 2023
Buying 0.2969 Quantity on Tue May  2 19:59:13 2023
Buying 0.8175 Quantity on Tue May  2 19:59:14 2023
Selling 0.674 Quantity on Tue May  2 19:59:14 2023
Buying 0.6805 Quantity on Tue May  2 19:59:15 2023
```

Fig 23. Pump and Dump Trading Bot

CHAPTER 6

CONCLUSION AND FUTURE SCOPE

Trading Master Using Python

In the modern world, evolution in the field of finance and technology is at record high. People are striving to leverage the technology, collaborating it with pre-existing human intelligence and experience in the economic and financial markets to make huge amount of money. Despite the unprecedented global market condition, growth of market capitalization of cryptocurrency remains on the positive side.

Predicting the performance of a cryptocurrency is a difficult task. Analysis and prediction of cryptocurrencies involves many factors such as physical factors or physiological factors which makes the cryptocurrency prices highly volatile to predict with 100 accuracy. When analysing a time series, different forecasting techniques are used to isolate various models from the gathered historical data. Then, using the premise that the information gathered from the past data will remain true in the future, we can use this data to predict future events from the occurred data.

In this project, we have made an API to collect the dataset of the user selected cryptocurrency on real- time basis from two online trading platforms, namely Binance and CoinMarketCap, post data collection, we employ the data in LSTM and this model helps us to analyze the dataset and find out the trend of the particular cryptocurrency. This analysis is done on the basis of numerous factors in term of volume traded in the last 24 hours, 52-weeks high, 52-weeks low, plunging patterns and other fundamental aspects. There is an option to view the data chart using the candlestick representation which is widely used to analyze the trend.

Also, in the CoinMarketCap API we have provided the user with the option to show the list of cryptocurrency on the basis of factors such as Name, Symbol, Price, Volume, Market Cap and Change in Price. It helps user to get meaningful insights. Further, in the project, there is an advance data analyzer which employ the period change and moving average techniques to analyze the data.

All these features are accessible to the user through a common UI, thus making it a complete user-friendly cryptocurrency trading system.

Future Scope

Cryptocurrency price prediction has always been a notoriously difficult task and in order to carry it out using machines seems a little difficult because of various factors involved in the process. But it is rightly said that with escalation in technology

Trading Master Using Python

nothing is impossible.

With the advancing time and technology, people are getting more inclined towards investing in the cryptocurrency market which because of the high potential of return but is extremely volatile. The Trading System application implements the various concepts and techniques of time series analysis. It makes the process of analysis and prediction of cryptocurrencies extremely easy and user-friendly. Also with the help of the automated trading bot, the investor can employ it to generate profit for themselves.

Though we have tried our best to add all the necessary features in the application, still there is a lot more that can be done in the future versions of this application, some of the features that can be added in future are as follows;

Multi-User Application

The current version of the trading system can support only a single user. Perhaps in the update the trading system can be extended to support multiple users at the same time. Using paid and more advance APIs instead of the basic APIs, we can easily extend the support of this application to numerous user and also send price alerts to multiple users at the same time.

Mobile App for Trading System

At present, this trading system is compatible only with desktop versions of Windows and Mac operating system. But in the next update we can integrate our API and Application in the mobile versions with some modifications in the basic structure and User Interface, a mobile app can be developed for Android and IOS mobile users.

Deploying the Model on Cloud

The predictive model can be trained and deployed on a cloud platform. Deploying the model on cloud does not remove the geographical barrier for our trading system but it will also increase the computation power and hence can give faster and more accurate results.

Student Report Plagcheck 4.5.2023_1

ORIGINALITY REPORT



PRIMARY SOURCES

- | | | |
|---|---|------|
| 1 | Submitted to Liverpool John Moores University
Student Paper | 2% |
| 2 | www.ijraset.com
Internet Source | 2% |
| 3 | par.nsf.gov
Internet Source | 1 % |
| 4 | Salvatore, Dominick. "Managerial Economics in a Global Economy", Oxford University Press
Publication | 1 % |
| 5 | smartech.gatech.edu
Internet Source | 1 % |
| 6 | Submitted to University of Leicester
Student Paper | 1 % |
| 7 | Submitted to Westcliff University
Student Paper | <1 % |
| 8 | Submitted to IUBH - Internationale Hochschule Bad Honnef-Bonn
Student Paper | <1 % |

9	Submitted to Nanyang Polytechnic Student Paper	<1 %
10	Submitted to University of St. Gallen Student Paper	<1 %
11	Submitted to Tilburg University Student Paper	<1 %
12	Submitted to Coventry University Student Paper	<1 %
13	Submitted to University of Derby Student Paper	<1 %
14	www.analyticsvidhya.com Internet Source	<1 %
15	www.repository.smuc.edu.et Internet Source	<1 %
16	ijariie.com Internet Source	<1 %
17	Shidi Liu, Yiran Wan, Wen Yang, Andi Tan, Jinrong Jian, Xun Lei. "A Hybrid Model for Coronavirus Disease 2019 Forecasting Based on Ensemble Empirical Mode Decomposition and Deep Learning", International Journal of Environmental Research and Public Health, 2022 Publication	<1 %
18	financesonline.com	

Internet Source

<1 %

19 orca.cardiff.ac.uk <1 %
Internet Source

20 Submitted to University of South Australia <1 %
Student Paper

21 Submitted to University of Wales Swansea <1 %
Student Paper

22 Sima Siami-Namini, Neda Tavakoli, Akbar
Siami Namin. "A Comparison of ARIMA and
LSTM in Forecasting Time Series", 2018 17th
IEEE International Conference on Machine
Learning and Applications (ICMLA), 2018
Publication <1 %

23 Submitted to The University of Manchester <1 %
Student Paper

24 Yngwi Guimarães Vieira Souza, Luís Tarrataca,
Douglas O. Cardoso, Laura Silva de Assis.
"Chapter 26 Sentiment Analysis Applied
to IBOVESPA Prediction", Springer Science and
Business Media LLC, 2022
Publication <1 %

25 Submitted to University of Petroleum and
Energy Studies <1 %
Student Paper

26 www.sas.com

Internet Source

<1 %

27

downloads.hindawi.com

Internet Source

<1 %

Exclude quotes On

Exclude matches < 10 words

Exclude bibliography On