

Tamland

How Tamland is connected to the metrics catalog

The entrypoint to generate the manifests for Tamland is metrics-catalog/saturation/tamland.jsonnet.

```
graph TD;
    subgraph Runbooks
        SP[Saturation point] -->|is used to generate a| Manifest;
        SP -->|applies to| ServiceName[A service name];
        ServiceName -->|is tied to a| SD[Service definition];
        SD -->|is used to generate a| Manifest;
    end

    Manifest -->|provides definitions to| Tamland;
```

Manifest change journey

```
sequenceDiagram
    participant Engineer

    box runbooks
        participant ManifestMR as Manifest's MR
        participant ManifestJob as job: generate-tamland-saturation-manifest
        participant ManifestArtifacts as artifacts: tamland-saturation-manifest/saturation.
    end

    Engineer->>ManifestMR: merge
    ManifestMR->>ManifestJob: trigger
    ManifestJob->>ManifestArtifacts: store

    box Capacity Planning Tracker
        participant ManifestTrigger as job: trigger-upstream-manifest
        participant GetManifest as job: get-manifest
        participant TrackerMR as Updated Manifest's MR
        participant main as main branch
    end

    ManifestTrigger-->ManifestArtifacts: listen to
    ManifestTrigger->>GetManifest: trigger
    GetManifest->>TrackerMR: commit and push
    alt is staging
        TrackerMR->>main: automatic merge
    else is production
        Engineer->>main: manual merge
    end
```

Capacity Planning Tuning Parameters

For details, please refer to Tamland's manifest documentation.

See below examples of parameters for:

1. Strategy and forecast days
2. Changepoints and outliers
3. Excluding from forecast
4. Service's static saturation dimensions
5. Saturation point's static saturation dimensions
6. Dynamic lookup of saturation dimensions

FAQ

TBD