

Quiz04.md

Quiz 03

Attempts	Score
1/1000	7/7

Question 1

Compute the variance of the uniform noise distribution function ($b > a$):

$$p(z) = \begin{cases} \frac{1}{b-a} & \text{for } a \leq z \leq b \\ 0 & \text{otherwise} \end{cases}$$

Answer

$$((b - a)^2) / 12$$

Explanation

Simply use the definition of variance. Check [here](#) if you want to refresh the definitions.

Question 2

What is the probability distribution function of salt-and-pepper noise?

Answer

$$p(z) = \begin{cases} P_a & \text{for } z = a \\ P_b & \text{for } z = b \\ 0 & \text{otherwise} \end{cases}$$

Explanation

Remember that we need a probability to create salt (white) and a probability to create pepper (black).

- ◊ $p(z) = \text{constant}$ is constant noise;
- ◊ $p(z) = e^{-z}$ is exponential;
- ◊ $p(z) = \begin{cases} P_a & \text{for } z = a \\ 0 & \text{otherwise} \end{cases}$ is only salt or pepper but not both.
- ◊ $p(z) = \begin{cases} P_a & \text{for } z = a \\ P_b & \text{for } z = b \\ 0 & \text{otherwise} \end{cases}$ is then the correct answer.

Question 3

Consider a constant image (a single pixel value in the whole image). Assume we add Gaussian noise to the image. How many Gaussian functions (distributions) will appear in the histogram of the noisy image?

Answer

One

Explanation

The original histogram is a delta function, and then we obtain one Gaussian around it.

Question 4

Consider a constant image (a single pixel value in the whole image), not white nor black. Assume we add salt-and-pepper noise to the image. How many delta functions (distributions) will appear in the histogram of the noisy image?

Answer

Three

Explanation

We have a delta for the original pixel values, and one for salt (white) and then one for pepper (black).

Question 5

What filter would you apply to restore an image corrupted by additive Gaussian noise and motion blur if your goal is to minimize the expected mean squared error between the original image and the restored one?

Answer

Wiener filter

Explanation

This is the exact definition of Wiener filter.

Question 6

Do you consider you understand the difference between image enhancement and image restoration? There is no wrong answer here.

Answer

Yes

Explanation

In image restoration we expect that by having information about the degradation process, we can recover the original image. In image enhancement, the goal is simply to make the image more appropriate for a given task. For example, we can still apply histogram equalization to a clean and sharp image, though there is no need to apply any restoration technique to it.

Question 7

Consider we have an image composed of three constant flat regions. In other words, every line looks like ...ccccdddd..., eeee..., where c is a given gray value, d another, and e yet another. Assume $c > d$ and $e > d$. We want to compress the image and select to apply a simple predictor such that the current value is predicted as equal to the previous one just to its left (ignore boundary pixels). The prediction error is better modeled as

Answer

Salt and Pepper

Explanation

We only have error at the boundaries, when moving from c to d and from d to e .

Question 8

Assume we have the same image as in the previous question, and we add to it Gaussian noise with zero mean. Assume we apply the same type of prediction. The prediction error is now better modeled by

Answer

Three Gaussian modes

Explanation

When we move in a constant region, the prediction error is Gaussian with zero mean. When the do one of the jumps, we get a Gaussian, now centered at $d-c$ or $e-d$. We then get 3 Gaussians modes.