Scientific Images



Mars Expedition



Consumer Images and Videos



Ocean's Eleven Glass turns into plate (then glass again)

Movie Postproduction



www.movie-mistakes.com










From D. King, "The Commissar vanishes".





Single frame from a Monty Python movie






Single frame from a Monty Python movie





























Consumer Images and Videos

















Motivation




Medical and Biological Images



Deep Brain Stimulation (DBS)



Specific White Matter Pathways



Nigrostriatal

- Hard to reconstruct
- Consistency
- Some degree of variability between subjects

Nigropallidal

· Involved in PD (loss)

CN D CD


CN Pu GPe GPi SN STN Tha

Subthalamopallidal


· Regulate burst activity in BG


Pallidothalamic

- Motor control
- · Working memory
- · To Lpo, Vo, CM/Pf, MD





HIV Research







Behind the Scenes







Esophagus Detection for Cardiac Ablation








Image and Video Processing: From Mars to Hollywood with a Stop at the Hospital

Guillermo Sapiro







Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1






FIGURE 1.4 The first picture of the moon by a U.S. spacecraft. Ranger 7 took this image on July 31, 1964 at 9:09 A.M. EDT, about 17 minutes before impacting the lunar surface. (Courtesy of NASA.)



Gonzalez & Woods
www.ImageProcessingPlace.com

Chapter 1






FIGURE 1.5 The electromagnetic spectrum arranged according to energy per photon.



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1






FIGURE 1.7 Examples of X-ray imaging. (a) Chest X-ray. (b) Aortic angiogram. (c) Head CT. (d) Circuit boards, (e) Cygnus Loop, (Images courtesy of (a) and (c) Dr. David c e R. Pickens, Dept. of Radiology & Radiological Sciences, Vanderbilt University Medical Center; (b) Dr. Thomas R. Gest, Division of Anatomical Sciences, University of Michigan Medical School; (d) Mr. Joseph E. Pascente, Lixi, Inc.; and (e) NASA.)



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1

Introduction









FIGURE 1.8
Examples of ultraviolet imaging.
(a) Normal corn.
(b) Smut corn.
(c) Cygnus Loop.
(Images courtesy of (a) and
(b) Dr. Michael
W. Davidson,

Florida State University, (c) NASA.)






Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1





a b c

FIGURE 1.9 Examples of light microscopy images. (a) Taxol (anticancer agent), magnified 250×. (b) Cholesterol—40×. (c) Microprocessor—60×. (d) Nickel oxide thin film—600×. (e) Surface of audio CD—1750×. (f) Organic superconductor—450×. (Images courtesy of Dr. Michael W. Davidson, Florida State University.)



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1




FIGURE 1.10 LANDSAT satellite images of the Washington, D.C. area. The numbers refer to the thematic bands in Table 1.1. (Images courtesy of NASA.)



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1





FIGURE 1.11 Satellite image of Hurricane Katrina taken on August 29, 2005. (Courtesy of NOAA.)



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1





Infrared satellite images of the Americas. The small gray map is provided for reference. (Courtesy of NOAA.)








Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1

Introduction





c f FIGURE 1.14 Some examples of manufactured goods often checked using digital image processing. (a) A circuit board controller. (b) Packaged pills. (c) Bottles. (d) Air bubbles in a clear-plastic product. (e) Cereal. (f) Image of intraocular implant. (Fig. (f) courtesy of Mr. Pete Sites, Perceptics Corporation.)



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1

Introduction





a b

FIGURE 1.15 Some additional examples of imaging in the visual spectrum. (a) Thumb print. (b) Paper currency. (c) and (d) Automated license plate reading. (Figure (a) courtesy of the National Institute of Standards and Technology. Figures (c) and (d) courtesy of Dr. Juan Herrera, Perceptics Corporation.)



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1

Introduction






FIGURE 1.18 Images of the Crab Pulsar (in the center of images) covering the electromagnetic spectrum. (Courtesy of NASA.)




Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1

Introduction





a b c d

FIGURE 1.20
Examples of ultrasound imaging. (a) Baby. (2) Another view of baby. (c) Thyroids. (d) Muscle layers showing lesion. (Courtesy of Siemens Medical Systems. Inc., Ultrasound Group.)




Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1

Introduction







a b

FIGURE 1.21 (a) 250× SEM image of a tungsten filament following thermal failure (note the shattered pieces on the lower left). (b) 2500× SEM image of damaged integrated circuit. The white fibers are oxides resulting from thermal destruction. (Figure (a) courtesy of Mr. Michael Shaffer, Department of Geological Sciences, University of Oregon, Eugene; (b) courtesy of Dr. J. M. Hudak, McMaster University, Hamilton, Ontario, Canada.)




Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 1

Introduction





a b c d

FIGURE 1.22

(a) and (b) Fractal images, (c) and (d) Images generated from 3-D computer models of the objects shown.

(Figures (a) and (b) courtesy of Ms. Melissa D. Binde, Swarthmore College, (c) and (d) courtesy of NASA.)



Image and Video Processing: From Mars to Hollywood with a Stop at the Hospital


Guillermo Sapiro







Gonzalez & Woods www.ImageProcessingPlace.com











www.ImageProcessingPlace.com






FIGURE 2.4
Range of
subjective
brightness
sensations
showing a
particular
adaptation level.





www.ImageProcessingPlace.com







www.ImageProcessingPlace.com







FIGURE 2.6 Typical Weber ratio as a function of intensity.



Www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





bc

FIGURE 2.7 Illustration of the Mach band effect. Perceived intensity is not a simple function of actual intensity.



Www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





a b c

FIGURE 2.8 Examples of simultaneous contrast. All the inner squares have the same intensity, but they appear progressively darker as the background becomes lighter.





a b

FIGURE 2.9 Some well-known optical illusions.

Digital Image Processing, 3rd ed.

Www.ImageProcessingPlace.com









Gonzalez & Woods www.ImageProcessingPlace.com





FIGURE 2.10 The electromagnetic spectrum. The visible spectrum is shown zoomed to facilitate explanation, but note that the visible spectrum is a rather narrow portion of the EM spectrum.



www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals










FIGURE 2.12

- (a) Single imaging
- (b) Line sensor.
- (c) Array sensor.



www.ImageProcessingPlace.com







FIGURE 2.15 An example of the digital image acquisition process (a) Energy ("illumination") source (b) An element of a scene, (c) Imaging system. (d) Projection of the scene onto the image plane. (e) Digitized image.



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





n b


FIGURE 2.16 Generating a digital image. (a) Continuous image. (b) A scan line from A to Bin the continuous image, used to illustrate the concepts of sampling and quantization. (c) Sampling and quantization. (d) Digital scan line.



Www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





a b


FIGURE 2.17 (a) Continuous image projected onto a sensor array. (b) Result of image sampling and quantization.



Www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





IGUE (a) Continuous image projected onto a sensor array, (b) Result of image

Red R Green 6 Blue B RGB








www.ImageProcessingPlace.com






sampling and quantization.

RGB 30x(RGB) 30x3=90 572×512 | Sits



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





b c

FIGURE 2.18 (a) Image plotted as a surface, (b) Image displayed as a visual intensity array. (c) Image shown as a 2-10 numerical array (0, 5, and 1 represent black, gray, and white, respectively).



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals








FIGURE 2.18 (a) Image plotted as a surface, (b) Image displayed as a visual intensity array. (c) Image shown as a 2-10 numerical array (0, .5, and 1 represent black, gray, and white, respectively).

8 bits 0 = black 255 = white



www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals






FIGURE 2.19 An image exhibiting saturation and noise. Saturation is the highest value beyond which all intensity levels are clipped (note how the entire saturated area has a high, constant. intensity level). Noise in this case appears as a grainy texture pattern. Noise, especially in the darker regions of an image (e.g., the stem of the rose) masks the lowest detectable true intensity level.



Www.ImageProcessingPlace.com





FIGURE 2.20 Typical effects of reducing spatial resolution. Images shown at: (a) 1250 dpi, (b) 300 dpi, (c) 150 dpi, and (d) 72 dpi. The thin black borders were added for clarity. They are not part of the data.



www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals







FIGURE 2.21
(a) 452 × 374,
256-level image
(b)-(d) Image
displayed in 128,
64, and 32 gray
levels, while
keeping the
spatial resolution
constant.




www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals









www.ImageProcessingPlace.com


Chapter 2 Digital Image Fundamentals





FIGURE 2.21

(Continued)
(e)=(h) Image
displayed in 16, 8,
4, and 2 gray
levels. (Original
courtesy of
Dr. David
R. Pickens.
Department of
Radiology &
Radiological
Sciences.
Vanderbill
University
Medical Center.)






Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





a e d e


FIGURE 2.15 An example of the digital image acquisition process. (a) Energy ("illumination") source. (b) An element of a scene. (c) Imaging system. (d) Projection of the scene onto the image plane. (e) Digitized image.



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals






a b

FIGURE 2.17 (a) Continuous image projected onto a sensor array. (b) Result of image sampling and quantization.



www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals



0 0 0


abc

FIGURE 2.25 (a) An arrangement of pixels (b) Pixels that are 8-adjacent (adjacency is shown by dashed lines; note the ambiguity), (c) m-adjacency, (d) Two regions that are adjacent if 8-adjacency is used. (c) The circled point is part of the boundary of the 1-valued pixels only if 8-adjacency between the region and background is used. (f) The inner boundary of the 1-valued region does not form a closed path, but its outer boundary does.



Www.ImageProcessingPlace.com


Chapter 2 Digital Image Fundamentals




abc def

FIGURE 2.25 (a) An arrangement of pixels (b) Pixels that are 8-adjacent (adjacency is shown by dashed lines; note the ambiguity), (c) m-adjacency, (d) Two regions that are adjacent if 8-adjacency is used, (c) The circled point is part of the boundary of the 1-valued pixels only if 8-adjacency between the region and background is used. (f) The inner boundary of the 1-valued region does not form a closed path, but its outer boundary does.










Www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





a b c

FIGURE 2.26 (a) Image of Galaxy Pair NGC 3314 corrupted by additive Gaussian noise, (b)-(f) Results of averaging 5, 10, 20, 50, and 100 noisy images, respectively. (Original image courtesy of NASA.)




Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals












a b

FIGURE 2.28 Digital subtraction angiography. (a) Mask image. (b) A live image. (c) Difference between (a) and (b). (d) Enhanced difference image. (Figures (a) and (b) courtesy of The Image Sciences Institute, University Medical Center. Utrecht, The Netherlands.)



www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





abc

(a) Two sets of coordinates, A and B, in 2-D space. (b) The union of A and B. (c) The intersection of A and B. (d) The complement of A. (e) The difference between A and B. In (b)-(c) the shaded areas represent the member of the set operation indicated.



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals









a b c

FIGURE 2.32 Set operations involving gray-scale images.

(a) Original image. (b) Image negative obtained using set complementation.


(c) The union of (a) and a constant image.

(Original image courtesy of G.E., Medical Systems.)



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals





a b

FIGURE 2.35

Local averaging using neighborhood processing. The procedure is illustrated in (a) and (b) for a rectangular neighborhood. (c) The aortic angiogram discussed in Section 1.3.2. (d) The result of using Eq. (2.6-21) with m = n = 41. The images are of size 790 × 686 pixels.



Gonzalez & Woods www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals






FIGURE 2.35 Local averaging using neighborhood processing. The procedure is illustrated in (a) and (b) for a rectangular neighborhood. (c) The aortic angiogram discussed in Section 1.3.2. (d) The result of using Eq. (2.6-21) with m = n = 41. The images are of size 790 × 686 pixels.





Gonzalez & Woods www.ImageProcessingPlace.com



TABLE 2.2 Affine transformations based on Eq. (2.6.-23).


Transformation Name	Affine Matrix, I	Coordinate Equations	Example
Identity	1 0 0 0 1 0 0 0 1	x = w y = w	T
Scotling	$\begin{bmatrix} c_s & 0 & 0 \\ 0 & c_s & 0 \\ 0 & 0 & 1 \end{bmatrix}$	$x - c_x v$ $y = c_x x v$	
Rotation	cos # sin # 0	$x = v \cos \theta - w \sin \theta$ $y = v \cos \theta + w \sin \theta$	*
Translation	$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ t_6 & t_8 & 1 \end{bmatrix}$	$ \begin{aligned} $	I
Shear (vertical)	0 0 t	$ \begin{aligned} x - u + x_0 u \\ y - u \end{aligned} $	7.
Shear (horizontal)	1 s _p 0 0 1 0 0 0 1	$\begin{aligned} x &= v \\ y &= s_0 v + u c \end{aligned}$	T



www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals






a b c d

FIGURE 2.36 (a) A 300 dpi image of the letter T. (b) Image rotated 21° clockwise using nearest neighbor interpolation to assign intensity values to the spatially transformed pixels. (c) Image rotated 21° using bilinear interpolation. (d) Image rotated 21° using bicubic interpolation. The enlarged sections show edge detail for the three interpolation approaches.




Www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals











a b

FIGURE 2.37

Image registration. (a) Reference image. (b) Input (geometrically distorted image). Corresponding tie points are shown as small white squares near the corners. (c) Registered image (note the errors in the borders). (d) Difference between (a) and (c), showing more registration errors.



Www.ImageProcessingPlace.com






FIGURE 2.39
General approach
for operating in
the linear
transform
domain.




Www.ImageProcessingPlace.com

Chapter 2 Digital Image Fundamentals











a b

FIGURE 2.40 (a) Image corrupted by sinusoidal interference. (b) Magnitude of the Fourier transform showing the bursts of energy responsible for the interference. (c) Mask used to eliminate the energy bursts (d) Result of computing the inverse of the modified Fourier transform (Original image courtesy of

NASA.)