1. What is the index value of 'i' in string 11. What will be the output of the following "Learning"? **Python statement?** A. 3 B. 5 >>>print('new' 'line') C. 6 D. 7 A. Error B. newline 2. Python considered the character enclosed C. new line in triple quotes as String. D. Output equivalent to print 'new\nline' 12. Given a string example="hello" what is A. True B. False 3. What will be the output of the following the output of example.count('l')? **Python statement?** A. 0 B. 1 C. 2 >>>"abcd"[2:] D. None 13. Suppose s is "\t\tWorld\n", what is A. a B. ab C. cd D. dc s.strip()? 4. Which of the following is False? A. World B. \t\tWorld\n A. String is immutable. C. \t\tWorld\n D. \t\tWQRLD\n B. capitalize() function in string is used to return 14. What will be the output of the following a string by converting the whole given string Python code? into uppercase. print(0xA + 0xB + 0xC)C. lower() function in string is used to return a A. 33 B. 0x22 string by converting the whole given string into C. Error D. 0xA0xB0xC 15.To check whether string s1 contains lowercase. D. None of these. another string s2, use 5. What will be the output of the following A. s2 in s1 B. si.in(s2) D. s1.__contains__(s2) C. s1.contains(s2) Python code? >>> str1 = 'hello' >>> str2 = ',' 16. What will be the output of the following >>> str3 = 'world' >>> str1[-1:] Python code? A.0B. h print("xyyzxyzxzxyy".endswith("xyy")) C. hello D. elloh A. 1 6. Name the function which is used to find C. 3 D. True 17.lstrip method is used for: length of string. A. len() B. slen() A. delete all the trailing characters B. delete all the leading characters C. length() D. strlen() 7. What arithmetic operators cannot be used C. delete all the leading and trailing characters with strings? D. delete upper case characters **18.print("#")** A. -B. * $C_{\bullet} +$ D. All of the mentioned A. # B. Name Error C. Type Error D. Value Error 8. What is the output of the following? print("Hello {1} and {0}".format('bin', 'foo')) 19. What is printed by the following A. Error statements? B. Hello foo and bin s = "python rocks" C. Hello bin and foo print(s[1] * s.index("n")) D. None of the mentioned B. 55555 A. yyyyy 9. What is "Hello".replace("l", "e")? C. y5 D. TypeError 20. What is the output of the following? A. Heleo B. Heelo C. Heeeo D. None "Hello" +1 10. What will be the output of the following B. 1Hello A. Hello1 Python code? C. Type Error D. Value Error print("abc DEF".capitalize()) 21) What is the output of the following? "Hello"*"World" A. abc def B. ABC DEF D. Abc Def A. Type Error B. Hello World C. Abc def

C. Value Error D. Syntax error

22) What is printed by the following	c. True and False d. None of the above
statements?	32)String data types can perform
s = "python rocks"	operations in Python.
print(s[7:11] * 3)	a. Slicing b. Concatenation
A. rockrock B. rock rock	c. Membership d. All of the above
C. rocksrocks	33)What will be the output of the following
D. TypeError, you cannot use multiplication	code.
with slicing.	str1="Welcome"
23)What is printed by the following	str1="Welcome to my School"
statements?	print(str1)
animal = "dog"	a. Welcome b. Welcome to my School
print("animal" + animal)	c. Welcome Welcome to my School
A. dogdog B. dog dog	d. None of the above
C. animal dog D. animaldog	34)returns the string with all
24)What is printed by the following	lowercase letters converted to uppercase.
statements?	a. lower() b. upper()
animal = "dog"	c. title() d. None of the above
print("animal " + "animal")	35) returns True if characters of
A. animal animal B. animalanimal	the given string are either alphabets or
C. animal dog D. animaldog	numeric. If whitespace or special symbols are
25)what is the output of the following?	part of the given string or the string is empty
$s = f_{00}$	it returns False.
t = 'bar'	a. isalnum() b. islower()
print('barf' in 2 * (s + t))	c. isupper() d. None of the above
A. True B. False	returns True if the string is non-
C. Error D. None of the above	empty and all characters are white spaces
26) Each individual character in a string can	(blank tab
26)Each individual character in a string can	(blank, tab,
be accessed using a technique called	newline, carriage return).
be accessed using a technique called a. Indexing b. Method	newline, carriage return). a. isspace() b. istitle()
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip()
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square brackets	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string.
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square brackets a. () b. []	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle()
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. { } d. None of the above	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. { } d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. { } d. None of the above 28)In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python"))
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. { } d. None of the above 28)In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29)A string is an data type.	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. { } d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. {} d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. {} d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values?
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. {} d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means a. String can be changed after it has been	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values? a. * b. /
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. {} d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means a. String can be changed after it has been created	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values? a. * b. / c. % d. —
be accessed using a technique called a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. {} d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means a. String can be changed after it has been created b. String cannot be changed after it has been	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values? a. * b. / c. % d. — 40)Which operator is used to concatenate
a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. { } d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means a. String can be changed after it has been created b. String cannot be changed after it has been created	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values? a. * b. / c. % d. — 40)Which operator is used to concatenate strings?
a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. {} d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means a. String can be changed after it has been created b. String cannot be changed after it has been created c. Both a) and b) d. None of the above	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values? a. * b. / c. % d. — 40)Which operator is used to concatenate strings? a. ++ b. +
a. Indexing b. Method c. Storing d. None of the above 27)The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. { } d. None of the above 28)In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29)A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means a. String can be changed after it has been created b. String cannot be changed after it has been created c. Both a) and b) d. None of the above 31)Python has two membership operators	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values? a. * b. / c. % d. — 40)Which operator is used to concatenate strings? a. ++ b. + c. — d. /
a. Indexing b. Method c. Storing d. None of the above 27) The index specifies the character to be accessed in the string and is written in square brackets a. () b. [] c. {} d. None of the above 28) In the string, if the length is n then the index of the last character a. 0 b. n-1 c. 1 d. None of the above 29) A string is an data type. a. Mutable b. Immutable c. Both a) and b) d. None of the above 30) Immutable data type means a. String can be changed after it has been created b. String cannot be changed after it has been created c. Both a) and b) d. None of the above	newline, carriage return). a. isspace() b. istitle() c. istrip() d. rstrip() 37) returns the string after removing the spaces only on the left of the string. a. isspace() b. istitle() c. istrip() d. rstrip() 38)What will be the output of the following python code print("Python".replace("Python","My Python")) a. Python My Python b. Python c. My Python d. None of the above 39)Which operator can be applied to both integer and string values? a. * b. / c. % d. — 40)Which operator is used to concatenate strings? a. ++ b. +

c. Type Error d. Value Error

42)What will be the output of the following

d. \$P\$y\$t\$h\$o\$n c. \$p\$y\$t\$h\$o\$n

