
CODE

```
<html>
<head>
  <title>Mini Project: Forms & Functions</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: rgb(159, 210, 255);
      margin: 20px;
    }

    h1 {
      text-align: center;
      color: #362828;
    }

    .container {
      width: 50%;
      margin: 0 auto;
      background-color: rgb(250, 194, 194);
      padding: 20px;
      border-radius: 10px;
      box-shadow: 0px 0px 10px gray;
    }

    form {
      margin-bottom: 20px;
      padding: 15px;
      border: 1px solid rgb(163, 142, 142);
```

```
border-radius: 5px;  
}
```

```
h3 {  
  margin-top: 0;  
  color: rgb(69, 158, 252);  
  border-bottom: 2px solid #0a2848;  
  padding-bottom: 5px;  
}
```

```
input, select {  
  padding: 8px;  
  margin: 5px 0;  
  width: 95%;  
  border: 1px solid rgb(204, 204, 204);  
  border-radius: 4px;  
}
```

```
button {  
  background-color: rgb(86, 234, 121);  
  color: white;  
  padding: 10px 15px;  
  border: none;  
  border-radius: 4px;  
  cursor: pointer;  
  font-weight: bold;  
  margin-top: 10px;  
}
```

```
button:hover {  
  background-color: #50b566;
```

```
}
```

```
.calc-btn {  
  width: 22%;  
  background-color: rgb(48, 98, 152);  
}
```

```
.result-box {  
  margin-top: 10px;  
  font-weight: bold;  
  color: #6d1541;  
  font-size: 18px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<form>
```

```
<h3>    Calculator</h3>
```

```
<label>Enter 1st Number:</label>
```

```
<input type="number" id="num1" placeholder="e.g. 10">
```

```
<label>Enter 2nd Number:</label>
```

```
<input type="number" id="num2" placeholder="e.g. 5">
```

```
<br>
```

```
<button type="button" class="calc-btn" onclick="calculate('+')">+</button>
```

```
<button type="button" class="calc-btn" onclick="calculate('-')">-</button>
```

```
<button type="button" class="calc-btn" onclick="calculate('*')>×</button>
```

```
<button type="button" class="calc-btn" onclick="calculate('/')>÷</button>
```

```
<div class="result-box" id="calcOutput">Result: -</div>
```

```
</form>
```

```
<br><br>
```

```
<form>
```

```
<h3> Marriage Eligibility</h3>
```

```
<label>Select Gender:</label>
```

```
<select id="gender">
```

```
<option value="m">Male</option>
```

```
<option value="f">Female</option>
```

```
</select>
```

```
<label>Enter Age:</label>
```

```
<input type="number" id="age" placeholder="e.g. 21">
```

```
<button type="button" onclick="checkMarriage()">Check Status</button>
```

```
<div class="result-box" id="marriageOutput">Status: -</div>
```

```
</form>
```

```
</div>
```

```
<script>
```

```
// LOGIC USING ARROW FUNCTIONS
```

```
// 1. CALCULATOR LOGIC
```

```
// Arrow functions for basic math
```

```
let add = (a, b) => a + b;
```

```
let sub = (a, b) => a - b;
```

```
let mul = (a, b) => a * b;
```

```
let div = (a, b) => a / b;
```

```
let calculate = (operator) => {
```

```
    let n1 = Number(document.getElementById("num1").value);
```

```
    let n2 = Number(document.getElementById("num2").value);
```

```
    let res = 0;
```

```
    if(operator === '+') res = add(n1, n2);
```

```
    else if(operator === '-') res = sub(n1, n2);
```

```
    else if(operator === '*') res = mul(n1, n2);
```

```
    else if(operator === '/') res = div(n1, n2);
```

```
    document.getElementById("calcOutput").innerHTML = "Result: " + res;
```

```
};
```

```
// 2. MARRIAGE LOGIC
```

```
let getStatus = (g, a) => {
```

```
    if (g === "m" && a >= 21) {
```

```
        return "Eligible for Marriage ";
```

```
    }
```

```
    else if (g === "f" && a >= 18) {
```

```
        return "Eligible for Marriage ";
```

```
    }
```

```
    else {
```

```
        return "Not Eligible ";
    }
};
```

```
let checkMarriage = () => {
```

```
    let gender = document.getElementById("gender").value;
    let age = Number(document.getElementById("age").value);
```

```
    let resultMessage = getStatus(gender, age);
```

```
    document.getElementById("marriageOutput").innerHTML = "Status: " +
resultMessage;
};
```

```
</script>
</body>
</html>
```

OUTPUT

The image shows a web application interface with two distinct forms on a light blue background. The first form, titled 'Calculator', is a light red box containing input fields for two numbers, a row of four operation buttons (+, -, *, /), and a result display. The second form, titled 'Marriage Eligibility', is also a light red box containing a gender selection dropdown, an age input field, a green 'Check Status' button, and a status display.

Calculator

Enter 1st Number:
e.g. 10

Enter 2nd Number:
e.g. 5

+ - * /

Result: -

Marriage Eligibility

Select Gender:
Male

Enter Age:
e.g. 21

Check Status

Status: -