

CODE

```
<html>
<head>
<title>Event handlers in JS</title>
<style>
    fieldset{
        margin-left:530px;
        width: 350px;
        height: 355px;
        margin-top: 170px;
        border-radius: 10px;
        background-color: rgb(28, 66, 86);
        box-shadow: 0 0 10px rgba(0,0,0,0.7);
    }
    body{
        background-color: rgb(115, 245, 245);
    }
    .i1{
        margin-left: 50px;
        width: 240px;
        height: 35px;
        font-size: 17px;
        padding: 5px;
        border: 0.9px solid;
        border-radius: 5px;
    }
    button:hover{
        background-color: rgb(106, 106, 106);
    }
}
```

```

h1{
    text-align: center;
    margin-top: 40px;
}

button{
    margin-left: 130px;
    border: none;
    width: 80px;
    height: 40px;
    background-color: rgb(178, 178, 178);
    border-radius: 9px;
}

.p1{
    margin-left: 55px;
}

</style>
</head>
<body>
    <fieldset>
        <h1>Event handlers in JS</h1><br>
        <label class="l1"></label>
        <input class="i1" type="text" id="Username" placeholder="Enter Username"><br><br>
        <label class="l1"></label>
        <input class="i1" type="password" id="password" placeholder="Enter
password"><br><br><br>
        <button onclick="Event()">Login</button><br><br>
        <p id="result" class="p1"></p>
    <script>
        function Event(){
            // alert("Hello Mahir");
            var Username=document.getElementById("Username").value;


```

```
var password=document.getElementById("password").value;

if(Username=="Mahir" && password=="123"){
    document.getElementById("result").innerHTML="Login Successfully";
    // document.writeln("Login Successfully");

}
else{
    document.getElementById("result").innerHTML="Login Failed";
    // document.writeln("Login Failed");
}
}
</script>
</fieldset>
</body>
</html>
```

OUTPUT



Event handlers in JS

Enter Username

Enter password

Login