

# LET YOUR KITCHEN REFLECT YOUR TASTE

For any woman, her kitchen is her alter ego. It speaks a lot about her choices and wishes. With innovative kitchen solutions from Evershine, you can easily make your kitchen speak nothing but the truth about you.



# Kitchen the design recipe

Take a pinch of imagination; add to it a dash of creative planning and sprinkle it with precision, garnish it with the needed functionality and voila, you have your mouth-watering kitchen ready for you!

Evershine provides you everything that is required to give a kitchen complete transformation.










# A gamut of creative reflections

Design your kitchen the way you want.  
Evershine has developed innovative and truly  
captivating kitchen solutions for you.  
Just choose whichever touches your heart.





**\* NOTE:**

Even the most advanced printing technologies cannot fully reproduce the exceptional finish and subtle color schemes of our products. Only our original samples will give you the exact color, texture and finish of the products.

No part of this brochure may be re-printed or duplicated without our consent and without specifications of the manufacturer.

Changes resulting from technical advances and necessary modifications of design and colour may be made without prior notice. No liability can be accepted for printing errors.

|                       |    |
|-----------------------|----|
| Solid Wood Doors      | 05 |
| Eco 3D                | 09 |
| EFD                   | 13 |
| EGL                   | 19 |
| Crystal Glass Shutter | 21 |
| PU/Lacquered          | 23 |
| EPT                   | 25 |
| Veneer                | 26 |
| Napolean Profile      | 27 |

|                           |    |
|---------------------------|----|
| CNC Profile               | 31 |
| Plain Profile             | 35 |
| Glass Frame               | 37 |
| Aluminium Frame           | 39 |
| Aluminium Handle Profile  | 44 |
| Cornice & Pelmet/Postform | 50 |
| Wardrobe Doors            | 51 |
| Lighting System           | 53 |



# Solid Wood Doors

from Europe



FIRENZE



POSITANO




SORRENTO



WOODEN GRILLS





GLASS DOOR FRAME

ALL FRAME HEIGHT 716 MM





# CURVE DOORS



## Accessories



■ Curved Cornice Moulding with Decoration



■ Gallery Rail  
2000 x 72 x 26



■ Cornice Moulding  
3000 x 110 x 30



■ Frieze Rail : 900 x 90 x 20



■ Plate Rack Insert (Pair)



■ Midway Unit  
450 x 280 x 280



W-284 X H-554

■ Grills Available for All Frame Sizes



■ Simple Spacer  
720 x 50 x 40



■ Corner Post  
720 x 50 x 40



■ Pilaster  
720 x 100



CURVE DOORS WITH GLASS FRAME



Solid Wood Doors Available Sizes

Standard Sizes

| All Profile Doors | Height | Width | Width | Width | Width | Width | Width | Width |
|-------------------|--------|-------|-------|-------|-------|-------|-------|-------|
|                   |        | 240   | 296   | 315   | 396   | 446   | 596   | 896   |
|                   | 1316   |       |       |       |       | ✓     | ✓     |       |
|                   | 716    | ✓     | ✓     |       | ✓     | ✓     | ✓     |       |
|                   | 476    |       |       |       |       | ✓     | ✓     |       |
|                   | 356    |       |       |       |       | ✓     | ✓     | ✓     |
|                   | 236    |       |       |       |       |       | ✓     |       |
| Drawers           |        |       |       |       |       |       |       |       |
|                   | 176    |       |       |       |       | ✓     | ✓     | ✓     |
| Glass doors       |        |       |       |       |       |       |       |       |
|                   | 716    |       |       |       | ✓     | ✓     |       |       |

All Sizes in mm

Curved Items - Standard Sizes

| Curve Doors       | Height | Width | Width | Width | Width | Width | Width | Width |
|-------------------|--------|-------|-------|-------|-------|-------|-------|-------|
|                   |        | 240   | 296   | 315   | 396   | 446   | 596   | 896   |
|                   | 716    |       |       | ✓     |       |       |       |       |
| Curve Glass Doors |        |       |       |       |       |       |       |       |
|                   | 716    |       |       | ✓     |       |       |       |       |
| Grill Panel       |        |       |       |       |       |       |       |       |
|                   | 716    |       |       |       |       | ✓     |       |       |



## ECO 3D

**POLYMER COMPOSITE SHUTTER WITH  
SPECIAL TEXTURE ( 3 DIMENSIONAL DESIGN )  
ON MDF BASE**



Adding the fragrance of creativity to the kitchen design, here are options that can lend the kitchen a distinct identity.

From floral patterns to mystical designs, these are the choices that turn a kitchen into a charming work zone.







**\* NOTE**



**ECO 3D 301**



**ECO 3D 302**



**ECO 3D 303**



**ECO 3D 304**



**ECO 3D 305**



**ECO 3D 306**






**ECO 3D 307**



**ECO 3D 308**



Illustration of Dividing Materials





**Eco Fresh** | **EFD**  
**Designer Profile** | **401**

Reflecting innovative imagination, this alluring design gives a kitchen an artistic look. Connecting the dots of creativity, the marvellous pattern depicts the finest in originality.



Your choice of product shall be made against the material object as the product picture may have slight difference with the material object due to printing art.







## Eco Fresh Designer Profile | EFD 402

If floral pattern is your take, here is a simple stunning visualisation. Simple, yet elegant. Open, yet eye-catching. This is a design that takes creativity to its soothing best.

Illustration of Dividing Materials



Your choice of product shall be made against the material object as the product picture may have slight difference with the material object due to printing art.





**Eco Fresh**  
Designer Profile

**EFD**  
403

Bring all the positive power of the universe to your kitchen. Adorning stunning red, this is a design that stimulates thoughts like nothing else.

Illustration of Dividing Materials



Your choice of product shall be made against the material object as the product picture may have slight difference with the material object due to printing art.






## Eco Fresh Designer Profile

**EFD**  
**404**

Sober, soothing and pacifying. Here is a design that brings harmony and happiness to the kitchen, while motivating the mind to do more, cheerfully.

Illustration of Dividing Materials




Your choice of product shall be made against the material object as the product picture may have slight difference with the material object due to printing art.



# Eco Fresh Designer Profile

**EFD**  
**405**

Lovely enough to catch eyeballs and graceful enough to pronounce your position, this is an innovative design that plays with shapes and spaces.



Your choice of product shall be made against the material object as the product picture may have slight difference with the material object due to printing art.




**Eco Fresh**  
Designer Profile

**EFD**  
406

**EFD**  
407

**EFD**  
408



Your choice of product shall be made against the material object as the product picture may have slight difference with the material object due to printing art.





## EGL GLOSSY PLY BASE

### \* NOTE



EGL 200 ZED BLACK



EGL 201 SHELL WHITE



EGL 203 CAPPUCINO




EGL 206 ECO GREEN




EGL 208 MAROON



EGL 210 DARK PURPLE EGL



**EGL 211 DARK GRAY**



**EGL 212 SILVER**



**EGL 213 DARK ZEBRANO**



**EGL 214 CANADIAN WALNUT**



**EGL 215 STRAIGST WALNUT**

**EGL SERIES**

- \* Polymer Composite Board
- \* High Gloss 99%
- \* Anti - Scratch
- \* 3H Hardness
- \* Stain Resistance





## LACQUERED CRYSTAL GLASS SHUTTER

Lacquered glass shutter on marine ply base  
We also provide handle along with the shutter  
Available in customised sizes

### \* NOTE




ELC-501 GOLD



ELC-502 CAPPUCINO



ELC-503 SILVER



ELC-504 WHITE



ELC-505 BLACK



ELC-506 PURPLE



ELC-507 BURGANDY




ELC-508 SLATE GRAY





**POLYESTER HIGH GLOSSY  
PAINTED SHUTTER  
(PU / LACQUERED)**

**\* NOTE**



**001 WHITE**



**002 BLACK**



**003 RED**



**004 ORANGE**



**005 CHERRY**



**008 CHANPAGNE**



**012 SAND STONE**



**013 LIGHT BEIGE**



**016 SAGAR BLUE**



**019 JAISALMER YELLOW**



**021 PURPLE**

Available in a whole new collection of vibrant hues and tones to suite moods and wishes, Evershine Kitchen Solutions break the monotony of shades. And with that, they simply add a touch of class to any kitchen brilliantly.



**EPT**  
**PRE POLISHED**  
**TEXTURE PLYWOOD**



**EPT 600**



**EPT 601**



**EPT 602**



**EPT 603**



**EPT 604**

Available In 5  
 Different Shades

Available In Customised  
 Sizes As Well





## veneer shutter (on marine ply)



WALNUT



OAK



ZEBRANO



TEAK



# Napolean

## Profile



**NAPOLEAN - A**

Min Width 250mm for Shutter  
Min. Height 250mm for Drawer



**NAPOLEAN - B**

Min Width 250mm for Shutter  
Min. Height 250mm for Drawer



**NAPOLEAN - C1**

Min Width 250mm for Shutter  
Min. Height 250mm for Drawer



**NAPOLEAN - C2**

Min Width 250mm for Shutter  
Min. Height 250mm for Drawer



**NAPOLEAN - D**

Min Width 250mm for Shutter  
Min. Height 250mm for Drawer



**NAPOLEAN - E**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer





**NAPOLEAN - F**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer



**NAPOLEAN - G**

Min Width 250mm for Shutter  
Min. Height 250mm for Drawer



**NAPOLEAN - H**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer



**NAPOLEAN - I**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer



**NAPOLEAN - J**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer



**NAPOLEAN - K**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer



**NAPOLEAN - M**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer



**NAPOLEAN - N**

Min Width 250mm for Shutter  
Min. Height 250mm for Drawer



**NAPOLEAN - O**

Min Width 250mm for Shutter  
Min. Height 170mm for Drawer





# CNC Profile



ARISTO



DAYNA



ELECTRA





CASIA




ALENA



DORA

CNC PROFILE



MELINDA



MOSES



ARGOS





sides



corners



**ERIKA**



**MENTOR**



**KOSMOS**





# PLAIN Profile



PAMELA 01



PAMELA 02



PAMELA 03



PAMELA 04



PAMELA 05



Profile which is soft still attractive and trendy in look.  
Design without Design Profile !!! Surprisingly true - whether  
you believe or do not believe.  
Profile having unique characteristic of Zero Maintenance.



**PAMELA 06**



sides  
Top & Bottom

**PAMELA 07**



sides  
Top & Bottom

**PAMELA 08**



# Glass Frame



**Glass Frame - A**

Min. W.: 330 mm | Min. H.: 400 mm



**Glass Frame - B**

Min. W.: 220 mm | Min. H.: 300 mm



**Glass Frame - C**

Min. W.: 300 mm | Min. H.: 400 mm





**Louver Shutter**

Min. W.: 220 mm | Min. H.: 300 mm



**Louver Plate**

Min. W.: 225 mm | Min. H.: 80 mm



**Mesh Glass Frame**

Min. W.: 350 mm | Min. H.: 350 mm




# Aluminium

## Frame Profile




# ALUMINIUM FRAME PROFILE


## AP-01




### Related Profiles



AP-11





AP-12



AP-13

### Specification:

Aluminium Frame Profile : AP01  
Width : 20 mm  
Finish : Alu. Matt, S.S. Hairline Finish  
Thickness of Glass / Panel : 4 to 5 mm  
Standard Length : 3 mtr.  
Door Height : upto 2200 mm  
Door Width : upto 550 mm



### Calculation of Glass/Panel Size:

Thickness of Glass / Panel : 4 to 5 mm  
Minimum Distance of Hinge Hole (H) : 95 mm  
Type of Hinge : Alu. Profile Hinge  
Size (A) =  $X - 29$  mm  
Size (B) =  $Y - 29$  mm

### Related Clamp



APCA-01

### Related Hinge





P2SOCL-110-00  
P2SOCL-110-08  
P2SOCL-110-15

### Related Hinge



P2HGCL-110-00  
P2HGCL-110-08  
P2HGCL-110-15

### Fabrication for Frame Shutter AP-01







# AP-02



## Related Profiles





AP-21



AP-22

### Specification:

Aluminium Frame Profile : AP02  
Width : 45 mm (Front 9 mm)  
Finish : Alu. Matt, S.S. Hairline Finish  
Thickness of Glass / Panel : 4 to 5 mm  
Standard Length : 3 mtr.  
Door Height : upto 2200 mm  
Door Width : upto 550 mm



### Calculation of Glass/Panel Size:

Thickness of Glass / Panel : 4 to 5 mm  
Minimum Distance of Hinge Hole (H) : 100 mm  
Type of Hinge : Normal Hinge Ø35 mm  
Size (A) = X - 07 mm  
Size (B) = Y - 07 mm

### Related Clamp



APCA-01

### Related Hinges



18-110SO-00  
18-110SO-08  
18-110SO-15

### Related Hinges



18-110SOCL-00  
18-110SOCL-08  
18-110SOCL-15

### Related Hinges



HG-18-110-00  
HG-18-110-08  
HG-18-110-15


### Fabrication for Frame Shutter AP-02



# AP-81





## Related Profiles



AP-08

### Specification:

Aluminium Frame Profile : AP81  
Width : 72 mm (Front 9.5)  
22 mm Handle (Inbuilt)  
Finish : Alu. Matt, S.S. Hairline Finish  
Thickness of Glass / Panel : 6 mm  
Standard Length : 3 mtr.  
Door Height : upto 2200 mm  
Door Width : upto 550 mm



### Calculation of Glass/Panel Size:

Thickness of Glass / Panel : 6 mm  
Minimum Distance of Hinge Hole (H) : 85 mm  
Type of Hinge : Normal Hinge Ø35 mm  
Size (A) = X - 30 mm  
Size (B) = Y - 07 mm

### Note:

AP81 one side only, other 3 side required AP08 frame profile

## Related Clamp



APCA-03

## Related Hinges



18-110SO-00  
18-110SO-08  
18-110SO-15

## Related Hinges




18-110SOCL-00  
18-110SOCL-08  
18-110SOCL-15

## Related Hinges




HG-18-110-00  
HG-18-110-08  
HG-18-110-15

## Fabrication for Frame Shutter AP-81



# AP-09

## Related Profiles





AP-91



### Specification:

Aluminium Frame Profile : AP09  
Width : 50 mm (Font 9 mm)  
Finish : Alu. Matt, S.S. Hairline Finish  
Thickness of Glass / Panel : 4-5 mm  
Standard Length : 3 mtr.  
Door Height : upto 2200 mm  
Door Width : upto 550 mm



### Calculation of Glass/Panel Size:

Thickness of Glass / Panel : 4-5 mm  
Minimum Distance of Hinge Hole (H) : 85 mm  
Type of Hinge : Normal Hinge Ø35 mm  
Size (A) = X - 07 mm  
Size (B) = Y - 07 mm

### Related Clamp



APCA-03

### Related Hinges



18-110SO-00  
18-110SO-08  
18-110SO-15

### Related Hinges



18-110SOCL-00  
18-110SOCL-08  
18-110SOCL-15

### Related Hinges



HG-18-110-00  
HG-18-110-08  
HG-18-110-15

### Fabrication for Frame Shutter AP-09






# ALUMINIUM HANDLE PROFILE



## ECH-111

### Profile Fitting Instruction



#### Specification:

Aluminium Frame Profile : ECH 111  
Width : 37 mm  
Finish : S.S. Hairline  
Thickness of Panel : 19 mm  
(Can be use with MDF, PLY, CHIPBOARD)  
Standard Length : 297, 317, 397, 447, 497, 597, 897



Aluminium Handle Profile  
ECH-111 S.S. Hairline Finish

#### Calculation of Inlay Insections Size:



Thickness of Panel : 19 mm  
Size (B) = Y - 3 mm

### Fabrication for Handle Profile ECH 111





# ECH-112

## Profile Fitting Instruction



### Specification:

Aluminium Frame Profile : ECH 112  
Width : 44.30 mm  
Finish : S.S. Champagne  
Thickness of Panel : 19 mm  
(Can be use with MDF, PLY, CHIPBOARD)  
Standard Length : 297, 317, 397, 447, 497, 597, 897



Alluminium Handle Profile  
ECH-112 S.S. Champagne Finish

### Calculation of Inlay Insections Size:


Thickness of Panel : 19 mm  
Size (B) = Y - 3 mm

## Fabrication for Handle Profile ECH 112




# ECH-113 (J-Profile)

## Profile Fitting Instruction




### Specification:

Alluminium Frame Profile : ECH 113  
Width : 37 mm  
Finish : S.S. Hairline  
Thickness of Panel : 19 mm  
(Can be use with MDF, PLY, CHIPBOARD)  
Standard Length : 297, 317, 397, 447, 497, 597, 897




Alluminium Handle Profile  
ECH-113 S.S. Hairline Finish



### Calculation of Inlay Insections Size:

Thickness of Panel : 19 mm  
Size (B) = Y - 40 mm


## Fabrication for Handle Profile ECH 113







# AD-01 (G-Profile)

## Profile Fitting Instruction



### Specification:

Aluminium Frame Profile : AD01  
Width : 35 mm  
Finish : Alu. Matt, S.S. Hairline Finish  
Thickness of Glass / Panel : 19 mm  
(Can be use with MDF, PLY, CHIPBOARD)  
Standard Length : 3 mtr.



### Calculation of Inlay Insections Size:


Thickness of Panel : 19 mm  
Size (B) = Y - 35.5 mm

## Fabrication for Handle Profile AD-01



# AD-02

## Profile Fitting Instruction





### Specification:

Aluminium Frame Profile : AD02  
Width : 46 mm  
Finish : Alu. Matt, S.S. Hairline Finish  
Thickness of Panel : 19 mm  
(Can be use with MDF, PLY, CHIPBOARD)  
Standard Length : 3 mtr.

### Calculation of Inlay Insections Size:

Thickness of Panel : 19 mm  
Size (B) = Y - 45 mm  
Size (C) = 45 mm  
Size (A) = as per requirement  
Size (X) = as per requirement




### Related Bracket




**Finish:**  
Alu. Matt, S.S. Hairline Finish

ADEB-02 (End Bracket)


### Fabrication for Handle Profile AD-02




# AG-02





## Related Profiles



## Profile Fitting Instruction





**Specification:**  
Aluminium Frame Profile : AG02  
Width : 22.5 mm  
Finish : Alu. Matt, S.S. Hairline Finish  
Thickness of Panel : 19 mm  
(Can be use with MDF, PLY, CHIPBOARD)  
Standard Length : 3 mtr.



**Calculation of Inlay Insections Size:**  
Thickness of Panel : 19 mm  
Size (A) = X - 03 mm  
Size (B) = Y - 03 mm

## Fabrication for EDGE Profile AG-02





# Cornice & Pelmet



**MEMBRANE**

101 A Cornice Thickness - 25 mm  
101 B Pelmet Thickness - 18 mm



**MEMBRANE & POSTFORM**

102 A Cornice Thickness - 25 mm  
102 B Pelmet Thickness - 18 mm



**MEMBRANE**

103 A Cornice Thickness - 25 mm  
103 B Pelmet Thickness - 18 mm



**MEMBRANE**

104 A Cornice Thickness - 25 mm  
104 B Pelmet Thickness - 18 mm



**MEMBRANE**

105 A Cornice Thickness - 25 mm  
105 B Pelmet Thickness - 18 mm



**MEMBRANE**

106 A Cornice Thickness - 25 mm  
106 B Pelmet Thickness - 18 mm



**MEMBRANE**

107 A Cornice Thickness - 25 mm  
107 B Pelmet Thickness - 18 mm



**MEMBRANE**

108 A Cornice Thickness - 25 mm  
108 B Pelmet Thickness - 18 mm

# Postform Design



**FULL ROUND**



**HALF ROUND**



**BULL NOSE**



# WARDROBE Doors

- Functional, Flexible and inspiring new ways to get organized.
- Wardrobe shutter have come a long way!!! We think it's time to go beyond the standard, dull designs.
- Evershine offers designs which are surprisingly unique. Make your wardrobe as unique as you are.



**ABM-1**  
Min. W.: 300 mm  
Min. H.: 1000 mm



**ABM-2**  
Min. W.: 400 mm  
Min. H.: 1000 mm



**ABM-3**  
Min. W.: 400 mm  
Min. H.: 1000 mm



**ABM-4**



**ABM-5**  
Min. W.: 400 mm  
Min. H.: 1200 mm



**ABM-6**  
Min. W.: 250 mm  
Min. H.: 1000 mm








# LIGHTING System



## INNER DRAWER CABINET LIGHT - 3038

1. Low Power Consumption (DC 12V)
2. Finish Silver Anodized aluminium
3. Life 30000 hours
4. Power Cable 2000mm
5. Easy Installation
6. Available with Infra Red sensor




| Code           | K    | W   | L=mm |
|----------------|------|-----|------|
| 3038 KL 000112 | 6000 | 3.6 | 413  |
| 3038 KL 000212 | 6000 | 4.1 | 463  |
| 3038 KL 000312 | 6000 | 5.1 | 563  |
| 3038 KL 000512 | 6000 | 7.9 | 863  |



### SPOT LIGHT - 3021

1. Light Ø=57mm
2. Low Power Consumption (DC 12V)
3. Finish Translucent Cover
4. Life 30000 hours
5. Power Cable 2000mm
6. Round Shape Metal Ring Cover
7. Easy Installation




| Code           | K    | W   | Ø=mm |
|----------------|------|-----|------|
| 3021 KL 000100 | 6000 | 1.2 | 57   |



### INNER CABINET LIGHT-5004

1. Low Power Consumption (DC 12V)
2. Finish Silver Anodized Aluminium +Translucent Cover
3. Life 30000 hours
4. Power Cable 2000mm
5. Easy Installation
6. Available with Infra Red sensor
7. Detection Area 2-80m




| Code           | K    | W   | L=mm |
|----------------|------|-----|------|
| 5004 KL 000112 | 6000 | 1.6 | 204  |



### CABINET INNER SIDE LIGHT-3045

1. Low Power Consumption (DC 12V)
2. Finish Silver Anodized Aluminium
3. Life 30000 hours
4. Power Cable 2000mm
5. Easy Installation
6. Suitable for Wall Cabinets
7. Available with LED Touch Switch




| Code           | K    | W    | L=mm |
|----------------|------|------|------|
| 3045 KL 000115 | 6000 | 6.3  | 414  |
| 3045 KL 000215 | 6000 | 7.3  | 464  |
| 3045 KL 000315 | 6000 | 9.2  | 564  |
| 3045 KL 000515 | -    | 15.0 | 864  |






### UNDER CABINET LIGHT-3037

1. Low Power Consumption (DC 12V)
2. Finish Silver Anodized Aluminium
3. Live 30000 hours
4. Power Cable 2000mm
5. Suitable for Wall Units
6. Touch LED Switch
7. Easy Installation




| Code           | K    | W   | L=mm |
|----------------|------|-----|------|
| 3037 KL 000115 | 6000 | 3.7 | 450  |
| 3037 KL 000215 | 6000 | 5.1 | 600  |
| 3037 KL 000315 | 6000 | 8.0 | 900  |



### GLASS SHELF LIGHTS-3109

1. Power Connection 220-240V/50-60Hz
2. Finish Silver Anodized Aluminium + Tempered Glass
3. Life 30000 hours
4. Power Cable 2000mm
5. Available Color White
6. 8mm Tempered Glass
7. Easy Installation




| Code           | K    | W | L=mm |
|----------------|------|---|------|
| 3109 KL 000211 | 6000 | 3 | 900  |



### UNDER CABINET LIGHT - 3030

1. Low Power Consumption (DC 12V)
2. Finish Silver Anodized Aluminium + Translucent Cover
3. Life 30000 hours
4. Power Cable 2000mm
5. Easy Installation
6. Available with Power On/Off Switch.
7. Suitable for Wall Units




| Code           | K    | W   | L=mm |
|----------------|------|-----|------|
| 3030 KL 000111 | 6000 | 1.2 | 218  |



### OVER CABINET LIGHT-4004

1. Low Power Consumption (DC 12V)
2. Finish Silver Anodized Aluminium + Translucent Cover
3. Life 30000 hours
4. Power Cable 2000mm
5. Easy Installation
6. Available with movement sensor with 2m range.
7. Delay Time 30sec.




| Code           | K    | W   | L=mm |
|----------------|------|-----|------|
| 4004 KL 000113 | 6000 | 1.2 | 218  |



### WARDROBE LIGHT - 2003

1. Recharged Battery (DC5V)
2. Finish Silver Color Aluminium oxide with High Quality Aluminium Material
3. Easy Installation
4. Suitable for Wardrobes
5. Available with Infra Red Sensor




| Code           | K    | W   | L=mm |
|----------------|------|-----|------|
| 2003 KL 000418 | 6000 | 1.2 | 862  |



### WARDROBE LIGHT - 2005

1. Recharged Battery (DC5V)
2. Finish silver Color Aluminium oxide with High Quality Aluminium Material
3. Easy Installation
4. Suitable for Wardrobes
5. Available with Infra Red Sensor




| Code           | K    | W   | L=mm |
|----------------|------|-----|------|
| 2005 KL 000413 | 6000 | 1.2 | 850  |



| Code    | W  | V  |
|---------|----|----|
| 1280008 | 8  | 12 |
| 1280012 | 12 | 12 |
| 1280018 | 18 | 12 |

**LED TRANSFORMER - 128 KL 0001**

- 1. Primary connection 87-270V/AC 50-60 Hz
- 2. Secondary connection 12V/DC 600mA  
8W-TC80-270V/AC 50-60HZ
- 3. Output DC 12v constant voltage output & max 10w load
- 4. Protected against short circuit, open circuit, overload & overheat.
- 5. 2m cable with european plug & 3way AMP connector
- 6. For high brightness SMD LED







**ABM WOOD DECOR PVT. LTD.**  
AN ISO 9001:2008 Company

Plot No. 297-300, Ichhapore GIDC,  
Opp. ONGC, Sachin-Hazira Road,  
Bhatpore Village,  
Surat - 394 510 (Guj.) INDIA.

+91 261 2841201 / 02  
+91 261 2841200  
sales@evershineworld.com  
www.evershineworld.com

