

DETERMINISTIC CRYPTOGRAPHIC POSTURE

SecureMail forensic report

JSON is authoritative. This HTML and the companion PDF are presentations of one in-memory canonical report. Missing evidence is not a pass.

Schema **securemail.report/v1** Generated **2026-09-05T20:03:50Z**

Profile **ietf_current** Assessment **complete**



```
Capture SHA-256
4d698e066a4d530bfa59ac2d6a67fc50ba508611ca02ad74d43eedec2f4274dc

Working copy
present · 4d698e066a4d530bfa59ac2d6a67fc50ba508611ca02ad74d43eedec2f4274dc

Analyzer bundle
792b7a67fe8b6fe326fb9235567359d5b2d56c81ce25f4527ec8078a6f7c94c9

Policy pack
9b934ed11b792bc34f4d803d73b0098448d99cfa376074ef6560ad035cb2e9ae

Template
report.html.j2 · 9af49e7a478bad9d874034675f2268ff1d16dbc4d206b2cb20fecdeb1ff53b9d
```

Contents

- | | |
|--|---|
| 1. Report regions | 8. Certificate chains |
| 2. Capture limitations | 9. Observed facts |
| 3. Coverage denominators | 10. Policy checks |
| 4. Prioritized findings | 11. Advisory / ML |
| 5. Evidence lineage | 12. Analyst conclusions |
| 6. STARTTLS / STLS | 13. Provenance |
| 7. TLS handshakes | |

Report regions

Four regions stay separate. ML never rewrites a deterministic finding.

Observed facts

1 flows, 1 sessions, 0 handshakes, 0 certificates.

Deterministic conclusions

1 session findings, 1 endpoint findings, 1 applicable checks.

Advisory / ML

1 advisory items. Not used as compliance judgments.

Analyst conclusions

No analyst notes attached to this export.

Capture limitations

Assessment state **complete**. Unknown and not-observable checks are coverage, not a clean bill of health.

0

INCOMPLETE FLOWS

0

CONFLICTING FLOWS

0

NOT-OBSERVABLE CERTS

- Truncated packets present: **False**
- Unknown checks: **0**
- Not-observable checks: **0**

Coverage denominators

Pass / fail / unknown / not-observable always sum to applicable. Unknown is never folded into pass.

pass fail unknown not observable



Overall coverage

APPLICABLE	PASS	FAIL	UNKNOWN	NOT OBSERVABLE
1	0	1	0	0

By protocol

Coverage by mail protocol

PROTOCOL	BAR	APPLICABLE	PASS	FAIL	UNKNOWN	NOB
imap		1	0	1	0	0

By category

Coverage by check category

CATEGORY	APPLICABLE	PASS	FAIL	UNKNOWN	NOT OBSERVABLE
mail_protocol	1	0	1	0	0

Prioritized findings

MAIL_ACCESS_CLEARTEXT · Mail access without TLS

medium

INF Inferred

Score 49 · 192.0.2.25:143

Cleartext IMAP/POP3 access is deprecated.

severity

30/50

confidence

12/20

exposure

4/10

recurrence

0/10

asset criticality

2/5

blast radius


1/5

Recurrence 1 · occurrences 1 · remediation mail.require_access_tls

Evidence references

TYPE	KEY	FIELD	STATE	FRAME
session	CJKFoj4bpHEhTeaRoj	derived.service_role	INF Inferred	—
session	CJKFoj4bpHEhTeaRoj	derived.transport_tls_established	INF Inferred	—

Evidence lineage



Lineage table

FINDING	ENDPOINT	FLOW	QUALITY	PROTOCOL	TLS	CERTS
MAIL_ACCESS_CLEARTEXT	192.0.2.25:143	CJKFoj4bpHEhTeaRoj	complete	imap	—	0

STARTTLS / STLS

CJKFoj4bpHEhTeaRoj · imap

Terminal state **accepted** ·

OBS Observed

 · downgrade_consistent=True

advertised

requested

accepted

tls established

plaintext fallback

violation

TLS handshakes

Handshake facts

UID	VERSION	CIPHER	KEX	VISIBILITY	CERT
-----	---------	--------	-----	------------	------

Certificate chains

No extracted certificates. TLS 1.3 leaves after ServerHello remain not_observable without authorized secrets.

Observed facts

Flows

TCP reconstruction

UID	ENDPOINTS	QUALITY	REASON	STATE
CJKFoj4bpHEhTeaRoj	192.0.2.10:49152 → 192.0.2.25:143	complete	—	OBS Observed

Sessions

Mail sessions

UID	PROTOCOL	PORT HINT	PAYLOAD	STATE	EVENTS
CJKFoj4bpHEhTeaRoj	imap	imap	imap	OBS Observed	9

CJKFoj4bpHEhTeaRoj events

Decoded protocol events (hostile-input escaped)

KIND	DIR	COMMAND	TEXT	FRAME
confirmation	resp			—
request	orig	CAPABILITY		6
capability	resp		IMAP4rev1 AUTH=PLAIN	—
reply	resp		OK	8
request	orig	STARTTLS		10
starttls	orig			—
reply	resp		OK	12
request	orig	LOGOUT		14
reply	resp		OK	16

Policy checks

Applicable evaluations (pass is not omitted from the denominator)

CODE	OUTCOME	STATE	PROTOCOL	CATEGORY	ENDPOINT
MAIL_ACCESS_CLEARTEXT	fail	INF Inferred	imap	mail_protocol	192.0.2.25:143

Advisory / ML

- ADVISORY_INSUFFICIENT_HISTORY — Local ML history has 0 endpoint-windows; baseline needs 14 and Isolation Forest needs 40. Deterministic findings are unchanged. field session.uid.

Analyst conclusions

No analyst notes in this export.

Provenance

Source records

KIND	IDENTIFIER	AVAILABILITY
case	capture-4d698e06	present
capture	4d698e066a4d530bfa59ac2d6a67fc50	present
analysis_run	r2dc07ed42a67c697	present

Artifact hashes

NAME	SHA-256	AVAILABILITY
capture.pcapng	4d698e066a4d530bfa59ac2d6a67fc50ba508611ca02ad74d43eedec2f4274dc	present

Bundled fonts

FILE	FAMILY	WEIGHT	SHA-256
NotoSans-Regular.ttf	Noto Sans	400	1f0826e3f6488a3c14fe54d0ebf860bfad1bc1cc952fd4755ff519f145c9c17e
NotoSans-Bold.ttf	Noto Sans	700	23f831d62059cc0d0cb4e71dbc9aadd1717d23c457028d81001c925e8a78cd5c
NotoSansMono-Regular.ttf	Noto Sans Mono	400	213857674181ec82bf4f825a1ddb4b2a30136ca07a30e954c229b816108fc23d

HTML renderer securemail.html/v1 · PDF weasyprint 69.0 · signature unavailable · OS/container unavailable. Canonical report digest is written beside JSON as report.json.sha256.

